

2025

Prescription Drug Guide

Humana Medicare Employer Plan Formulary

List of covered drugs or "Drug List"

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN.

11

Formulary 25800

This formulary was updated on 09/28/2024. For more recent information or other questions, please contact the Humana Medicare Employer Plan with any questions at the number on the back of your membership card or for TTY users, 711, Monday through Friday, from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day, 7 days a week, by visiting **Humana.com**.

Humana[®]

Welcome to The Humana Medicare Employer Plan!

Note to existing members: This Formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take. When this Drug List (Formulary) refers to “we,” “us”, or “our,” it means Humana. When it refers to “plan” or “our plan”, it means the Humana Medicare Employer Plan. This document includes a Drug List (formulary) for our plan which is current as of January 1, 2025. For an updated Drug List (formulary), please contact us. Our contact information, along with the date we last updated the Drug List (formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1 of each year, and from time to time during the year.

What is the Humana Medicare Employer formulary?

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is the entire list of covered drugs or medicines selected by the Humana Medicare Employer Plan. The terms formulary and Drug List may be used interchangeably throughout communications regarding changes to your pharmacy benefits. The Humana Medicare Employer Plan worked with a team of doctors and pharmacists to make a formulary that represents the prescription drugs we think you need for a quality treatment program. The Humana Medicare Employer Plan will generally cover the drugs listed in the formulary as long as the drug is medically necessary, the prescription is filled at a Humana Medicare Employer Plan network pharmacy, and other plan rules are followed. For more information on how to fill your medicines, please review your Evidence of Coverage.

If you are thinking about enrolling in a Humana Medicare Employer Plan and need help or information, call the Group Medicare Customer Care number listed in your enrollment materials. If you are a current member, call the number listed in your Annual Notice of Change (ANOC) or Evidence of Coverage (EOC), or call the number on the back of your Humana member identification card Monday through Friday from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays.

Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the formulary during the year, move them to different cost sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes. Updates to the formulary are posted monthly to our website here:

[Humana.com/medicaredruglist](https://www.humana.com/medicaredruglist).

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions of certain new versions of brand name drugs and original biological products.** We may immediately remove a drug on our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

If you are currently taking the brand name drug or biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you

the drug that is being changed. For more information, see the section below titled “How do I request an exception to the Humana Formulary?”

Some of these drug types may be new to you. For more information, see the section below titled “What are original biological products and how are they related to biosimilars?”

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product, or move it to a different cost-sharing tier, or both. We may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and a notice of the change.

We will notify members who are affected by the following changes to the formulary:

- When a drug is removed from the formulary.
- When prior authorization, quantity limits, or step-therapy restrictions are added to a drug or made more restrictive.
- When a drug is moved to a higher cost sharing tier.

If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled “How do I request an exception to the Humana Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2025 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2025 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the formulary for the new benefit year for any changes to drugs.

What if you are affected by a Drug List change?

We will notify you by mail at least 30 days before one of these changes happen or we will provide a 30-day refill of the affected medicine with notice of the change.

The enclosed formulary is current as of January 1, 2025. To get updated information about the drugs covered by Humana please contact us. Our contact information appears on the front and back cover pages.

How do I use the Formulary?

There are two ways to find your drug in the formulary:

Medical condition

The formulary starts on page 11. We have put the drugs into groups depending on the type of medical conditions that they are used to treat. For example, drugs that treat a heart condition are listed under the category "Cardiovascular Agents." If you know what medical condition your drug is used for, look for the category name in the list that begins on page 11. Then look under the category name for your drug. The formulary also lists the Tier and Utilization Management Requirements for each drug (see page 6 for more information on Utilization Management Requirements).

Alphabetical listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 199. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to each drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of the drug in the first column of the list.

What are generic drugs?

Humana covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

What are original biological products and how are they related to biosimilars?

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

- For discussion of drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, "The 'Drug List' tells which Part D drugs are covered" if you have a Medicare Advantage plan. If you have a Prescription Drug Plan (PDP), please see the Evidence of Coverage, Chapter 3, Section 3.1, "The 'Drug List' tells which Part D drugs are covered". The type of plan can be found at the top of your Evidence of Coverage.

Prescription drugs are grouped into one of four tiers.

The Humana Medicare Employer Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

- **Tier 1 - Generic or Preferred Generic:** Generic or brand drugs that are available at the lowest cost share for the plan
- **Tier 2 - Preferred Brand:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 1 Generic or Preferred Generic, and at a lower cost to you than Tier 3 Non-Preferred Drug
- **Tier 3 - Non-Preferred Drug:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 2 Preferred Brand drug
- **Tier 4 - Specialty Tier:** Some injectables and other high-cost drugs

How much will I pay for covered drugs?

The Humana Medicare Employer Plan pays part of the costs for your covered drugs and you pay part of the costs, too.

The amount of money you pay depends on:

- Which tier your drug is on
- Whether you fill your prescription at a network pharmacy
- Your current drug payment stage - please read your Evidence of Coverage (EOC) for more information

If you qualified for extra help with your drug costs, your costs may be different from those described above. Please refer to your Evidence of Coverage (EOC) or call Group Medicare Customer Care to find out what your costs are.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization (PA):** The Humana Medicare Employer Plan requires you to get prior authorization for certain drugs. This means that you will need to get approval from the Humana Medicare Employer Plan before you fill your prescriptions. If you do not get approval, the Humana Medicare Employer Plan may not cover the drug.
- **Quantity Limits (QL):** For certain drugs, the Humana Medicare Employer Plan limits the amount of the drug that is covered. The Humana Medicare Employer Plan might limit how many refills you can get or how much of a drug you can get each time you fill your prescription. For example, if it is normally considered safe to take only one pill per day for a certain drug, we may limit coverage for your prescription to no more than one pill per day. Some drugs are limited to a 30-day supply regardless of tier placement.
- **Step Therapy (ST):** In some cases, the Humana Medicare Employer Plan requires that you first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, the Humana Medicare Employer Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, the Humana Medicare Employer Plan will then cover Drug B.
- **Part B versus Part D (BvsD):** Some drugs may be covered under Medicare Part B or Part D, depending upon the circumstances. Information may need to be submitted to the Humana Medicare Employer Plan that describes the use and the place where you receive and take the drug so a determination can be made.

For drugs that need prior authorization or step therapy, or drugs that fall outside of quantity limits, your health care provider can fax information about your condition and need for those drugs to the Humana Medicare Employer Plan at **1-877-486-2621**. Representatives are available Monday - Friday, 8 a.m. - 8 p.m. (EST).

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 11.

You can also get more information about the restrictions applied to specific covered drugs by visiting **[Humana.com/medicaredruglist](https://www.humana.com/medicaredruglist)**. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask the Humana Medicare Employer Plan to make an exception to these restrictions, limits or for a list of other, similar drugs that may treat your health condition. See the section "**How do I request an exception to the Humana Formulary?**" on page 7 for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Humana Medicare Employer Plan Customer Care and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that Humana Medicare Employer Plan does not cover your drug, you have two options:

- You can ask Group Medicare Customer Care for a list of similar drugs that are covered by Humana Medicare Employer Plan. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by the Humana Medicare Employer Plan.
- You can ask the Humana Medicare Employer Plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Humana Formulary?

You can ask the Humana Medicare Employer Plan to make an exception to the coverage rules. There are several types of exceptions that you can ask us to make.

- **Formulary exception:** You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- **Utilization restriction exception:** You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, Humana Group Medicare Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.
- **Tier exception:** You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.

Generally, the Humana Medicare Employer Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost sharing drug, or applying the restriction would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask for a tiering or formulary exception, including an exception to a coverage restriction. **When you request an exception, your prescriber will need to explain the medical reasons why you need the exception.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber's supporting statement.

What can I do if my drug is not on the formulary or has a restriction?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30 day supply of medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug unless you have a prescription written for fewer days. (in which case we will allow multiple fills to provide up to a total of 31 days of a drug) while you pursue a formulary exception.

Throughout the plan year, your treatment setting (the place where you receive and take your medicine) may change. These changes include:

- Members who are discharged from a hospital or skilled-nursing facility to a home setting
- Members who are admitted to a hospital or skilled-nursing facility from a home setting
- Members who transfer from one skilled-nursing facility to another and use a different pharmacy
- Members who end their skilled-nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who now need to use their Part D plan benefit
- Members who give up Hospice Status and go back to standard Medicare Part A and B coverage
- Members discharged from chronic psychiatric hospitals with highly individualized drug regimens

For these changes in treatment settings, the Humana Medicare Employer Plan will cover as much as a 31-day temporary supply of a Part D-covered drug when you fill your prescription at a pharmacy. If you change treatment settings multiple times within the same month, you may have to request an exception or prior authorization and receive approval for continued coverage of your drug. The Humana Medicare Employer Plan will review requests for continuation of therapy on a case-by-case basis understanding when you are on a stabilized drug regimen that, if changed, is known to have risks.

Transition extension

The Humana Medicare Employer Plan will consider on a case-by-case basis an extension of the transition period if your exception request or appeal has not been processed by the end of your initial transition period. We will continue to provide necessary drugs to you if your transition period is extended.

A Transition Policy is available on Humana's Medicare website, **Humana.com**, in the same area where the Prescription Drug Guides are displayed.

CenterWell Pharmacy™

You may fill your medicines at any network pharmacy. CenterWell Pharmacy – Humana's mail-delivery pharmacy is one option. To get started or learn more, visit **CenterWellPharmacy.com**. You can also call CenterWell Pharmacy at **1-844-222-2151 (TTY: 711)** Monday – Friday, 8 a.m. to 11 p.m. (EST), and Saturday, 8 a.m. to 6:30 p.m. (EST).

Other pharmacies are available in our network.

For More Information

For more detailed information about your Humana Medicare Employer Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Humana Group Medicare Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE (1-800-633-4227)** 24 hours a day, seven days a week. **TTY** users should call **1-877-486-2048**. You can also visit **www.medicare.gov**.

Humana Medicare Employer Plan Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by the Humana Medicare Employer Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 199.

Your plan has additional coverage of some drugs. These drugs are not normally covered under Medicare Part D and are not subject to the Medicare appeals process. These drugs are listed separately on page 195.

How to read your formulary

The first column of the chart lists categories of medical conditions in alphabetical order. The drug names are then listed in alphabetical order within each category. Brand-name drugs are CAPITALIZED and generic drugs are listed in lower-case italics. Next to the drug name or Utilization Management column, you may see an indicator to tell you about additional coverage information for that drug. You might see the following indicators:

MD - Maintenance drugs are prescriptions commonly used to treat conditions that are considered chronic or long-term. Members can receive quantities up to but not more than a 90-day supply of maintenance drugs and supplies.

DL - Dispensing Limit; Drugs that may be limited to a 30 day supply, regardless of tier placement.

MO - Drugs that are typically available through mail-order. Please contact your mail-order pharmacy to make sure your drug is available.

LA - Limited Access; The health plan has authorized certain pharmacies to dispense this medicine, as it requires extra handling, doctor coordination or patient education. Please call the number on the back of your ID card for additional information.

CI - Covered insulin products; Part D insulin products covered by your plan. For more information on cost sharing for your covered insulin products, please refer to your Evidence of Coverage.

AV - Advisory Committee on Immunization Practices (ACIP) Covered Part D vaccines; Part D vaccines recommended by ACIP for adults that may be available at no cost to you; additional restrictions may apply. For more information, please refer to your Evidence of Coverage.

PDS - Preferred Diabetic Supplies; BD and HTL- Droplet are the preferred diabetic syringe and pen needle brands for the plan.

The second column lists the tier of the drug. See page 5 for more details on the drug tiers in your plan.

The third column shows the Utilization Management Requirements for the drug. The Humana Medicare Employer Plan may have special requirements for covering that drug. If the column is blank, then there are no utilization requirements for that drug. The supply for each drug is based on benefits and whether your health care provider prescribes a supply for 30, 60, or 90 days. The amount of any quantity limits will also be in this column (Example: "QL - 30 for 30 days" means you can only get 30 doses every 30 days). See page 6 for more information about these requirements.

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ANALGESICS		
acetaminophen-caff-dihydrocod 320.5-30-16 mg CAPSULE DL	1	QL(300 per 30 days)
acetaminophen-codeine 120 mg-12 mg /5 ml (5 ml), 120-12 mg/5 ml, 300 mg-30 mg /12.5 ml SOLUTION DL	1	QL(2700 per 30 days)
acetaminophen-codeine 300-15 mg TABLET DL	1	QL(390 per 30 days)
acetaminophen-codeine 300-30 mg TABLET DL	1	QL(360 per 30 days)
acetaminophen-codeine 300-60 mg TABLET DL	1	QL(180 per 30 days)
ACTIQ 1,200 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG LOZENGE DL	4	PA,QL(120 per 30 days)
APADAZ 4.08-325 MG, 6.12-325 MG, 8.16-325 MG TABLET DL	3	
ARTHROTEC 50 50-200 MG-MCG TABLET, IR, DR, BIPHASIC MO	3	PA
ARTHROTEC 75 75-200 MG-MCG TABLET, IR, DR, BIPHASIC MO	3	PA
ascomp with codeine 30-50-325-40 mg CAPSULE DL	1	QL(360 per 30 days)
BELBUCA 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG FILM DL	3	ST,QL(60 per 30 days)
benzhydrocodone-acetaminophen 4.08-325 mg, 6.12-325 mg, 8.16-325 mg TABLET DL	3	
BUPRENEX 0.3 MG/ML SOLUTION DL	3	QL(240 per 30 days)
buprenorphine 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour PATCH, WEEKLY DL	1	PA,QL(4 per 28 days)
buprenorphine hcl 0.3 mg/ml SYRINGE DL	1	QL(240 per 30 days)
butalbital compound w/codeine 30-50-325-40 mg CAPSULE DL	1	QL(360 per 30 days)
butorphanol 1 mg/ml SOLUTION DL	1	QL(960 per 30 days)
butorphanol 10 mg/ml SPRAY, NON-AEROSOL DL	1	QL(5 per 28 days)
butorphanol 2 mg/ml SOLUTION DL	1	QL(480 per 30 days)
BUTRANS 10 MCG/HOUR, 15 MCG/HOUR, 20 MCG/HOUR, 5 MCG/HOUR, 7.5 MCG/HOUR PATCH, WEEKLY DL	3	PA,QL(4 per 28 days)
CALDOLOR 800 MG/200 ML (4 MG/ML) PIGGYBACK MO	3	
CALDOLOR 800 MG/8 ML (100 MG/ML) RECON SOLUTION MO	3	
CAMBIA 50 MG POWDER IN PACKET DL	4	ST,QL(9 per 30 days)
cataflam 50 mg TABLET MO	1	
CELEBREX 100 MG, 200 MG, 400 MG, 50 MG CAPSULE MD,MO	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
celecoxib 100 mg, 200 mg CAPSULE MD,MO	1	QL(60 per 30 days)
celecoxib 400 mg, 50 mg CAPSULE MD,MO	1	QL(60 per 30 days)
codeine sulfate 15 mg, 30 mg TABLET DL	1	QL(360 per 30 days)
codeine sulfate 60 mg TABLET DL	1	QL(180 per 30 days)
codeine-butalbital-asa-caff 30-50-325-40 mg CAPSULE DL	1	QL(360 per 30 days)
CONZIP 100 MG, 200 MG, 300 MG CAPSULE, ER, BIPHASIC DL	3	ST,QL(30 per 30 days)
DAYPRO 600 MG TABLET MO	3	
DEMEROL 50 MG/ML SOLUTION DL	3	QL(720 per 30 days)
DEMEROL (PF) 100 MG/ML SYRINGE DL	3	QL(360 per 30 days)
DEMEROL (PF) 25 MG/ML SYRINGE DL	3	QL(1440 per 30 days)
DEMEROL (PF) 50 MG/ML SYRINGE DL	3	QL(720 per 30 days)
DEMEROL (PF) 75 MG/ML SYRINGE DL	3	QL(480 per 30 days)
diclofenac epolamine 1.3 % PATCH, 12 HR. MO	1	PA,QL(60 per 30 days)
diclofenac potassium 25 mg CAPSULE MO	3	ST,QL(120 per 30 days)
diclofenac potassium 25 mg TABLET DL	4	
diclofenac potassium 50 mg POWDER IN PACKET MO	3	ST,QL(9 per 30 days)
diclofenac potassium 50 mg TABLET MO	1	
diclofenac sodium 1 % GEL MD,MO	1	QL(1000 per 30 days)
diclofenac sodium 1.5 % DROPS MD,MO	1	PA,QL(300 per 30 days)
diclofenac sodium 100 mg TABLET, ER 24 HR. MO	1	
diclofenac sodium 20 mg/gram /actuation(2 %) SOLUTION IN METERED DOSE PUMP DL	4	PA,QL(224 per 28 days)
diclofenac sodium 25 mg, 50 mg TABLET, DR/EC MO	1	
diclofenac sodium 75 mg TABLET, DR/EC MO	1	
diclofenac-misoprostol 50-200 mg-mcg, 75-200 mg-mcg TABLET, IR, DR, BIPHASIC MO	1	
diflunisal 500 mg TABLET MO	1	
DILAUDID 1 MG/ML LIQUID DL	3	PA,QL(2400 per 30 days)
DILAUDID 2 MG, 4 MG TABLET DL	3	PA,QL(360 per 30 days)
DILAUDID 8 MG TABLET DL	3	PA,QL(240 per 30 days)
DUEXIS 800-26.6 MG TABLET DL,MD	4	PA,QL(90 per 30 days)
DURAMORPH (PF) 0.5 MG/ML SOLUTION DL	3	BvsD,QL(7200 per 30 days)
DURAMORPH (PF) 1 MG/ML SOLUTION DL	3	BvsD,QL(3600 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ec-naproxen 500 mg TABLET, DR/EC MD,MO	3	
endocet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg TABLET DL	1	QL(360 per 30 days)
etodolac 200 mg, 300 mg CAPSULE MD,MO	1	
etodolac 400 mg, 500 mg TABLET MD,MO	1	
etodolac 400 mg, 500 mg, 600 mg TABLET, ER 24 HR. MD,MO	1	
FELDENE 10 MG, 20 MG CAPSULE MO	3	
fenoprofen 400 mg CAPSULE MO	1	ST
fenoprofen 600 mg TABLET MO	1	ST
fentanyl 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour PATCH. 72 HR. DL	1	QL(20 per 30 days)
fentanyl citrate 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg LOZENGE DL	4	PA,QL(120 per 30 days)
fentanyl citrate 100 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg TABLET, EFFERVESCENT DL	4	PA,QL(120 per 30 days)
fentanyl citrate 200 mcg LOZENGE DL	1	PA,QL(120 per 30 days)
fentanyl citrate (pf) 50 mcg/ml SOLUTION DL	1	BvsD,QL(720 per 30 days)
FENTORA 100 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET, EFFERVESCENT DL	4	PA,QL(120 per 30 days)
FLECTOR 1.3 % PATCH, 12 HR. MO	3	PA,QL(60 per 30 days)
flurbiprofen 100 mg TABLET MO	1	
hydrocodone bitartrate 10 mg, 15 mg, 20 mg, 30 mg, 40 mg CAPSULE, ER 12 HR. DL	1	ST,QL(90 per 30 days)
hydrocodone bitartrate 100 mg, 120 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg TABLET, ER 24 HR. DL	1	ST,QL(30 per 30 days)
hydrocodone bitartrate 50 mg CAPSULE, ER 12 HR. DL	1	ST,QL(120 per 30 days)
hydrocodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL	1	QL(390 per 30 days)
hydrocodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET DL	1	QL(360 per 30 days)
hydrocodone-acetaminophen 10-325 mg/15 ml, 10-325 mg/15 ml(15 ml) SOLUTION DL	1	QL(2700 per 30 days)
hydrocodone-acetaminophen 2.5-325 mg TABLET DL	1	QL(360 per 30 days)
hydrocodone-acetaminophen 7.5-325 mg/15 ml SOLUTION DL	1	QL(5520 per 30 days)
hydrocodone-ibuprofen 10-200 mg, 5-200 mg, 7.5-200 mg TABLET DL	1	QL(150 per 30 days)
HYDROMORPHONE 0.25 MG/0.5 ML SYRINGE DL	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>hydromorphone 0.5 mg/0.5 ml, 1 mg/ml SYRINGE</i> DL	1	BvsD,QL(720 per 30 days)
<i>hydromorphone 1 mg/ml LIQUID</i> DL	1	QL(2400 per 30 days)
<i>hydromorphone 1 mg/ml SOLUTION</i> DL	1	BvsD,QL(720 per 30 days)
<i>hydromorphone 12 mg TABLET, ER 24 HR.</i> DL	1	ST,QL(180 per 30 days)
<i>hydromorphone 16 mg TABLET, ER 24 HR.</i> DL	1	ST,QL(120 per 30 days)
<i>hydromorphone 2 mg, 4 mg TABLET</i> DL	1	QL(360 per 30 days)
<i>hydromorphone 2 mg/ml SOLUTION</i> DL	1	BvsD,QL(360 per 30 days)
<i>hydromorphone 2 mg/ml SYRINGE</i> DL	1	BvsD,QL(360 per 30 days)
<i>hydromorphone 32 mg TABLET, ER 24 HR.</i> DL	1	ST,QL(60 per 30 days)
<i>hydromorphone 4 mg/ml SYRINGE</i> DL	1	BvsD,QL(180 per 30 days)
<i>hydromorphone 8 mg TABLET</i> DL	1	QL(240 per 30 days)
<i>hydromorphone 8 mg TABLET, ER 24 HR.</i> DL	1	ST,QL(240 per 30 days)
<i>hydromorphone (pf) 0.2 mg/ml, 1 mg/ml, 2 mg/ml SYRINGE</i> DL	1	BvsD
<i>hydromorphone (pf) 1 mg/ml SOLUTION</i> DL	1	BvsD,QL(720 per 30 days)
<i>hydromorphone (pf) 10 mg/ml SOLUTION</i> DL	1	BvsD,QL(144 per 30 days)
<i>hydromorphone (pf) 4 mg/ml SOLUTION</i> DL	1	BvsD,QL(180 per 30 days)
HYSINGLA ER 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG TABLET, ER 24 HR. DL	3	ST,QL(30 per 30 days)
<i>ibu 400 mg, 600 mg, 800 mg TABLET</i> MD,MO	1	
<i>ibuprofen 100 mg/5 ml SUSPENSION</i> MD,MO	1	
<i>ibuprofen 400 mg TABLET</i> MD,MO	1	
<i>ibuprofen 600 mg, 800 mg TABLET</i> MD,MO	1	
<i>ibuprofen-famotidine 800-26.6 mg TABLET</i> MD,MO	1	PA,QL(90 per 30 days)
INDOCIN 25 MG/5 ML SUSPENSION DL	4	
INDOCIN 50 MG SUPPOSITORY MO	3	
<i>indomethacin 25 mg, 50 mg CAPSULE</i> MO	1	
<i>indomethacin 25 mg/5 ml SUSPENSION</i> DL	4	
<i>indomethacin 50 mg SUPPOSITORY</i> MO	1	
<i>indomethacin 75 mg CAPSULE, ER</i> MO	1	
<i>indomethacin sodium 1 mg RECON SOLUTION</i> MO	1	
INFUMORPH P/F 10 MG/ML SOLUTION DL	3	BvsD,QL(360 per 30 days)
INFUMORPH P/F 25 MG/ML SOLUTION DL	3	BvsD,QL(150 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ketoprofen 200 mg CAPSULE ER PELLETS 24 HR. MO	1	
ketoprofen 25 mg, 50 mg, 75 mg CAPSULE MO	1	ST
ketorolac 10 mg TABLET MO	1	QL(20 per 30 days)
ketorolac 15 mg/ml, 30 mg/ml, 30 mg/ml (1 ml), 60 mg/2 ml SOLUTION MO	1	
ketorolac 15 mg/ml, 30 mg/ml, 60 mg/2 ml SYRINGE MO	1	
ketorolac 15.75 mg/spray SPRAY, NON-AEROSOL DL	4	PA,QL(5 per 30 days)
kiprofen 25 mg CAPSULE MO	1	ST
levorphanol tartrate 2 mg TABLET DL	4	ST,QL(240 per 30 days)
levorphanol tartrate 3 mg TABLET DL	4	ST,QL(150 per 30 days)
LICART 1.3 % PATCH, 24 HR. MO	3	PA,QL(30 per 30 days)
LODINE 400 MG TABLET MD,MO	3	PA
lofena 25 mg TABLET DL	4	
lortab elixir 10-300 mg/15 ml SOLUTION DL	1	QL(6000 per 30 days)
meclofenamate 100 mg, 50 mg CAPSULE MO	1	
mefenamic acid 250 mg CAPSULE MO	1	
meloxicam 15 mg TABLET MD,MO	1	QL(30 per 30 days)
meloxicam 7.5 mg TABLET MD,MO	1	QL(60 per 30 days)
meloxicam submicronized 10 mg, 5 mg CAPSULE MD,MO	3	QL(30 per 30 days)
meperidine 10 mg/ml CARTRIDGE DL	1	QL(3600 per 30 days)
meperidine 50 mg TABLET DL	4	QL(480 per 30 days)
meperidine 50 mg/5 ml SOLUTION DL	1	QL(720 per 30 days)
meperidine (pf) 100 mg/ml SOLUTION DL	1	QL(360 per 30 days)
meperidine (pf) 25 mg/ml SOLUTION DL	1	QL(1440 per 30 days)
meperidine (pf) 50 mg/ml SOLUTION DL	1	QL(720 per 30 days)
methadone 10 mg TABLET DL	1	QL(240 per 30 days)
methadone 10 mg/5 ml SOLUTION DL	1	QL(1800 per 30 days)
methadone 10 mg/ml CONCENTRATE DL	1	QL(360 per 30 days)
methadone 10 mg/ml SOLUTION DL	1	QL(360 per 30 days)
methadone 5 mg TABLET DL	1	QL(480 per 30 days)
methadone 5 mg/5 ml SOLUTION DL	1	QL(3600 per 30 days)
methadone intensol 10 mg/ml CONCENTRATE DL	1	QL(360 per 30 days)
METHADOSE 10 MG/ML CONCENTRATE DL	3	QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
mitigo (pf) 10 mg/ml SOLUTION DL	3	BvsD,QL(360 per 30 days)
mitigo (pf) 25 mg/ml SOLUTION DL	3	BvsD,QL(150 per 30 days)
morphine 10 mg, 100 mg, 20 mg, 30 mg, 50 mg, 60 mg, 80 mg CAPSULE ER PELLETS DL	1	ST,QL(60 per 30 days)
morphine 10 mg/5 ml SOLUTION DL	1	QL(2700 per 30 days)
morphine 10 mg/ml SOLUTION DL	1	BvsD,QL(360 per 30 days)
morphine 10 mg/ml SYRINGE DL	1	BvsD,QL(360 per 30 days)
morphine 100 mg TABLET ER DL	1	QL(180 per 30 days)
morphine 120 mg, 60 mg, 75 mg, 90 mg CAPSULE ER MULTIPHASE 24 HR. DL	1	ST,QL(60 per 30 days)
morphine 15 mg, 30 mg TABLET DL	1	QL(180 per 30 days)
morphine 15 mg, 30 mg, 60 mg TABLET ER DL	1	QL(120 per 30 days)
morphine 2 mg/ml SOLUTION DL	1	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml SYRINGE DL	1	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml, 4 mg/ml, 5 mg/ml SYRINGE DL	1	BvsD
morphine 20 mg/5 ml (4 mg/ml) SOLUTION DL	1	QL(1350 per 30 days)
morphine 200 mg TABLET ER DL	1	QL(90 per 30 days)
morphine 30 mg, 45 mg CAPSULE ER MULTIPHASE 24 HR. DL	1	ST,QL(30 per 30 days)
morphine 4 mg/ml SOLUTION DL	1	BvsD,QL(900 per 30 days)
morphine 4 mg/ml SYRINGE DL	1	BvsD,QL(900 per 30 days)
morphine 5 mg/ml SOLUTION DL	1	BvsD,QL(720 per 30 days)
morphine 8 mg/ml SOLUTION DL	1	BvsD,QL(450 per 30 days)
morphine 8 mg/ml SYRINGE DL	1	BvsD,QL(450 per 30 days)
morphine (pf) 0.5 mg/ml SOLUTION DL	1	BvsD,QL(7200 per 30 days)
morphine (pf) 1 mg/ml SOLUTION DL	1	BvsD,QL(3600 per 30 days)
morphine (pf) 30 mg/30 ml (1 mg/ml) PATIENT CONTROL ANALGESIA SOLN DL	1	BvsD,QL(3600 per 30 days)
morphine concentrate 100 mg/5 ml (20 mg/ml) SOLUTION DL	1	QL(540 per 30 days)
MS CONTIN 100 MG TABLET ER DL	3	PA,QL(180 per 30 days)
MS CONTIN 15 MG, 30 MG, 60 MG TABLET ER DL	3	PA,QL(120 per 30 days)
MS CONTIN 200 MG TABLET ER DL	3	PA,QL(90 per 30 days)
nabumetone 500 mg, 750 mg TABLET MO	1	
nalbuphine 10 mg/ml SOLUTION DL	1	QL(240 per 30 days)
nalbuphine 20 mg/ml SOLUTION DL	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NALFON 600 MG TABLET MO	1	ST
<i>nalocet 2.5-300 mg TABLET DL</i>	4	PA,QL(360 per 30 days)
NAPRELAN CR 375 MG TABLET, ER 24 HR., MULTIPHASE MD,MO	3	QL(120 per 30 days)
NAPRELAN CR 500 MG TABLET, ER 24 HR., MULTIPHASE MD,MO	3	QL(90 per 30 days)
NAPRELAN CR 750 MG TABLET, ER 24 HR., MULTIPHASE MD,MO	3	QL(60 per 30 days)
NAPROSYN 125 MG/5 ML SUSPENSION DL,MD	4	PA
<i>naproxen 125 mg/5 ml SUSPENSION MD,MO</i>	1	
<i>naproxen 250 mg, 375 mg TABLET MD,MO</i>	1	
<i>naproxen 375 mg, 500 mg TABLET, DR/EC MD,MO</i>	1	
<i>naproxen 500 mg TABLET MD,MO</i>	1	
<i>naproxen sodium 275 mg, 550 mg TABLET MD,MO</i>	1	
<i>naproxen sodium 375 mg TABLET, ER 24 HR., MULTIPHASE MD,MO</i>	1	ST,QL(120 per 30 days)
<i>naproxen sodium 500 mg TABLET, ER 24 HR., MULTIPHASE MD,MO</i>	1	ST,QL(90 per 30 days)
<i>naproxen sodium 750 mg TABLET, ER 24 HR., MULTIPHASE MD,MO</i>	1	ST,QL(60 per 30 days)
<i>naproxen-esomeprazole 375-20 mg, 500-20 mg TABLET, IR, DR, BIPHASIC DL,MD</i>	4	PA,QL(60 per 30 days)
NUCYNTA 100 MG, 50 MG, 75 MG TABLET DL	4	ST,QL(180 per 30 days)
NUCYNTA ER 100 MG, 150 MG, 200 MG, 250 MG TABLET, ER 12 HR. DL	4	ST,QL(60 per 30 days)
NUCYNTA ER 50 MG TABLET, ER 12 HR. DL	3	ST,QL(60 per 30 days)
OLINVYK 1 MG/ML SOLUTION DL	4	PA
OLINVYK 30 MG/30 ML (1 MG/ML) PATIENT CONTROL ANALGESIA SOLN DL	4	PA
<i>oxaprozin 600 mg TABLET MO</i>	1	
<i>OXAYDO 5 MG, 7.5 MG TABLET, ORAL ONLY DL</i>	4	PA,QL(360 per 30 days)
<i>oxycodone 10 mg, 15 mg, 5 mg TABLET DL</i>	1	QL(360 per 30 days)
<i>oxycodone 10 mg, 20 mg, 40 mg TABLET, ER 12 HR. DL</i>	3	ST,QL(90 per 30 days)
<i>oxycodone 20 mg, 30 mg TABLET DL</i>	1	QL(360 per 30 days)
<i>oxycodone 20 mg/ml CONCENTRATE DL</i>	1	QL(270 per 30 days)
<i>oxycodone 5 mg CAPSULE DL</i>	1	QL(360 per 30 days)
<i>oxycodone 5 mg/5 ml SOLUTION DL</i>	1	QL(5400 per 30 days)
<i>oxycodone 80 mg TABLET, ER 12 HR. DL</i>	3	ST,QL(120 per 30 days)
<i>oxycodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL</i>	4	PA,QL(390 per 30 days)
<i>oxycodone-acetaminophen 10-300 mg/5 ml SOLUTION DL</i>	4	PA,QL(900 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>oxycodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET</i> DL	1	QL(360 per 30 days)
<i>oxycodone-acetaminophen 2.5-300 mg TABLET</i> DL	1	PA,QL(360 per 30 days)
<i>oxycodone-acetaminophen 2.5-325 mg TABLET</i> DL	1	QL(360 per 30 days)
<i>oxycodone-acetaminophen 5-325 mg/5 ml SOLUTION</i> DL	1	QL(1800 per 30 days)
OXYCONTIN 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG TABLET, ER 12 HR. DL	3	ST,QL(90 per 30 days)
OXYCONTIN 80 MG TABLET, ER 12 HR. DL	3	ST,QL(120 per 30 days)
<i>oxymorphone 10 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg TABLET, ER 12 HR.</i> DL	1	ST,QL(60 per 30 days)
<i>oxymorphone 10 mg, 5 mg TABLET</i> DL	1	QL(360 per 30 days)
<i>oxymorphone 40 mg TABLET, ER 12 HR.</i> DL	4	ST,QL(60 per 30 days)
PENNSAID 2 % SOLUTION IN PACKET DL	4	PA
PENNSAID 20 MG/GRAM /ACTUATION(2 %) SOLUTION IN METERED DOSE PUMP DL	4	PA,QL(224 per 28 days)
<i>pentazocine-naloxone 50-0.5 mg TABLET</i> DL	1	QL(360 per 30 days)
PERCOCET 10-325 MG, 5-325 MG, 7.5-325 MG TABLET DL	4	PA,QL(360 per 30 days)
PERCOCET 2.5-325 MG TABLET DL	1	PA,QL(360 per 30 days)
<i>piroxicam 10 mg, 20 mg CAPSULE</i> MO	1	
<i>primlev 10-300 mg, 5-300 mg, 7.5-300 mg TABLET</i> DL	4	PA,QL(390 per 30 days)
<i>prolate 10-300 mg, 5-300 mg, 7.5-300 mg TABLET</i> DL	4	PA,QL(390 per 30 days)
PROLATE 10-300 MG/5 ML SOLUTION DL	4	PA,QL(900 per 30 days)
QDOLO 5 MG/ML SOLUTION DL	4	QL(2400 per 30 days)
RELAFEN 500 MG, 750 MG TABLET DL	4	ST
RELAFEN DS 1,000 MG TABLET DL	4	ST,QL(60 per 30 days)
ROXICODONE 15 MG TABLET DL	3	PA,QL(360 per 30 days)
ROXICODONE 30 MG TABLET DL	4	PA,QL(360 per 30 days)
ROXYBOND 15 MG, 30 MG TABLET, ORAL ONLY DL	4	PA,QL(180 per 30 days)
ROXYBOND 5 MG TABLET, ORAL ONLY DL	4	PA,QL(360 per 30 days)
SEGLENTIS 44-56 MG TABLET DL	3	PA,QL(120 per 30 days)
SPRIX 15.75 MG/SPRAY SPRAY, NON-AEROSOL DL	4	PA,QL(5 per 30 days)
<i>sulindac 150 mg, 200 mg TABLET</i> MO	1	
<i>tolectin 600 600 mg TABLET</i> MO	1	
<i>tolmetin 200 mg, 600 mg TABLET</i> MO	1	
<i>tolmetin 400 mg CAPSULE</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tramadol 100 mg TABLET DL	1	QL(120 per 30 days)
tramadol 100 mg, 200 mg, 300 mg CAPSULE, ER, BIPHASIC DL	1	ST,QL(30 per 30 days)
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR. DL	1	ST,QL(30 per 30 days)
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR., MULTIPHASE DL	1	ST,QL(30 per 30 days)
tramadol 25 mg TABLET DL	1	QL(180 per 30 days)
tramadol 5 mg/ml SOLUTION DL	4	QL(2400 per 30 days)
tramadol 50 mg TABLET DL	1	QL(240 per 30 days)
tramadol-acetaminophen 37.5-325 mg TABLET DL	1	QL(240 per 30 days)
TREZIX 320.5-30-16 MG CAPSULE DL	1	QL(300 per 30 days)
ULTRACET 37.5-325 MG TABLET DL	3	QL(240 per 30 days)
ULTRAM 50 MG TABLET DL	3	QL(240 per 30 days)
VIMOVO 375-20 MG, 500-20 MG TABLET, IR, DR, BIPHASIC DL,MD	4	PA,QL(60 per 30 days)
VIVLODEX 10 MG, 5 MG CAPSULE MD,MO	3	QL(30 per 30 days)
XTAMPZA ER 13.5 MG, 18 MG, 27 MG, 36 MG, 9 MG CAPSULE ER SPRINKLE 12 HR. DL	3	ST,QL(60 per 30 days)
ZIPSOR 25 MG CAPSULE DL	4	ST,QL(120 per 30 days)
ZORVOLEX 18 MG, 35 MG CAPSULE MO	3	ST,QL(90 per 30 days)
ANESTHETICS		
bupivacaine (pf) 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION MO	1	
bupivacaine hcl 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml) SOLUTION MO	1	
bupivacaine liposome (pf) 1.3 % (13.3 mg/ml) SUSPENSION MO	1	
bupivacaine-dextrose-water(pf) 0.75 % (7.5 mg/ml) SOLUTION MO	1	
bupivacaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	1	
bupivacaine-epinephrine (pf) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	1	
CARBOCAINE WITH NEO-COBEFRIN 2 % -1:20,000 CARTRIDGE MO	1	
chloroprocaine (pf) 20 mg/ml (2 %), 30 mg/ml (3 %) SOLUTION MO	1	
CLOROTEKAL (PF) 10 MG/ML (1 %) SOLUTION MO	3	
dermacinrx lidocan 5 % ADHESIVE PATCH, MEDICATED DL	4	PA,QL(90 per 30 days)
EXPAREL (PF) 1.3 % (13.3 MG/ML) SUSPENSION MO	3	
glydo 2 % JELLY IN APPLICATOR MO	1	
lidocaine 5 % ADHESIVE PATCH, MEDICATED MO	1	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
lidocaine 5 % OINTMENT MO	1	PA
lidocaine (pf) 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %) SOLUTION MO	1	
lidocaine hcl 10 mg/ml (1 %), 2 %, 20 mg/ml (2 %), 4 %, 4 % (40 mg/ml), 5 mg/ml (0.5 %) SOLUTION MO	1	
lidocaine hcl 2 % JELLY MO	1	
lidocaine hcl 2 % JELLY IN APPLICATOR MO	1	
lidocaine viscous 2 % SOLUTION MO	1	
lidocaine-epinephrine 0.5 %-1:200,000, 1 %-1:100,000, 2 %-1:100,000 SOLUTION MO	1	
lidocaine-epinephrine bit 2 %-1:100,000, 2 %-1:50,000 CARTRIDGE MO	1	
lidocaine-prilocaine 2.5-2.5 % CREAM MO	1	
lidocan iii 5 % ADHESIVE PATCH, MEDICATED DL	4	PA,QL(90 per 30 days)
lidocan iv 5 % ADHESIVE PATCH, MEDICATED DL	4	PA,QL(90 per 30 days)
lidocan v 5 % ADHESIVE PATCH, MEDICATED DL	4	PA,QL(90 per 30 days)
LIDODERM 5 % ADHESIVE PATCH, MEDICATED DL	4	PA,QL(90 per 30 days)
lignospan standard 2 %-1:100,000 CARTRIDGE MO	1	
MARCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION MO	3	
MARCAINE (PF) 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION MO	3	
MARCAINE SPINAL (PF) 0.75 % (7.5 MG/ML) SOLUTION MO	3	
MARCAINE-EPINEPHRINE 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	3	
marcaine-epinephrine 0.5 %-1:200,000 CARTRIDGE MO	1	
MARCAINE-EPINEPHRINE (PF) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	3	
NAROPIN (PF) 10 MG/ML (1 %), 2 MG/ML (0.2 %), 5 MG/ML (0.5 %), 7.5 MG/ML (0.75 %) SOLUTION MO	3	
NESACAINE 10 MG/ML (1 %), 20 MG/ML (2 %) SOLUTION MO	3	
NESACAINE-MPF 20 MG/ML (2 %), 30 MG/ML (3 %) SOLUTION MO	3	
PLIAGLIS 7-7 % CREAM MO	3	
polocaine 1 % (10 mg/ml), 2 % SOLUTION MO	1	
polocaine-mpf 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %) SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ropivacaine (pf) 10 mg/ml (1 %), 2 mg/ml (0.2 %), 5 mg/ml (0.5 %), 7.5 mg/ml (0.75 %) SOLUTION MO	1	
SENSORCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION MO	1	
sensorcaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	1	
SENSORCAINE-MPF 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION MO	1	
sensorcaine-mpf 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION MO	1	
sensorcaine-mpf spinal 0.75 % (7.5 mg/ml) SOLUTION MO	1	
sensorcaine-mpf/epinephrine 0.25 %-1:200,000 SOLUTION MO	1	
SENSORCAINE-MPF/EPINEPHRINE 0.5 %-1:200,000, 0.75 %-1:200,000 SOLUTION MO	1	
tridacaine ii 5 % ADHESIVE PATCH, MEDICATED DL	4	PA,QL(90 per 30 days)
tridacaine iii 5 % ADHESIVE PATCH, MEDICATED DL	4	PA,QL(90 per 30 days)
vivacaine 0.5 %-1:200,000 CARTRIDGE MO	1	
ZTLIDO 1.8 % ADHESIVE PATCH, MEDICATED MO	3	PA,QL(90 per 30 days)
ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS		
acamprosate 333 mg TABLET, DR/EC MD,MO	1	
buprenorphine hcl 2 mg, 8 mg SUBLINGUAL TABLET MO	1	QL(90 per 30 days)
buprenorphine-naloxone 12-3 mg FILM MD,MO	1	QL(60 per 30 days)
buprenorphine-naloxone 2-0.5 mg, 4-1 mg, 8-2 mg FILM MD,MO	1	QL(90 per 30 days)
buprenorphine-naloxone 2-0.5 mg, 8-2 mg SUBLINGUAL TABLET MD,MO	1	QL(90 per 30 days)
bupropion hcl (smoking deter) 150 mg TABLET, ER 12 HR. MO	1	QL(90 per 30 days)
CHANTIX 1 MG TABLET MO	3	PA,QL(56 per 28 days)
CHANTIX CONTINUING MONTH BOX 1 MG TABLET MO	3	PA,QL(56 per 28 days)
CHANTIX STARTING MONTH BOX 0.5 MG (11)- 1 MG (42) TABLET, DOSE PACK MO	3	PA,QL(53 per 28 days)
disulfiram 250 mg, 500 mg TABLET MD,MO	1	
KLOXXADO 8 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	PA,QL(2 per 30 days)
lofexidine 0.18 mg TABLET DL	4	PA,QL(224 per 365 days)
LUCEMYRA 0.18 MG TABLET DL	4	PA,QL(224 per 365 days)
nalmefene 1 mg/ml SOLUTION MO	1	
naloxone 0.4 mg/ml SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>naloxone 0.4 mg/ml, 1 mg/ml SYRINGE</i> MO	1	
<i>naloxone 4 mg/actuation SPRAY, NON-AEROSOL</i> MO	2	QL(2 per 30 days)
<i>naltrexone 50 mg TABLET</i> MD,MO	1	
NARCAN 4 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	PA,QL(2 per 30 days)
NICOTROL 10 MG CARTRIDGE MO	3	
NICOTROL NS 10 MG/ML SPRAY, NON-AEROSOL MO	3	
OPVEE 2.7 MG/ACTUATION SPRAY, NON-AEROSOL MO	2	QL(2 per 30 days)
SUBOXONE 12-3 MG FILM MD,MO	3	PA,QL(60 per 30 days)
SUBOXONE 2-0.5 MG, 4-1 MG, 8-2 MG FILM MD,MO	3	PA,QL(90 per 30 days)
<i>varenicline 0.5 mg (11)- 1 mg (42) TABLET, DOSE PACK</i> MO	1	QL(53 per 28 days)
<i>varenicline 0.5 mg, 1 mg TABLET</i> MO	1	QL(56 per 28 days)
VIVITROL 380 MG SUSPENSION, ER, RECON DL,MD	4	QL(1 per 28 days)
ZIMHI 5 MG/0.5 ML SYRINGE MO	3	PA,QL(1 per 30 days)
ZUBSOLV 0.7-0.18 MG, 1.4-0.36 MG, 2.9-0.71 MG, 5.7-1.4 MG SUBLINGUAL TABLET MD,MO	1	QL(90 per 30 days)
ZUBSOLV 11.4-2.9 MG SUBLINGUAL TABLET MD,MO	1	QL(30 per 30 days)
ZUBSOLV 8.6-2.1 MG SUBLINGUAL TABLET MD,MO	1	QL(60 per 30 days)
ANTIBACTERIALS		
<i>acetic acid 2 % SOLUTION</i> MO	1	
ACTICLATE 150 MG TABLET DL	4	ST,QL(30 per 30 days)
ACTICLATE 75 MG TABLET DL	4	ST,QL(60 per 30 days)
<i>amikacin 1,000 mg/4 ml, 500 mg/2 ml SOLUTION</i> MO	1	
<i>amoxicillin 125 mg, 250 mg CHEWABLE TABLET</i> MO	1	
<i>amoxicillin 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION</i> MO	1	
<i>amoxicillin 250 mg CAPSULE</i> MO	1	
<i>amoxicillin 500 mg CAPSULE</i> MO	1	
<i>amoxicillin 500 mg TABLET</i> MO	1	
<i>amoxicillin 875 mg TABLET</i> MO	1	
<i>amoxicillin-pot clavulanate 1,000-62.5 mg TABLET, ER 12 HR.</i> MO	1	
<i>amoxicillin-pot clavulanate 200-28.5 mg, 400-57 mg CHEWABLE TABLET</i> MO	1	
<i>amoxicillin-pot clavulanate 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml SUSPENSION FOR RECONSTITUTION</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
amoxicillin-pot clavulanate 250-125 mg, 500-125 mg TABLET MO	1	
amoxicillin-pot clavulanate 875-125 mg TABLET MO	1	
ampicillin 500 mg CAPSULE MO	1	
ampicillin sodium 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg RECON SOLUTION MO	1	
ampicillin-sulbactam 1.5 gram, 15 gram, 3 gram RECON SOLUTION MO	1	
ARIKAYCE 590 MG/8.4 ML SUSPENSION FOR NEBULIZATION DL	4	PA,QL(235.2 per 28 days)
AUGMENTIN 125-31.25 MG/5 ML, 250-62.5 MG/5 ML SUSPENSION FOR RECONSTITUTION DL	4	
AUGMENTIN 500-125 MG TABLET MO	3	PA
AUGMENTIN ES-600 600-42.9 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	3	
AUGMENTIN XR 1,000-62.5 MG TABLET, ER 12 HR. MO	3	
AVELOX IN NACL (ISO-OSMOTIC) 400 MG/250 ML PIGGYBACK MO	3	PA
avidoxy 100 mg TABLET MO	1	ST
AVYCAZ 2.5 GRAM RECON SOLUTION DL	4	
AZACTAM 1 GRAM, 2 GRAM RECON SOLUTION MO	3	PA
azithromycin 1 gram PACKET MO	1	
azithromycin 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
azithromycin 250 mg TABLET MO	1	
azithromycin 500 mg RECON SOLUTION MO	1	
azithromycin 500 mg, 600 mg TABLET MO	1	
aztreonam 1 gram, 2 gram RECON SOLUTION MO	1	
bacitracin 50,000 unit RECON SOLUTION MO	1	
BACTRIM 400-80 MG TABLET MO	3	
BACTRIM DS 800-160 MG TABLET MO	3	
BAXDELA 300 MG RECON SOLUTION DL	4	QL(28 per 14 days)
BAXDELA 450 MG TABLET DL	4	QL(28 per 14 days)
BETHKIS 300 MG/4 ML SOLUTION FOR NEBULIZATION DL,MD	4	PA
BICILLIN C-R 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K) SYRINGE MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BICILLIN L-A 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML SYRINGE MO	3	
cefaclor 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefaclor 250 mg, 500 mg CAPSULE MO	1	
cefaclor 500 mg TABLET, ER 12 HR. MO	1	
cefadroxil 1 gram TABLET MO	1	
cefadroxil 250 mg/5 ml, 500 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefadroxil 500 mg CAPSULE MO	1	
cefazolin 1 gram, 10 gram, 2 gram, 3 gram, 500 mg RECON SOLUTION MO	1	
CEFAZOLIN 2 GRAM, 3 GRAM RECON SOLUTION MO	1	
cefazolin in dextrose (iso-os) 1 gram/50 ml, 2 gram/100 ml, 2 gram/50 ml PIGGYBACK MO	1	
CEFAZOLIN IN DEXTROSE (ISO-OS) 3 GRAM/150 ML PIGGYBACK MO	1	
cefdinir 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefdinir 300 mg CAPSULE MO	1	
cefepime 1 gram, 2 gram RECON SOLUTION MO	1	
cefepime in dextrose 5 % 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	1	
cefepime in dextrose,iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK MO	3	
cefixime 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefixime 400 mg CAPSULE MO	1	
cefotetan 1 gram, 10 gram, 2 gram RECON SOLUTION MO	1	
cefoxitin 1 gram, 10 gram, 2 gram RECON SOLUTION MO	1	
cefoxitin in dextrose, iso-osm 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	1	
cefpodoxime 100 mg, 200 mg TABLET MO	1	
cefpodoxime 100 mg/5 ml, 50 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefprozil 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefprozil 250 mg, 500 mg TABLET MO	1	
ceftazidime 1 gram, 2 gram, 6 gram RECON SOLUTION MO	1	
ceftazidime in d5w 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	1	
ceftriaxone 1 gram, 10 gram, 100 gram, 2 gram, 250 mg, 500 mg RECON SOLUTION MO	1	
ceftriaxone in dextrose,iso-os 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cefuroxime axetil 250 mg, 500 mg TABLET MO	1	
cefuroxime sodium 1.5 gram, 7.5 gram, 750 mg RECON SOLUTION MO	1	
cephalexin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cephalexin 250 mg, 500 mg TABLET MO	1	
cephalexin 250 mg, 750 mg CAPSULE MO	1	
cephalexin 500 mg CAPSULE MO	1	
chloramphenicol sod succinate 1 gram RECON SOLUTION MO	1	
CIPRO 250 MG, 500 MG TABLET MO	3	
CIPRO 250 MG/5 ML, 500 MG/5 ML SUSPENSION, MICROCAPSULE RECON MO	3	
ciprofloxacin 250 mg/5 ml, 500 mg/5 ml SUSPENSION, MICROCAPSULE RECON MO	1	
ciprofloxacin hcl 100 mg, 250 mg, 750 mg TABLET MO	1	
ciprofloxacin hcl 500 mg TABLET MO	1	
ciprofloxacin in 5 % dextrose 200 mg/100 ml, 400 mg/200 ml PIGGYBACK MO	1	
CLAFORAN 1 GRAM, 10 GRAM, 2 GRAM RECON SOLUTION MO	3	
clarithromycin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
clarithromycin 250 mg, 500 mg TABLET MO	1	
clarithromycin 500 mg TABLET, ER 24 HR. MO	1	
CLEOCIN 100 MG SUPPOSITORY MO	3	
CLEOCIN 150 MG/ML SOLUTION MO	1	
CLEOCIN 2 % CREAM MO	3	PA
CLEOCIN HCL 150 MG, 300 MG, 75 MG CAPSULE MO	3	
CLEOCIN PEDIATRIC 75 MG/5 ML RECON SOLUTION MO	1	
clindamycin hcl 150 mg, 300 mg, 75 mg CAPSULE MO	1	
clindamycin in 0.9 % sod chlor 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK MO	1	
clindamycin in 5 % dextrose 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK MO	1	
clindamycin palmitate hcl 75 mg/5 ml RECON SOLUTION MO	1	
clindamycin pediatric 75 mg/5 ml RECON SOLUTION MO	1	
clindamycin phosphate 150 mg/ml SOLUTION MO	1	
clindamycin phosphate 2 % CREAM MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLINDESSE 2 % CREAM, ER MO	3	
<i>colistin (colistimethate na) 150 mg RECON SOLUTION</i> MO	1	
COLY-MYCIN M PARENTERAL 150 MG RECON SOLUTION DL	4	
<i>coremino 135 mg, 45 mg, 90 mg TABLET, ER 24 HR.</i> MO	1	ST,QL(30 per 30 days)
CUBICIN RF 500 MG RECON SOLUTION DL	4	
DALVANCE 500 MG SOLUTION DL	4	QL(4 per 28 days)
<i>daptomycin 350 mg RECON SOLUTION</i> MO	1	
<i>daptomycin 500 mg RECON SOLUTION</i> DL	4	
<i>daptomycin in 0.9 % sod chlor 1,000 mg/100 ml, 350 mg/50 ml, 500 mg/50 ml, 700 mg/100 ml PIGGYBACK</i> MO	3	
<i>demeclocycline 150 mg TABLET</i> MO	1	QL(240 per 30 days)
<i>demeclocycline 300 mg TABLET</i> MO	1	QL(120 per 30 days)
<i>dicloxacillin 250 mg, 500 mg CAPSULE</i> MO	1	
DIFICID 200 MG TABLET DL	4	
DIFICID 40 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	
DORYX 200 MG TABLET, DR/EC MO	3	ST,QL(30 per 30 days)
DORYX 50 MG TABLET, DR/EC MO	3	ST,QL(60 per 30 days)
DORYX 80 MG TABLET, DR/EC DL	4	ST,QL(60 per 30 days)
DORYX MPC 120 MG TABLET, DR/EC MO	3	ST,QL(60 per 30 days)
DORYX MPC 60 MG TABLET, DR/EC DL	4	ST,QL(60 per 30 days)
<i>doxy-100 100 mg RECON SOLUTION</i> MO	1	
<i>doxycycline hyclate 100 mg CAPSULE</i> MO	1	
<i>doxycycline hyclate 100 mg RECON SOLUTION</i> MO	1	
<i>doxycycline hyclate 100 mg TABLET</i> MO	1	
<i>doxycycline hyclate 100 mg TABLET, DR/EC</i> MO	1	ST,QL(90 per 30 days)
<i>doxycycline hyclate 150 mg TABLET</i> MO	1	ST,QL(30 per 30 days)
<i>doxycycline hyclate 150 mg, 50 mg, 75 mg TABLET, DR/EC</i> MO	1	ST,QL(60 per 30 days)
<i>doxycycline hyclate 20 mg TABLET</i> MO	1	
<i>doxycycline hyclate 200 mg TABLET, DR/EC</i> MO	1	ST,QL(30 per 30 days)
<i>doxycycline hyclate 50 mg CAPSULE</i> MO	1	
<i>doxycycline hyclate 50 mg TABLET</i> MO	1	ST,QL(180 per 30 days)
<i>doxycycline hyclate 75 mg TABLET</i> MO	1	ST,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>doxycycline hyclate 80 mg TABLET, DR/EC</i> DL	4	ST,QL(60 per 30 days)
<i>doxycycline monohydrate 100 mg, 150 mg, 50 mg, 75 mg TABLET</i> MO	1	
<i>doxycycline monohydrate 100 mg, 50 mg CAPSULE</i> MO	1	
<i>doxycycline monohydrate 150 mg CAPSULE</i> MO	1	QL(30 per 30 days)
<i>doxycycline monohydrate 25 mg/5 ml SUSPENSION FOR RECONSTITUTION</i> MO	1	
<i>doxycycline monohydrate 40 mg CAPSULE, IR/DR, BIPHASIC</i> MO	1	ST,QL(30 per 30 days)
<i>doxycycline monohydrate 75 mg CAPSULE</i> MO	1	QL(60 per 30 days)
E.E.S. 400 400 MG TABLET MO	1	
E.E.S. GRANULES 200 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	3	
<i>ertapenem 1 gram RECON SOLUTION</i> MO	1	
ERY-TAB 250 MG, 333 MG, 500 MG TABLET, DR/EC MO	1	
ERYPED 200 200 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	3	
ERYPED 400 400 MG/5 ML SUSPENSION FOR RECONSTITUTION DL	4	
ERYTHROCIN 500 MG RECON SOLUTION MO	1	
ERYTHROCIN (AS STEARATE) 250 MG TABLET MO	1	
<i>erythromycin 250 mg CAPSULE, DR/EC</i> MO	1	
<i>erythromycin 250 mg, 333 mg, 500 mg TABLET, DR/EC</i> MO	1	
<i>erythromycin 250 mg, 500 mg TABLET</i> MO	1	
<i>erythromycin ethylsuccinate 200 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION</i> MO	1	
<i>erythromycin ethylsuccinate 400 mg TABLET</i> MO	1	
<i>erythromycin lactobionate 500 mg RECON SOLUTION</i> DL	4	
FETROJA 1 GRAM RECON SOLUTION DL	4	QL(84 per 14 days)
FIRVANQ 25 MG/ML, 50 MG/ML RECON SOLUTION MO	3	
FLAGYL 375 MG CAPSULE MO	3	QL(320 per 30 days)
<i>fosfomycin tromethamine 3 gram PACKET</i> MO	1	
FURADANTIN 25 MG/5 ML SUSPENSION MO	3	
<i>gentamicin 0.1 % CREAM</i> MO	1	
<i>gentamicin 0.1 % OINTMENT</i> MO	1	
<i>gentamicin 20 mg/2 ml, 40 mg/ml SOLUTION</i> MO	1	
<i>gentamicin in nacl (iso-osm) 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml PIGGYBACK</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>gentamicin sulfate (ped) (pf) 20 mg/2 ml SOLUTION</i> MO	1	
<i>gentamicin sulfate (pf) 100 mg/10 ml, 60 mg/6 ml SOLUTION</i> MO	1	
HIPREX 1 GRAM TABLET MO	3	PA
HUMATIN 250 MG CAPSULE DL	4	
<i>imipenem-cilastatin 250 mg, 500 mg RECON SOLUTION</i> MO	1	
INVANZ 1 GRAM RECON SOLUTION MO	3	
KIMYRSA 1,200 MG RECON SOLUTION DL	4	QL(1 per 30 days)
KITABIS PAK 300 MG/5 ML SOLUTION FOR NEBULIZATION DL,MD	4	PA
KLARON 10 % SUSPENSION MO	3	QL(118 per 30 days)
<i>levofloxacin 25 mg/ml, 250 mg/10 ml SOLUTION</i> MO	1	
<i>levofloxacin 250 mg, 750 mg TABLET</i> MO	1	
<i>levofloxacin 500 mg TABLET</i> MO	1	
<i>levofloxacin in d5w 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK</i> MO	1	
LINCOCIN 300 MG/ML SOLUTION MO	3	
<i>lincomycin 300 mg/ml SOLUTION</i> MO	1	
<i>linezolid 100 mg/5 ml SUSPENSION FOR RECONSTITUTION</i> DL	4	QL(1800 per 30 days)
<i>linezolid 600 mg TABLET</i> MO	1	QL(60 per 30 days)
<i>linezolid in dextrose 5% 600 mg/300 ml PIGGYBACK</i> MO	1	
<i>linezolid-0.9% sodium chloride 600 mg/300 ml PARENTERAL SOLUTION</i> MO	1	
MACROBID 100 MG CAPSULE MO	3	
MACRODANTIN 100 MG, 25 MG, 50 MG CAPSULE MO	3	
<i>meropenem 1 gram, 500 mg RECON SOLUTION</i> MO	1	
<i>meropenem-0.9% sodium chloride 1 gram/50 ml, 500 mg/50 ml PIGGYBACK</i> MO	1	
<i>methenamine hippurate 1 gram TABLET</i> MO	1	
METRO I.V. 500 MG/100 ML PIGGYBACK MO	3	
METROCREAM 0.75 % CREAM MO	3	PA
METROGEL 1 % GEL MO	3	ST
METROLOTION 0.75 % LOTION MO	3	PA
<i>metronidazole 0.75 % CREAM</i> MO	1	
<i>metronidazole 0.75 % LOTION</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
metronidazole 0.75 %, 0.75 % (37.5mg/5 gram), 1 %, 1.3 % (65 mg/5 gram) GEL MO	1	
metronidazole 1 % GEL WITH PUMP MO	1	
metronidazole 250 mg, 500 mg TABLET MO	1	
metronidazole 375 mg CAPSULE MO	1	QL(320 per 30 days)
metronidazole in nacl (iso-os) 500 mg/100 ml PIGGYBACK MO	1	
MINOCIN 100 MG RECON SOLUTION DL	4	PA
minocycline 100 mg, 50 mg, 75 mg CAPSULE MO	1	
minocycline 100 mg, 50 mg, 75 mg TABLET MO	1	
minocycline 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg TABLET, ER 24 HR. MO	1	ST,QL(30 per 30 days)
mondoxyne nl 100 mg CAPSULE MO	1	
mondoxyne nl 75 mg CAPSULE MO	1	ST,QL(60 per 30 days)
MONODOX 100 MG, 50 MG CAPSULE MO	3	ST
MONODOX 75 MG CAPSULE MO	3	ST,QL(60 per 30 days)
MONUROL 3 GRAM PACKET MO	3	
morgidox 100 mg, 50 mg CAPSULE MO	1	ST
moxifloxacin 400 mg TABLET MO	1	
moxifloxacin-sod.ace,sul-water 400 mg/250 ml PIGGYBACK MO	1	
moxifloxacin-sod.chloride(iso) 400 mg/250 ml PIGGYBACK MO	1	
nafcillin 1 gram, 10 gram, 2 gram RECON SOLUTION MO	1	
nafcillin in dextrose iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK DL	4	
neomycin 500 mg TABLET MO	1	
nitrofurantoin 25 mg/5 ml, 50 mg/5 ml SUSPENSION DL	4	
nitrofurantoin macrocrystal 100 mg, 25 mg, 50 mg CAPSULE MO	1	
nitrofurantoin monohyd/m-cryst 100 mg CAPSULE MO	1	
NORITATE 1 % CREAM DL	4	ST,QL(60 per 30 days)
NUZYRA 100 MG RECON SOLUTION DL	4	
NUZYRA 150 MG TABLET DL	4	QL(30 per 14 days)
ofloxacin 300 mg, 400 mg TABLET MO	1	
ORACEA 40 MG CAPSULE, IR/DR, BIPHASIC MO	3	ST,QL(30 per 30 days)
ORBACTIV 400 MG RECON SOLUTION DL	4	QL(3 per 28 days)
oxacillin 1 gram, 10 gram, 2 gram RECON SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
oxacillin in dextrose(iso-osm) 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	3	
paromomycin 250 mg CAPSULE MO	1	
penicillin g pot in dextrose 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml PIGGYBACK MO	3	
penicillin g potassium 20 million unit, 5 million unit RECON SOLUTION MO	1	
penicillin g procaine 1.2 million unit/2 ml, 600,000 unit/ml SYRINGE MO	1	
penicillin g sodium 5 million unit RECON SOLUTION MO	1	
penicillin v potassium 125 mg/5 ml, 250 mg/5 ml RECON SOLUTION MO	1	
penicillin v potassium 250 mg, 500 mg TABLET MO	1	
pfizerpen-g 20 million unit, 5 million unit RECON SOLUTION MO	1	
piperacillin-tazobactam 13.5 gram, 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram RECON SOLUTION MO	1	
polymyxin b sulfate 500,000 unit RECON SOLUTION MO	1	
PRIMAXIN IV 500 MG RECON SOLUTION MO	3	
PRIMSOL 50 MG/5 ML SOLUTION MO	3	
RECARBRIO 1.25 GRAM RECON SOLUTION DL	4	
rosadan 0.75 % CREAM MO	1	ST
rosadan 0.75 % GEL MO	1	ST
SEYSARA 100 MG, 150 MG, 60 MG TABLET DL	4	ST,QL(30 per 30 days)
SIVEXTRO 200 MG RECON SOLUTION DL	4	QL(6 per 28 days)
SIVEXTRO 200 MG TABLET DL	4	QL(6 per 28 days)
SOLODYN 105 MG, 115 MG, 55 MG, 65 MG, 80 MG TABLET, ER 24 HR. DL	4	ST,QL(30 per 30 days)
SOLOSEC 2 GRAM DR GRANULES IN PACKET MO	3	PA
streptomycin 1 gram RECON SOLUTION DL	4	
sulfacetamide sodium 10 % OINTMENT MO	1	
sulfacetamide sodium (acne) 10 % SUSPENSION MO	1	QL(118 per 30 days)
sulfadiazine 500 mg TABLET MO	1	
sulfamethoxazole-trimethoprim 200-40 mg/5 ml SUSPENSION MO	1	
sulfamethoxazole-trimethoprim 400-80 mg TABLET MO	1	
sulfamethoxazole-trimethoprim 400-80 mg/5 ml SOLUTION MO	1	
sulfamethoxazole-trimethoprim 800-160 mg TABLET MO	1	
TARGADOX 50 MG TABLET MO	1	ST,QL(180 per 30 days)
tazicef 1 gram, 2 gram, 6 gram RECON SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TEFLARO 400 MG, 600 MG RECON SOLUTION DL	4	
tetracycline 250 mg, 500 mg CAPSULE MO	1	
tetracycline 250 mg, 500 mg TABLET DL	4	
tigecycline 50 mg RECON SOLUTION DL	4	
tinidazole 250 mg, 500 mg TABLET MO	1	
TOBI 300 MG/5 ML SOLUTION FOR NEBULIZATION DL,MD	4	PA
tobramycin 300 mg/4 ml SOLUTION FOR NEBULIZATION DL,MD	4	PA
tobramycin in 0.225 % nacl 300 mg/5 ml SOLUTION FOR NEBULIZATION DL,MD	4	BvsD
tobramycin sulfate 1.2 gram RECON SOLUTION DL	4	
tobramycin sulfate 10 mg/ml, 40 mg/ml SOLUTION MO	1	
trimethoprim 100 mg TABLET MO	1	
TYGACIL 50 MG RECON SOLUTION DL	4	
UNASYN 1.5 GRAM, 15 GRAM, 3 GRAM RECON SOLUTION MO	3	
VABOMERE 2 GRAM RECON SOLUTION DL	4	QL(84 per 14 days)
VANCOGIN 125 MG CAPSULE MO	3	PA,QL(120 per 30 days)
VANCOGIN 250 MG CAPSULE DL	4	PA,QL(240 per 30 days)
vancomycin 1,000 mg, 1.25 gram, 1.5 gram, 10 gram, 25 mg/ml, 5 gram, 50 mg/ml, 500 mg, 750 mg RECON SOLUTION MO	1	
vancomycin 1.75 gram, 2 gram RECON SOLUTION MO	3	
vancomycin 125 mg CAPSULE MO	1	QL(120 per 30 days)
vancomycin 250 mg CAPSULE MO	1	QL(240 per 30 days)
vancomycin in 0.9 % sodium chl 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK MO	3	
vancomycin in dextrose 5 % 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK MO	3	
VANCOMYCIN IN DEXTROSE 5 % 1.25 GRAM/250 ML, 1.5 GRAM/300 ML PIGGYBACK MO	3	
vancomycin-diluent combo no.1 1 gram/200 ml, 1.25 gram/250 ml, 1.5 gram/300 ml, 1.75 gram/350 ml, 2 gram/400 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK MO	3	
VANDAZOLE 0.75 % (37.5MG/5 GRAM) GEL MO	3	
VIBATIV 750 MG RECON SOLUTION DL	4	
VIBRAMYCIN 100 MG CAPSULE MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VIBRAMYCIN (CALCIUM) 50 MG/5 ML SYRUP MO	3	ST
XACIATO 2 % GEL MO	3	
XERAVA 100 MG, 50 MG RECON SOLUTION MO	3	
ZEMDRI 50 MG/ML SOLUTION DL	4	
ZERBAXA 1.5 GRAM RECON SOLUTION DL	4	
ZITHROMAX 1 GRAM PACKET MO	3	
ZITHROMAX 100 MG/5 ML, 200 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	3	
ZITHROMAX 250 MG, 500 MG TABLET MO	3	
ZITHROMAX 500 MG RECON SOLUTION MO	3	
ZITHROMAX TRI-PAK 500 MG TABLET MO	3	
ZITHROMAX Z-PAK 250 MG TABLET MO	3	
ZOSYN IN DEXTROSE (ISO-OSM) 2.25 GRAM/50 ML, 3.375 GRAM/50 ML, 4.5 GRAM/100 ML PIGGYBACK MO	3	
ZYVOX 100 MG/5 ML SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(1800 per 30 days)
ZYVOX 200 MG/100 ML, 600 MG/300 ML PIGGYBACK MO	3	
ZYVOX 600 MG TABLET DL	4	PA,QL(60 per 30 days)
ANTICONVULSANTS		
APTIOM 200 MG, 400 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
APTIOM 600 MG, 800 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
BANZEL 200 MG TABLET DL,MD	4	PA,QL(480 per 30 days)
BANZEL 40 MG/ML SUSPENSION DL,MD	4	PA,QL(2760 per 30 days)
BANZEL 400 MG TABLET DL,MD	4	PA,QL(240 per 30 days)
BRIVIACT 10 MG, 100 MG, 25 MG, 50 MG, 75 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
BRIVIACT 10 MG/ML SOLUTION DL,MD	4	PA,QL(600 per 30 days)
BRIVIACT 50 MG/5 ML SOLUTION DL	4	PA
carbamazepine 100 mg CHEWABLE TABLET MD,MO	1	
carbamazepine 100 mg, 200 mg, 300 mg CAPSULE ER MULTIPHASE 12 HR. MD,MO	1	
carbamazepine 100 mg, 200 mg, 400 mg TABLET, ER 12 HR. MD,MO	1	
carbamazepine 100 mg/5 ml, 100 mg/5 ml (5 ml), 200 mg/10 ml SUSPENSION MD,MO	1	
carbamazepine 200 mg TABLET MD,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CARBATROL 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. MD,MO	3	
CELONTIN 300 MG CAPSULE MD,MO	3	
CEREBYX 100 MG PE/2 ML, 500 MG PE/10 ML SOLUTION MO	3	
<i>clobazam 10 mg, 20 mg TABLET</i> DL,MD	1	PA
<i>clobazam 2.5 mg/ml SUSPENSION</i> DL,MD	1	PA
DEPAKOTE 125 MG, 250 MG, 500 MG TABLET, DR/EC MD,MO	3	
DEPAKOTE ER 250 MG, 500 MG TABLET, ER 24 HR. MD,MO	3	
DEPAKOTE SPRINKLES 125 MG CAPSULE, DR SPRINKLE MD,MO	3	
DIACOMIT 250 MG, 500 MG CAPSULE DL,MD	4	PA,QL(180 per 30 days)
DIACOMIT 250 MG, 500 MG POWDER IN PACKET DL,MD	4	PA,QL(180 per 30 days)
DIASTAT 2.5 MG KIT DL	3	PA
DIASTAT ACUDIAL 12.5-15-17.5-20 MG, 5-7.5-10 MG KIT DL	3	PA
<i>diazepam 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg KIT</i> DL	1	
DILANTIN 30 MG CAPSULE MD,MO	1	
DILANTIN EXTENDED 100 MG CAPSULE MD,MO	1	
DILANTIN INFATABS 50 MG CHEWABLE TABLET MD,MO	1	
DILANTIN-125 125 MG/5 ML SUSPENSION MD,MO	3	
<i>divalproex 125 mg CAPSULE, DR SPRINKLE</i> MD,MO	1	
<i>divalproex 125 mg, 250 mg, 500 mg TABLET, DR/EC</i> MD,MO	1	
<i>divalproex 250 mg, 500 mg TABLET, ER 24 HR.</i> MD,MO	1	
EPIDIOLEX 100 MG/ML SOLUTION DL,MD	4	PA
<i>epitol 200 mg TABLET</i> MD,MO	1	
EPRONTIA 25 MG/ML SOLUTION MD,MO	3	PA,QL(480 per 30 days)
EQUETRO 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. MD,MO	3	PA
<i>ethosuximide 250 mg CAPSULE</i> MD,MO	1	
<i>ethosuximide 250 mg/5 ml SOLUTION</i> MD,MO	1	
<i>felbamate 400 mg, 600 mg TABLET</i> MD,MO	1	
<i>felbamate 600 mg/5 ml SUSPENSION</i> MD,MO	1	
FELBATOL 400 MG, 600 MG TABLET DL,MD	4	PA
FELBATOL 600 MG/5 ML SUSPENSION DL,MD	4	PA
FINTEPLA 2.2 MG/ML SOLUTION DL,LA,MD	4	PA,QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>fosphenytoin 100 mg pe/2 ml, 500 mg pe/10 ml SOLUTION</i> MO	1	
FYCOMPA 0.5 MG/ML SUSPENSION DL,MD	4	PA,QL(680 per 28 days)
FYCOMPA 10 MG, 12 MG, 4 MG, 6 MG, 8 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
FYCOMPA 2 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
<i>gabapentin 100 mg, 300 mg, 400 mg CAPSULE</i> MD,MO	1	QL(270 per 30 days)
<i>gabapentin 250 mg/5 ml, 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml) SOLUTION</i> MD,MO	1	QL(2250 per 30 days)
<i>gabapentin 600 mg, 800 mg TABLET</i> MD,MO	1	QL(180 per 30 days)
GABITRIL 12 MG, 16 MG, 2 MG, 4 MG TABLET DL,MD	4	PA
KEPPRA 1,000 MG, 500 MG, 750 MG TABLET DL,MD	4	PA
KEPPRA 100 MG/ML SOLUTION DL,MD	4	PA
KEPPRA 250 MG TABLET MD,MO	3	PA
KEPPRA 500 MG/5 ML SOLUTION DL	4	PA
KEPPRA XR 500 MG TABLET, ER 24 HR. DL,MD	4	PA,QL(180 per 30 days)
KEPPRA XR 750 MG TABLET, ER 24 HR. DL,MD	4	PA,QL(120 per 30 days)
<i>lacosamide 10 mg/ml SOLUTION</i> MD,MO	1	QL(1395 per 30 days)
<i>lacosamide 100 mg, 150 mg, 200 mg, 50 mg TABLET</i> MD,MO	1	QL(60 per 30 days)
<i>lacosamide 200 mg/20 ml SOLUTION</i> DL	4	
LAMICTAL 100 MG, 150 MG, 200 MG, 25 MG TABLET DL,MD	4	
LAMICTAL 25 MG, 5 MG TABLET, CHEWABLE DISPERSIBLE DL,MD	4	
LAMICTAL ODT 100 MG, 200 MG, 25 MG, 50 MG TABLET, DISINTEGRATING DL,MD	4	
LAMICTAL ODT STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, DISINTEGRATING,DOSE PK DL	4	
LAMICTAL ODT STARTER (GREEN) 50 MG (42) -100 MG (14) TABLET, DISINTEGRATING,DOSE PK DL	4	
LAMICTAL ODT STARTER (ORANGE) 25 MG(14)-50 MG (14)-100 MG (7) TABLET, DISINTEGRATING,DOSE PK DL	4	
LAMICTAL STARTER (BLUE) KIT 25 MG (35) TABLET, DOSE PACK MO	3	
LAMICTAL STARTER (GREEN) KIT 25 MG (84) -100 MG (14) TABLET, DOSE PACK MO	3	
LAMICTAL STARTER (ORANGE) KIT 25 MG (42) -100 MG (7) TABLET, DOSE PACK MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LAMICTAL XR 100 MG, 200 MG, 25 MG, 250 MG, 300 MG, 50 MG TABLET, ER 24 HR. DL,MD	4	
LAMICTAL XR STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, ER, DOSE PACK MO	3	
LAMICTAL XR STARTER (GREEN) 50 MG(14)-100MG (14)-200 MG (7) TABLET, ER, DOSE PACK MO	3	
LAMICTAL XR STARTER (ORANGE) 25MG (14)-50 MG (14)-100MG (7) TABLET, ER, DOSE PACK MO	3	
lamotrigine 100 mg, 150 mg, 200 mg, 25 mg TABLET MD,MO	1	
lamotrigine 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg TABLET, ER 24 HR. MD,MO	1	
lamotrigine 100 mg, 200 mg, 25 mg, 50 mg TABLET, DISINTEGRATING MD,MO	1	
lamotrigine 25 mg (21) -50 mg (7), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg (42) -100 mg (14) TABLET, DISINTEGRATING,DOSE PK MO	1	
lamotrigine 25 mg (35), 25 mg (42) -100 mg (7), 25 mg (84) -100 mg (14) TABLET, DOSE PACK MO	1	
lamotrigine 25 mg, 5 mg TABLET, CHEWABLE DISPERSIBLE MD,MO	1	
levetiracetam 1,000 mg, 250 mg, 750 mg TABLET MD,MO	1	
levetiracetam 100 mg/ml SOLUTION MD,MO	1	
levetiracetam 500 mg TABLET MD,MO	1	
levetiracetam 500 mg TABLET, ER 24 HR. MD,MO	1	QL(180 per 30 days)
levetiracetam 500 mg/5 ml (5 ml) SOLUTION MD,MO	1	QL(900 per 30 days)
levetiracetam 500 mg/5 ml SOLUTION MO	1	
levetiracetam 750 mg TABLET, ER 24 HR. MD,MO	1	QL(120 per 30 days)
levetiracetam in nacl (iso-os) 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml PIGGYBACK MO	1	
LIBERVANT 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG FILM DL	4	QL(10 per 30 days)
methsuximide 300 mg CAPSULE MD,MO	1	
MOTPOLY XR 100 MG, 150 MG, 200 MG CAPSULE, ER 24 HR. DL,MD	4	PA,QL(60 per 30 days)
MYSOLINE 250 MG, 50 MG TABLET DL,MD	4	PA
NAYZILAM 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL DL	3	QL(10 per 30 days)
NEMBUTAL SODIUM 50 MG/ML SOLUTION MO	1	
NEURONTIN 100 MG, 300 MG, 400 MG CAPSULE MD,MO	3	PA,QL(270 per 30 days)
NEURONTIN 250 MG/5 ML SOLUTION MD,MO	3	PA,QL(2250 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NEURONTIN 600 MG, 800 MG TABLET DL,MD	4	PA,QL(180 per 30 days)
ONFI 10 MG, 20 MG TABLET DL,MD	4	PA
ONFI 2.5 MG/ML SUSPENSION DL,MD	4	PA
oxcarbazepine 150 mg, 300 mg, 600 mg TABLET MD,MO	1	
oxcarbazepine 150 mg, 300 mg, 600 mg TABLET, ER 24 HR. DL,MD	4	ST
oxcarbazepine 300 mg/5 ml (60 mg/ml) SUSPENSION MD,MO	1	
OXTELLAR XR 150 MG, 300 MG TABLET, ER 24 HR. MD,MO	3	ST
OXTELLAR XR 600 MG TABLET, ER 24 HR. DL,MD	4	ST
pentobarbital sodium 50 mg/ml SOLUTION MO	1	
phenobarbital 100 mg, 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg TABLET MD,MO	1	QL(90 per 30 days)
phenobarbital 15 mg, 60 mg TABLET MD,MO	1	QL(120 per 30 days)
phenobarbital 20 mg/5 ml (4 mg/ml) ELIXIR MD,MO	1	QL(1500 per 30 days)
phenobarbital 30 mg TABLET MD,MO	1	QL(300 per 30 days)
phenobarbital sodium 130 mg/ml, 65 mg/ml SOLUTION DL	4	
PHENYTEK 200 MG, 300 MG CAPSULE MD,MO	1	
phenytoin 100 mg/4 ml, 125 mg/5 ml SUSPENSION MD,MO	1	
phenytoin 50 mg CHEWABLE TABLET MD,MO	1	
phenytoin sodium 50 mg/ml SOLUTION MO	1	
phenytoin sodium 50 mg/ml SYRINGE MO	1	
phenytoin sodium extended 100 mg, 200 mg, 300 mg CAPSULE MD,MO	1	
primidone 125 mg, 250 mg, 50 mg TABLET MD,MO	1	
QUDEXY XR 100 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. MD,MO	3	PA,QL(30 per 30 days)
QUDEXY XR 150 MG, 200 MG CAPSULE ER SPRINKLE 24 HR. DL,MD	4	PA,QL(60 per 30 days)
QUDEXY XR 25 MG CAPSULE ER SPRINKLE 24 HR. MD,MO	3	PA,QL(90 per 30 days)
roweepra 1,000 mg, 500 mg, 750 mg TABLET MD,MO	1	
roweepra xr 500 mg TABLET, ER 24 HR. MD,MO	1	QL(180 per 30 days)
roweepra xr 750 mg TABLET, ER 24 HR. MD,MO	1	QL(120 per 30 days)
rufinamide 200 mg TABLET MD,MO	1	PA,QL(480 per 30 days)
rufinamide 40 mg/ml SUSPENSION MD,MO	1	PA,QL(2760 per 30 days)
rufinamide 400 mg TABLET MD,MO	1	PA,QL(240 per 30 days)
SABRIL 500 MG POWDER IN PACKET DL,MD	4	PA,QL(180 per 30 days)
SABRIL 500 MG TABLET DL,MD	4	PA,QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SEZABY 100 MG RECON SOLUTION DL	4	
SPRITAM 1,000 MG TABLET FOR SUSPENSION MD,MO	3	ST,QL(90 per 30 days)
SPRITAM 250 MG TABLET FOR SUSPENSION MD,MO	3	ST,QL(360 per 30 days)
SPRITAM 500 MG TABLET FOR SUSPENSION MD,MO	3	ST,QL(180 per 30 days)
SPRITAM 750 MG TABLET FOR SUSPENSION MD,MO	3	ST,QL(120 per 30 days)
<i>subvenite 100 mg, 150 mg, 200 mg, 25 mg TABLET</i> MD,MO	1	
<i>subvenite starter (blue) kit 25 mg (35) TABLET, DOSE PACK</i> MO	1	
<i>subvenite starter (green) kit 25 mg (84) -100 mg (14) TABLET, DOSE PACK</i> MO	1	
<i>subvenite starter (orange) kit 25 mg (42) -100 mg (7) TABLET, DOSE PACK</i> MO	1	
SYMPAZAN 10 MG, 20 MG, 5 MG FILM DL,MD	4	PA,QL(60 per 30 days)
TEGRETOL 100 MG/5 ML SUSPENSION MD,MO	3	
TEGRETOL 200 MG TABLET MD,MO	3	
TEGRETOL XR 100 MG, 200 MG, 400 MG TABLET, ER 12 HR. MD,MO	3	
<i>tiagabine 12 mg, 16 mg, 2 mg, 4 mg TABLET</i> MD,MO	1	
TOPAMAX 100 MG, 200 MG, 50 MG TABLET DL,MD	4	QL(120 per 30 days)
TOPAMAX 15 MG, 25 MG CAPSULE, SPRINKLE DL,MD	4	
TOPAMAX 25 MG TABLET MD,MO	3	QL(90 per 30 days)
<i>topiramate 100 mg, 200 mg, 50 mg TABLET</i> MD,MO	1	QL(120 per 30 days)
<i>topiramate 100 mg, 50 mg CAPSULE ER SPRINKLE 24 HR.</i> MD,MO	3	PA,QL(30 per 30 days)
<i>topiramate 100 mg, 50 mg CAPSULE, ER 24 HR.</i> MD,MO	1	PA,QL(30 per 30 days)
<i>topiramate 15 mg, 25 mg CAPSULE, SPRINKLE</i> MD,MO	1	
<i>topiramate 150 mg, 200 mg CAPSULE ER SPRINKLE 24 HR.</i> MD,MO	3	PA,QL(60 per 30 days)
<i>topiramate 200 mg CAPSULE, ER 24 HR.</i> MD,MO	1	PA,QL(60 per 30 days)
<i>topiramate 25 mg CAPSULE ER SPRINKLE 24 HR.</i> MD,MO	3	PA,QL(90 per 30 days)
<i>topiramate 25 mg CAPSULE, ER 24 HR.</i> MD,MO	1	PA,QL(90 per 30 days)
<i>topiramate 25 mg TABLET</i> MD,MO	1	QL(90 per 30 days)
TRILEPTAL 150 MG TABLET MD,MO	3	PA
TRILEPTAL 300 MG, 600 MG TABLET DL,MD	4	PA
TRILEPTAL 300 MG/5 ML (60 MG/ML) SUSPENSION DL,MD	4	PA
TROKENDI XR 100 MG CAPSULE, ER 24 HR. DL,MD	4	PA,QL(30 per 30 days)
TROKENDI XR 200 MG CAPSULE, ER 24 HR. DL,MD	4	PA,QL(60 per 30 days)
TROKENDI XR 25 MG CAPSULE, ER 24 HR. MD,MO	3	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TROKENDI XR 50 MG CAPSULE, ER 24 HR. MD,MO	3	PA,QL(30 per 30 days)
valproate sodium 500 mg/5 ml (100 mg/ml) SOLUTION MO	1	
valproic acid 250 mg CAPSULE MD,MO	1	
valproic acid (as sodium salt) 250 mg/5 ml, 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml) SOLUTION MD,MO	1	
VALTOCO 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL DL	4	QL(10 per 30 days)
vigabatrin 500 mg POWDER IN PACKET DL,MD	4	PA,QL(180 per 30 days)
vigabatrin 500 mg TABLET DL,MD	4	PA,QL(180 per 30 days)
vigadrone 500 mg POWDER IN PACKET DL,MD	4	PA,QL(180 per 30 days)
vigadrone 500 mg TABLET DL,MD	4	PA,QL(180 per 30 days)
VIGAFYDE 100 MG/ML SOLUTION DL	4	PA,QL(600 per 25 days)
vigpoder 500 mg POWDER IN PACKET DL,MD	4	PA,QL(180 per 30 days)
VIMPAT 10 MG/ML SOLUTION DL,MD	4	PA,QL(1395 per 30 days)
VIMPAT 100 MG, 150 MG, 200 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
VIMPAT 200 MG/20 ML SOLUTION DL	4	PA
VIMPAT 50 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
XCOPRI 100 MG, 25 MG, 50 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
XCOPRI 150 MG, 200 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
XCOPRI MAINTENANCE PACK 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) TABLET DL,MD	4	PA,QL(56 per 28 days)
XCOPRI TITRATION PACK 12.5 MG (14)- 25 MG (14) TABLET, DOSE PACK MO	3	PA,QL(28 per 28 days)
XCOPRI TITRATION PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) TABLET, DOSE PACK DL	4	PA,QL(28 per 28 days)
ZARONTIN 250 MG CAPSULE MD,MO	3	
ZARONTIN 250 MG/5 ML SOLUTION MD,MO	1	
ZONEGRAN 100 MG, 25 MG CAPSULE DL,MD	4	PA
ZONISADE 100 MG/5 ML SUSPENSION MD,MO	3	PA,QL(900 per 30 days)
zonisamide 100 mg, 25 mg, 50 mg CAPSULE MD,MO	1	
ZTALMY 50 MG/ML SUSPENSION DL,MD	4	PA,QL(1080 per 30 days)
ANTIDEMENTIA AGENTS		
ADLARITY 10 MG/24 HOUR, 5 MG/24 HOUR PATCH, WEEKLY MD,MO	3	ST,QL(4 per 28 days)
ARICEPT 10 MG TABLET MD,MO	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ARICEPT 23 MG, 5 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
donepezil 10 mg TABLET MD,MO	1	QL(60 per 30 days)
donepezil 10 mg, 5 mg TABLET, DISINTEGRATING MD,MO	1	QL(30 per 30 days)
donepezil 23 mg TABLET MD,MO	1	QL(30 per 30 days)
donepezil 5 mg TABLET MD,MO	1	QL(30 per 30 days)
ergoloid 1 mg TABLET MD,MO	1	
EXELON PATCH 13.3 MG/24 HOUR, 4.6 MG/24 HOUR, 9.5 MG/24 HOUR PATCH, 24 HR. MD,MO	3	PA,QL(30 per 30 days)
galantamine 12 mg, 4 mg, 8 mg TABLET MD,MO	1	QL(60 per 30 days)
galantamine 16 mg, 24 mg, 8 mg CAPSULE ER PELLETS 24 HR. MD,MO	1	QL(30 per 30 days)
galantamine 4 mg/ml SOLUTION MD,MO	1	QL(200 per 30 days)
memantine 10 mg, 5 mg TABLET MD,MO	1	PA,QL(60 per 30 days)
memantine 14 mg, 21 mg, 28 mg, 7 mg CAPSULE ER SPRINKLE 24 HR. MD,MO	1	PA,QL(30 per 30 days)
memantine 2 mg/ml SOLUTION MD,MO	1	PA,QL(360 per 30 days)
memantine 5-10 mg TABLET, DOSE PACK MO	1	PA,QL(98 per 30 days)
NAMENDA 10 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
NAMENDA TITRATION PAK 5-10 MG TABLET, DOSE PACK MO	3	PA,QL(98 per 30 days)
NAMENDA XR 14 MG, 21 MG, 28 MG, 7 MG CAPSULE ER SPRINKLE 24 HR. MD,MO	3	PA,QL(30 per 30 days)
NAMENDA XR 7-14-21-28 MG CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(28 per 28 days)
NAMZARIC 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG CAPSULE ER SPRINKLE 24 HR. MD,MO	2	QL(30 per 30 days)
NAMZARIC 7/14/21/28 MG-10 MG CAPSULE ER SPRINKLE 24 HR. MO	2	QL(28 per 28 days)
RAZADYNE ER 16 MG, 24 MG, 8 MG CAPSULE ER PELLETS 24 HR. MD,MO	3	PA,QL(30 per 30 days)
rivastigmine 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour PATCH, 24 HR. MD,MO	1	QL(30 per 30 days)
rivastigmine tartrate 1.5 mg, 3 mg CAPSULE MD,MO	1	QL(90 per 30 days)
rivastigmine tartrate 4.5 mg, 6 mg CAPSULE MD,MO	1	QL(60 per 30 days)
ANTIDEPRESSANTS		
amitriptyline 10 mg, 100 mg, 150 mg, 50 mg, 75 mg TABLET MD,MO	1	
amitriptyline 25 mg TABLET MD,MO	1	
amitriptyline-chlordiazepoxide 12.5-5 mg, 25-10 mg TABLET DL,MD	1	
amoxapine 100 mg, 150 mg, 25 mg, 50 mg TABLET MD,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ANAFRANIL 25 MG, 50 MG, 75 MG CAPSULE DL,MD	4	
APLENZIN 174 MG, 348 MG, 522 MG TABLET, ER 24 HR. DL,MD	4	ST,QL(30 per 30 days)
AUVELITY 45-105 MG TABLET, IR/ER, BIPHASIC MD,MO	3	PA,QL(60 per 30 days)
<i>bupropion hcl 100 mg TABLET, SR 12 HR. MD,MO</i>	1	QL(120 per 30 days)
<i>bupropion hcl 100 mg, 75 mg TABLET MD,MO</i>	1	QL(180 per 30 days)
<i>bupropion hcl 150 mg TABLET, ER 24 HR. MD,MO</i>	1	QL(90 per 30 days)
<i>bupropion hcl 150 mg TABLET, SR 12 HR. MD,MO</i>	1	QL(90 per 30 days)
<i>bupropion hcl 200 mg TABLET, SR 12 HR. MD,MO</i>	1	QL(60 per 30 days)
<i>bupropion hcl 300 mg TABLET, ER 24 HR. MD,MO</i>	1	QL(60 per 30 days)
<i>bupropion hcl 450 mg TABLET, ER 24 HR. MD,MO</i>	1	ST,QL(30 per 30 days)
CELEXA 10 MG, 40 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
CELEXA 20 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
<i>citalopram 10 mg, 40 mg TABLET MD,MO</i>	1	QL(30 per 30 days)
<i>citalopram 10 mg/5 ml SOLUTION MD,MO</i>	1	
<i>citalopram 20 mg TABLET MD,MO</i>	1	QL(60 per 30 days)
CITALOPRAM 30 MG CAPSULE MD,MO	3	QL(30 per 30 days)
<i>clomipramine 25 mg, 50 mg, 75 mg CAPSULE MD,MO</i>	1	
<i>desipramine 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg TABLET MD,MO</i>	1	
<i>desvenlafaxine 100 mg, 50 mg TABLET, ER 24 HR. MD,MO</i>	3	ST,QL(30 per 30 days)
<i>desvenlafaxine succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. MD,MO</i>	1	QL(30 per 30 days)
EFFEXOR XR 150 MG CAPSULE, ER 24 HR. MD,MO	3	PA,QL(60 per 30 days)
EFFEXOR XR 37.5 MG, 75 MG CAPSULE, ER 24 HR. MD,MO	3	PA,QL(90 per 30 days)
EMSAM 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR PATCH, 24 HR. DL,MD	4	PA,QL(30 per 30 days)
<i>escitalopram oxalate 10 mg TABLET MD,MO</i>	1	QL(45 per 30 days)
<i>escitalopram oxalate 20 mg, 5 mg TABLET MD,MO</i>	1	QL(30 per 30 days)
<i>escitalopram oxalate 5 mg/5 ml SOLUTION MD,MO</i>	1	QL(600 per 30 days)
FETZIMA 120 MG, 20 MG, 40 MG, 80 MG CAPSULE, ER 24 HR. MD,MO	3	PA,QL(30 per 30 days)
FETZIMA 20 MG (2)- 40 MG (26) CAPSULE, ER 24 HR. MO	3	PA,QL(28 per 28 days)
<i>fluoxetine 10 mg CAPSULE MD,MO</i>	1	QL(60 per 30 days)
<i>fluoxetine 10 mg TABLET MD,MO</i>	1	QL(240 per 30 days)
<i>fluoxetine 20 mg CAPSULE MD,MO</i>	1	QL(120 per 30 days)
<i>fluoxetine 20 mg TABLET MD,MO</i>	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluoxetine 20 mg/5 ml (4 mg/ml) SOLUTION MD,MO	1	
fluoxetine 40 mg CAPSULE MD,MO	1	QL(60 per 30 days)
fluoxetine 60 mg TABLET MD,MO	1	QL(30 per 30 days)
fluoxetine 90 mg CAPSULE, DR/EC MD,MO	1	QL(4 per 28 days)
fluvoxamine 100 mg, 150 mg CAPSULE, ER 24 HR. MD,MO	1	QL(60 per 30 days)
fluvoxamine 100 mg, 25 mg, 50 mg TABLET MD,MO	1	QL(90 per 30 days)
FORFIVO XL 450 MG TABLET, ER 24 HR. MD,MO	3	ST,QL(30 per 30 days)
imipramine hcl 10 mg, 25 mg, 50 mg TABLET MD,MO	1	
imipramine pamoate 100 mg, 125 mg, 150 mg, 75 mg CAPSULE MD,MO	1	
LEXAPRO 10 MG TABLET MD,MO	3	PA,QL(45 per 30 days)
LEXAPRO 20 MG, 5 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
MARPLAN 10 MG TABLET MD,MO	3	
mirtazapine 15 mg, 30 mg, 45 mg TABLET, DISINTEGRATING MD,MO	1	QL(30 per 30 days)
mirtazapine 15 mg, 30 mg, 7.5 mg TABLET MD,MO	1	
mirtazapine 45 mg TABLET MD,MO	1	
NARDIL 15 MG TABLET MD,MO	3	
nefazodone 100 mg, 150 mg, 200 mg, 250 mg, 50 mg TABLET MD,MO	1	
NORPRAMIN 10 MG, 25 MG TABLET MD,MO	3	
nortriptyline 10 mg, 25 mg, 50 mg, 75 mg CAPSULE MD,MO	1	
nortriptyline 10 mg/5 ml SOLUTION MD,MO	1	
olanzapine-fluoxetine 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg CAPSULE MD,MO	1	QL(30 per 30 days)
PAMELOR 10 MG, 25 MG, 50 MG, 75 MG CAPSULE DL,MD	4	
PARNATE 10 MG TABLET DL,MD	4	
paroxetine hcl 10 mg, 20 mg TABLET MD,MO	1	QL(30 per 30 days)
paroxetine hcl 10 mg/5 ml SUSPENSION MD,MO	1	
paroxetine hcl 12.5 mg, 37.5 mg TABLET, ER 24 HR. MD,MO	1	QL(60 per 30 days)
paroxetine hcl 25 mg TABLET, ER 24 HR. MD,MO	1	QL(90 per 30 days)
paroxetine hcl 30 mg, 40 mg TABLET MD,MO	1	QL(60 per 30 days)
paroxetine mesylate(menop.sym) 7.5 mg CAPSULE MD,MO	1	QL(30 per 30 days)
PAXIL 10 MG, 20 MG TABLET MD,MO	3	QL(30 per 30 days)
PAXIL 10 MG/5 ML SUSPENSION MD,MO	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PAXIL 30 MG, 40 MG TABLET MD,MO	3	QL(60 per 30 days)
PAXIL CR 12.5 MG, 37.5 MG TABLET, ER 24 HR. MD,MO	3	QL(60 per 30 days)
PAXIL CR 25 MG TABLET, ER 24 HR. MD,MO	3	QL(90 per 30 days)
perphenazine-amitriptyline 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg TABLET MD,MO	1	
PEXEVA 10 MG, 20 MG TABLET MD,MO	3	QL(30 per 30 days)
PEXEVA 30 MG TABLET MD,MO	3	QL(60 per 30 days)
phenelzine 15 mg TABLET MD,MO	1	
PRISTIQ 100 MG, 25 MG, 50 MG TABLET, ER 24 HR. MD,MO	3	PA,QL(30 per 30 days)
protriptyline 10 mg, 5 mg TABLET MD,MO	1	
PROZAC 10 MG, 40 MG CAPSULE DL,MD	4	PA,QL(60 per 30 days)
PROZAC 20 MG CAPSULE DL,MD	4	PA,QL(120 per 30 days)
REMERON 15 MG, 30 MG TABLET MD,MO	3	
REMERON SOLTAB 15 MG, 30 MG, 45 MG TABLET, DISINTEGRATING MD,MO	3	QL(30 per 30 days)
sertraline 100 mg TABLET MD,MO	1	QL(60 per 30 days)
SERTRALINE 150 MG, 200 MG CAPSULE MD,MO	3	QL(30 per 30 days)
sertraline 20 mg/ml CONCENTRATE MD,MO	1	
sertraline 25 mg, 50 mg TABLET MD,MO	1	QL(90 per 30 days)
SYMBYAX 12-50 MG, 3-25 MG, 6-25 MG, 6-50 MG CAPSULE MD,MO	3	PA,QL(30 per 30 days)
tranylcypromine 10 mg TABLET MD,MO	1	
trazodone 100 mg, 150 mg, 50 mg TABLET MD,MO	1	
trazodone 300 mg TABLET MD,MO	1	
trimipramine 100 mg, 25 mg, 50 mg CAPSULE MD,MO	1	
TRINTELLIX 10 MG, 20 MG, 5 MG TABLET MD,MO	3	ST,QL(30 per 30 days)
venlafaxine 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg TABLET MD,MO	1	
venlafaxine 150 mg CAPSULE, ER 24 HR. MD,MO	1	QL(60 per 30 days)
venlafaxine 150 mg, 225 mg, 37.5 mg TABLET, ER 24 HR. MD,MO	1	QL(30 per 30 days)
venlafaxine 37.5 mg CAPSULE, ER 24 HR. MD,MO	1	QL(90 per 30 days)
venlafaxine 75 mg CAPSULE, ER 24 HR. MD,MO	1	QL(90 per 30 days)
venlafaxine 75 mg TABLET, ER 24 HR. MD,MO	1	QL(60 per 30 days)
VENLAFAXINE BESYLATE 112.5 MG TABLET, ER 24 HR. MD,MO	3	QL(60 per 30 days)
VIIBRYD 10 MG (7)- 20 MG (23) TABLET, DOSE PACK MO	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VIIBRYD 10 MG, 20 MG, 40 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
<i>vilazodone 10 mg, 20 mg, 40 mg TABLET</i> MD,MO	1	PA,QL(30 per 30 days)
WELLBUTRIN SR 100 MG TABLET, SR 12 HR. MD,MO	3	PA,QL(120 per 30 days)
WELLBUTRIN SR 150 MG TABLET, SR 12 HR. MD,MO	3	PA,QL(90 per 30 days)
WELLBUTRIN SR 200 MG TABLET, SR 12 HR. MD,MO	3	PA,QL(60 per 30 days)
WELLBUTRIN XL 150 MG TABLET, ER 24 HR. DL,MD	4	PA,QL(90 per 30 days)
WELLBUTRIN XL 300 MG TABLET, ER 24 HR. DL,MD	4	PA,QL(60 per 30 days)
ZOLOFT 100 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
ZOLOFT 20 MG/ML CONCENTRATE MD,MO	3	PA
ZOLOFT 25 MG, 50 MG TABLET MD,MO	3	PA,QL(90 per 30 days)
ZULRESSO 5 MG/ML SOLUTION DL	4	PA,QL(100 per 365 days)
ZURZUVAE 20 MG, 25 MG CAPSULE DL	4	PA,QL(28 per 365 days)
ZURZUVAE 30 MG CAPSULE DL	4	PA,QL(14 per 365 days)
ANTIEMETICS		
AKYNZEO (FOSNETUPITANT) 235 MG-0.25 MG /20 ML SOLUTION DL	4	PA,QL(80 per 28 days)
AKYNZEO (FOSNETUPITANT) 235-0.25 MG RECON SOLUTION DL	4	PA,QL(4 per 28 days)
AKYNZEO (NETUPITANT) 300-0.5 MG CAPSULE MO	3	PA
ANTIVERT 25 MG CHEWABLE TABLET MO	3	
ANTIVERT 50 MG TABLET MO	3	
ANZEMET 50 MG TABLET MO	3	BvsD,QL(4 per 28 days)
APONVIE 32 MG/4.4 ML (7.2 MG/ML) EMULSION MO	3	
<i>aprepitant 125 mg (1)- 80 mg (2) CAPSULE, DOSE PACK</i> MO	1	BvsD
<i>aprepitant 125 mg, 40 mg CAPSULE</i> MO	1	BvsD,QL(2 per 28 days)
<i>aprepitant 80 mg CAPSULE</i> MO	1	BvsD,QL(4 per 28 days)
BONJESTA 20-20 MG TABLET, IR, DR, BIPHASIC MO	3	QL(60 per 30 days)
CINVANTI 130 MG/18 ML (7.2 MG/ML) EMULSION MO	3	PA,QL(36 per 28 days)
COMPAZINE 10 MG, 5 MG TABLET MO	3	BvsD
COMPAZINE 25 MG SUPPOSITORY MO	1	
<i>compro 25 mg SUPPOSITORY</i> MO	1	
DICLEGIS 10-10 MG TABLET, DR/EC MO	3	QL(120 per 30 days)
<i>dimenhydrinate 50 mg/ml SOLUTION</i> MO	1	
<i>doxylamine-pyridoxine (vit b6) 10-10 mg TABLET, DR/EC</i> MO	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dronabinol 10 mg, 2.5 mg, 5 mg CAPSULE MO	1	BvsD,QL(120 per 30 days)
EMEND 125 MG (1)- 80 MG (2) CAPSULE, DOSE PACK MO	3	BvsD
EMEND 125 MG (25 MG/ ML FINAL CONC.) SUSPENSION FOR RECONSTITUTION MO	3	BvsD,QL(3 per 28 days)
EMEND 80 MG CAPSULE MO	3	BvsD,QL(4 per 28 days)
EMEND (FOSAPREPITANT) 150 MG RECON SOLUTION MO	3	PA
FOCINVEZ 150 MG/50 ML (3 MG/ML) SOLUTION MO	3	PA
fosaprepitant 150 mg RECON SOLUTION MO	1	PA
GIMOTI 15 MG/SPRAY SPRAY WITH PUMP DL	4	PA,QL(9.8 per 28 days)
granisetron (pf) 1 mg/ml (1 ml), 100 mcg/ml SOLUTION MO	1	
granisetron hcl 1 mg TABLET MO	1	BvsD,QL(28 per 28 days)
granisetron hcl 1 mg/ml, 1 mg/ml (1 ml) SOLUTION MO	1	
MARINOL 10 MG, 2.5 MG, 5 MG CAPSULE DL	4	BvsD,QL(120 per 30 days)
meclizine 12.5 mg TABLET MO	1	
meclizine 25 mg TABLET MO	1	
meclizine 50 mg TABLET MO	3	
metoclopramide hcl 10 mg, 5 mg TABLET MO	1	
metoclopramide hcl 5 mg/5 ml, 5 mg/ml SOLUTION MO	1	
metoclopramide hcl 5 mg/ml SYRINGE MO	1	
ondansetron 16 mg TABLET, DISINTEGRATING DL	4	BvsD
ondansetron 4 mg TABLET, DISINTEGRATING MO	1	BvsD
ondansetron 8 mg TABLET, DISINTEGRATING MO	1	BvsD
ondansetron hcl 2 mg/ml SOLUTION MO	1	
ondansetron hcl 4 mg TABLET MO	1	BvsD
ondansetron hcl 4 mg/5 ml SOLUTION MO	1	BvsD,QL(450 per 30 days)
ondansetron hcl 8 mg TABLET MO	1	BvsD
ondansetron hcl (pf) 4 mg/2 ml SOLUTION MO	1	
ondansetron hcl (pf) 4 mg/2 ml SYRINGE MO	1	
PHENERGAN 25 MG/ML, 50 MG/ML SOLUTION MO	1	
prochlorperazine 25 mg SUPPOSITORY MO	1	
prochlorperazine edisylate 10 mg/2 ml (5 mg/ml), 5 mg/ml SOLUTION MO	1	
prochlorperazine maleate 10 mg, 5 mg TABLET MO	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>promethazine 12.5 mg, 25 mg, 50 mg SUPPOSITORY</i> MO	1	
<i>promethazine 12.5 mg, 50 mg TABLET</i> MO	1	
<i>promethazine 25 mg TABLET</i> MO	1	
<i>promethazine 25 mg/ml, 50 mg/ml SOLUTION</i> MO	1	
<i>promethazine 6.25 mg/5 ml SYRUP</i> MO	1	
<i>promethegan 12.5 mg, 25 mg, 50 mg SUPPOSITORY</i> MO	1	
REGLAN 10 MG, 5 MG TABLET MO	3	
SANCUSO 3.1 MG/24 HOUR PATCH, WEEKLY DL	4	PA,QL(4 per 30 days)
<i>scopolamine base 1 mg over 3 days PATCH, 3 DAY</i> MO	1	QL(10 per 30 days)
TIGAN 100 MG/ML SOLUTION MO	3	
TRANSDERM-SCOP 1 MG OVER 3 DAYS PATCH, 3 DAY MO	3	QL(10 per 30 days)
<i>trimethobenzamide 300 mg CAPSULE</i> MO	1	BvsD
VARUBI 90 MG TABLET MO	3	PA
ANTIFUNGALS		
ABELCET 5 MG/ML SUSPENSION MO	3	BvsD
AMBISOME 50 MG SUSPENSION FOR RECONSTITUTION DL	4	BvsD
<i>amphotericin b 50 mg RECON SOLUTION</i> MO	1	BvsD
<i>amphotericin b liposome 50 mg SUSPENSION FOR RECONSTITUTION</i> DL	4	BvsD
ANCOBON 250 MG, 500 MG CAPSULE MO	3	
CANCIDAS 50 MG, 70 MG RECON SOLUTION DL	4	PA
<i>caspofungin 50 mg, 70 mg RECON SOLUTION</i> MO	1	
<i>ciclodan 8 % SOLUTION</i> MO	1	QL(13.2 per 30 days)
<i>ciclopirox 0.77 % CREAM</i> MO	1	QL(90 per 30 days)
<i>ciclopirox 0.77 % GEL</i> MO	1	QL(100 per 30 days)
<i>ciclopirox 0.77 % SUSPENSION</i> MO	1	QL(60 per 30 days)
<i>ciclopirox 1 % SHAMPOO</i> MO	1	QL(120 per 30 days)
<i>ciclopirox 8 % SOLUTION</i> MO	1	QL(13.2 per 30 days)
<i>clotrimazole 1 % CREAM</i> MO	1	
<i>clotrimazole 1 % SOLUTION</i> MO	1	
<i>clotrimazole 10 mg TROCHE</i> MO	1	
<i>clotrimazole-betamethasone 1-0.05 % CREAM</i> MO	1	QL(180 per 30 days)
<i>clotrimazole-betamethasone 1-0.05 % LOTION</i> MO	1	QL(90 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CRESEMBA 186 MG, 74.5 MG CAPSULE DL	4	PA
CRESEMBA 372 MG RECON SOLUTION DL	4	PA
DIFLUCAN 10 MG/ML, 40 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	PA
DIFLUCAN 100 MG, 150 MG, 200 MG, 50 MG TABLET MO	3	PA
econazole 1 % CREAM MO	1	PA,QL(85 per 30 days)
ERAXIS(WATER DILUENT) 100 MG, 50 MG RECON SOLUTION DL	4	
ERTACZO 2 % CREAM DL	4	QL(60 per 30 days)
EXTINA 2 % FOAM MO	3	QL(100 per 30 days)
fluconazole 10 mg/ml, 40 mg/ml SUSPENSION FOR RECONSTITUTION MO	1	
fluconazole 100 mg, 200 mg, 50 mg TABLET MO	1	
fluconazole 150 mg TABLET MO	1	
fluconazole in nacl (iso-osm) 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml PIGGYBACK MO	1	
flucytosine 250 mg, 500 mg CAPSULE DL	4	
griseofulvin microsize 125 mg/5 ml SUSPENSION MO	1	
griseofulvin microsize 500 mg TABLET MO	1	
griseofulvin ultramicrosize 125 mg, 250 mg TABLET MO	1	
gynazole-1 2 % CREAM MO	1	
itraconazole 10 mg/ml SOLUTION DL	4	
itraconazole 100 mg CAPSULE MO	1	QL(120 per 30 days)
JUBLIA 10 % SOLUTION W/APPLICATOR DL	4	PA,QL(4 per 28 days)
KERYDIN 5 % SOLUTION W/APPLICATOR MO	3	PA,QL(10 per 30 days)
ketoconazole 2 % CREAM MO	1	QL(60 per 30 days)
ketoconazole 2 % FOAM MO	1	QL(100 per 30 days)
ketoconazole 2 % SHAMPOO MO	1	QL(120 per 30 days)
ketoconazole 200 mg TABLET MO	1	PA
ketodan 2 % FOAM MO	1	QL(100 per 30 days)
klayesta 100,000 unit/gram POWDER MO	1	PA
LOPROX 1 % SHAMPOO MO	3	PA,QL(120 per 30 days)
LOPROX (AS OLAMINE) 0.77 % CREAM MO	3	PA,QL(90 per 30 days)
LOPROX (AS OLAMINE) 0.77 % SUSPENSION MO	3	PA,QL(60 per 30 days)
luliconazole 1 % CREAM MO	1	ST,QL(60 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LUZU 1 % CREAM MO	3	ST,QL(60 per 28 days)
MENTAX 1 % CREAM MO	3	QL(30 per 30 days)
<i>miconazolin</i> 100 mg, 50 mg RECON SOLUTION MO	1	
MICAFUNGIN IN 0.9 % SODIUM CHL 100 MG/100 ML, 50 MG/50 ML PIGGYBACK DL	4	
<i>miconazole</i> nitrate-zinc ox-pet 0.25-15-81.35 % OINTMENT MO	1	
<i>miconazole</i> -3 200 mg SUPPOSITORY MO	1	
MYCAMINE 100 MG, 50 MG RECON SOLUTION DL	4	
<i>naftifine</i> 1 % CREAM MO	1	ST,QL(90 per 30 days)
<i>naftifine</i> 2 % CREAM MO	1	ST,QL(120 per 30 days)
<i>naftifine</i> 2 % GEL MO	1	ST,QL(120 per 30 days)
NAFTIN 1 % GEL MO	3	ST,QL(90 per 30 days)
NAFTIN 2 % GEL MO	3	ST,QL(120 per 30 days)
NOXAFIL 100 MG TABLET, DR/EC DL	4	PA
NOXAFIL 200 MG/5 ML (40 MG/ML) SUSPENSION DL	4	PA,QL(840 per 28 days)
NOXAFIL 300 MG SUSPENSION, DR FOR RECON DL	4	PA,QL(32 per 30 days)
NOXAFIL 300 MG/16.7 ML SOLUTION DL	4	PA
<i>nyamyc</i> 100,000 unit/gram POWDER MO	1	PA
<i>nystatin</i> 100,000 unit/gram CREAM MO	1	
<i>nystatin</i> 100,000 unit/gram OINTMENT MO	1	
<i>nystatin</i> 100,000 unit/gram POWDER MO	1	PA
<i>nystatin</i> 100,000 unit/ml SUSPENSION MO	1	
<i>nystatin</i> 500,000 unit TABLET MO	1	
<i>nystatin-triamcinolone</i> 100,000-0.1 unit/g-% CREAM MO	1	
<i>nystatin-triamcinolone</i> 100,000-0.1 unit/gram-% OINTMENT MO	1	
<i>nystop</i> 100,000 unit/gram POWDER MO	1	PA
<i>oxiconazole</i> 1 % CREAM MO	1	PA,QL(60 per 30 days)
OXISTAT 1 % CREAM MO	3	QL(60 per 30 days)
OXISTAT 1 % LOTION MO	3	PA
<i>posaconazole</i> 100 mg TABLET, DR/EC DL	4	PA
<i>posaconazole</i> 200 mg/5 ml (40 mg/ml) SUSPENSION DL	4	PA,QL(840 per 28 days)
<i>posaconazole</i> 300 mg/16.7 ml SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
REZZAYO 200 MG RECON SOLUTION DL	4	PA
SPORANOX 10 MG/ML SOLUTION DL	4	
SPORANOX 100 MG CAPSULE MO	3	PA,QL(120 per 30 days)
SPORANOX PULSEPAK 100 MG CAPSULE MO	3	PA,QL(120 per 30 days)
tavaborole 5 % SOLUTION W/APPLICATOR MO	1	PA,QL(10 per 30 days)
terbinafine hcl 250 mg TABLET MO	1	
terconazole 0.4 %, 0.8 % CREAM MO	1	
terconazole 80 mg SUPPOSITORY MO	1	
TOLSURA 65 MG CAPSULE, SOLID DISPERSION DL	4	PA,QL(120 per 30 days)
VFEND 200 MG, 50 MG TABLET MO	3	PA,QL(120 per 30 days)
VFEND 200 MG/5 ML (40 MG/ML) SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(400 per 30 days)
VFEND IV 200 MG RECON SOLUTION MO	3	PA
VIVJOA 150 MG CAPSULE MO	3	PA
voriconazole 200 mg RECON SOLUTION MO	1	PA
voriconazole 200 mg, 50 mg TABLET MO	1	PA,QL(120 per 30 days)
voriconazole 200 mg/5 ml (40 mg/ml) SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(400 per 30 days)
VUSION 0.25-15-81.35 % OINTMENT MO	3	
XOLEGEL 2 % GEL MO	3	
ANTIGOUT AGENTS		
allopurinol 100 mg, 300 mg TABLET MD,MO	1	
allopurinol 200 mg TABLET MD,MO	3	
allopurinol sodium 500 mg RECON SOLUTION MO	1	
ALOPRIM 500 MG RECON SOLUTION MO	3	
colchicine 0.6 mg CAPSULE MD,MO	1	PA
colchicine 0.6 mg TABLET MD,MO	1	QL(120 per 30 days)
COLCRYS 0.6 MG TABLET MD,MO	3	PA,QL(120 per 30 days)
DUZALLO 200-200 MG, 200-300 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
febuxostat 40 mg, 80 mg TABLET MD,MO	1	ST,QL(30 per 30 days)
GLOPERBA 0.6 MG/5 ML SOLUTION MD,MO	3	PA,QL(300 per 30 days)
MITIGARE 0.6 MG CAPSULE MD,MO	3	PA
probenecid 500 mg TABLET MD,MO	1	
probenecid-colchicine 500-0.5 mg TABLET MD,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ULORIC 40 MG, 80 MG TABLET MD,MO	3	ST,QL(30 per 30 days)
ZYLOPRIM 100 MG TABLET MD,MO	3	
ANTIMIGRAINE AGENTS		
AIMOVIG AUTOINJECTOR 140 MG/ML AUTO-INJECTOR MD,MO	3	PA,QL(1 per 28 days)
AIMOVIG AUTOINJECTOR 70 MG/ML AUTO-INJECTOR MD,MO	3	PA,QL(2 per 28 days)
AJOVY AUTOINJECTOR 225 MG/1.5 ML AUTO-INJECTOR MD,MO	3	PA,QL(1.5 per 28 days)
AJOVY SYRINGE 225 MG/1.5 ML SYRINGE MD,MO	3	PA,QL(1.5 per 28 days)
<i>almotriptan malate</i> 12.5 mg, 6.25 mg TABLET MO	1	ST,QL(9 per 30 days)
<i>dihydroergotamine</i> 0.5 mg/pump act. (4 mg/ml) SPRAY, NON-AEROSOL DL	4	PA,QL(8 per 30 days)
<i>dihydroergotamine</i> 1 mg/ml SOLUTION DL	4	PA
<i>eletriptan</i> 20 mg, 40 mg TABLET MO	1	ST,QL(9 per 30 days)
EMGALITY PEN 120 MG/ML PEN INJECTOR MD,MO	3	PA,QL(2 per 30 days)
EMGALITY SYRINGE 120 MG/ML SYRINGE MD,MO	3	PA,QL(2 per 30 days)
EMGALITY SYRINGE 300 MG/3 ML (100 MG/ML X 3) SYRINGE MO	3	PA,QL(3 per 30 days)
ERGOMAR 2 MG SUBLINGUAL TABLET DL	4	QL(20 per 28 days)
<i>ergotamine-caffeine</i> 1-100 mg TABLET MO	1	QL(40 per 30 days)
FROVA 2.5 MG TABLET DL	4	ST,QL(12 per 30 days)
<i>frovatriptan</i> 2.5 mg TABLET MO	1	ST,QL(12 per 30 days)
IMITREX 100 MG TABLET DL	4	PA,QL(9 per 30 days)
IMITREX 20 MG/ACTUATION, 5 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	PA,QL(12 per 30 days)
IMITREX 25 MG, 50 MG TABLET MO	3	PA,QL(9 per 30 days)
IMITREX 6 MG/0.5 ML SOLUTION DL	4	PA,QL(6 per 30 days)
IMITREX STATDOSE PEN 4 MG/0.5 ML, 6 MG/0.5 ML PEN INJECTOR MO	3	PA,QL(6 per 30 days)
IMITREX STATDOSE REFILL 4 MG/0.5 ML, 6 MG/0.5 ML CARTRIDGE DL	4	PA,QL(6 per 30 days)
MAXALT 10 MG TABLET MO	3	PA,QL(12 per 30 days)
MAXALT-MLT 10 MG TABLET, DISINTEGRATING MO	3	PA,QL(12 per 30 days)
<i>migergot</i> 2-100 mg SUPPOSITORY DL	4	QL(20 per 28 days)
MIGRANAL 0.5 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL DL	4	QL(8 per 30 days)
<i>naratriptan</i> 1 mg, 2.5 mg TABLET MO	1	QL(9 per 30 days)
NURTEC ODT 75 MG TABLET, DISINTEGRATING DL	4	PA,QL(18 per 30 days)
ONZETRA XSAIL 11 MG AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(16 per 30 days)
QULIPTA 10 MG, 30 MG, 60 MG TABLET MD,MO	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RELPAZ 20 MG, 40 MG TABLET DL	4	ST,QL(9 per 30 days)
REYVOW 100 MG TABLET MO	3	PA,QL(8 per 30 days)
REYVOW 50 MG TABLET MO	3	PA,QL(4 per 30 days)
<i>rizatriptan 10 mg, 5 mg TABLET</i> MO	1	QL(12 per 30 days)
<i>rizatriptan 10 mg, 5 mg TABLET, DISINTEGRATING</i> MO	1	QL(12 per 30 days)
<i>sumatriptan 20 mg/actuation, 5 mg/actuation SPRAY, NON-AEROSOL</i> MO	1	QL(12 per 30 days)
<i>sumatriptan succinate 100 mg, 25 mg, 50 mg TABLET</i> MO	1	QL(9 per 30 days)
<i>sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml CARTRIDGE</i> MO	3	QL(6 per 30 days)
<i>sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml PEN INJECTOR</i> MO	1	QL(6 per 30 days)
<i>sumatriptan succinate 6 mg/0.5 ml SOLUTION</i> MO	1	QL(6 per 30 days)
<i>sumatriptan succinate 6 mg/0.5 ml SYRINGE</i> MO	1	QL(6 per 30 days)
<i>sumatriptan-naproxen 85-500 mg TABLET</i> MO	1	ST,QL(18 per 30 days)
TOSYMRA 10 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	ST,QL(12 per 30 days)
TREXIMET 85-500 MG TABLET DL	4	ST,QL(18 per 30 days)
TRUDHESA 0.725 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL DL	4	PA,QL(8 per 30 days)
UBRELVY 100 MG, 50 MG TABLET MO	2	PA,QL(16 per 30 days)
VYEPTI 100 MG/ML SOLUTION MD,MO	3	PA,QL(3 per 90 days)
ZAVZPRET 10 MG/ACTUATION SPRAY, NON-AEROSOL DL	4	PA,QL(8 per 30 days)
ZEMBRACE SYMTOUCH 3 MG/0.5 ML PEN INJECTOR DL	4	ST,QL(6 per 30 days)
<i>zolmitriptan 2.5 mg TABLET</i> MO	1	ST,QL(9 per 30 days)
<i>zolmitriptan 2.5 mg TABLET, DISINTEGRATING</i> MO	1	ST,QL(9 per 30 days)
<i>zolmitriptan 2.5 mg, 5 mg SPRAY, NON-AEROSOL</i> MO	1	ST,QL(12 per 30 days)
<i>zolmitriptan 5 mg TABLET</i> MO	1	ST,QL(6 per 30 days)
<i>zolmitriptan 5 mg TABLET, DISINTEGRATING</i> MO	1	ST,QL(6 per 30 days)
<i>zomig 2.5 mg TABLET</i> MO	3	ST,QL(9 per 30 days)
ZOMIG 2.5 MG TABLET MO	3	ST,QL(9 per 30 days)
ZOMIG 2.5 MG, 5 MG SPRAY, NON-AEROSOL MO	3	ST,QL(12 per 30 days)
ZOMIG 5 MG TABLET MO	3	ST,QL(6 per 30 days)
<i>zomig 5 mg TABLET</i> MO	3	ST,QL(6 per 30 days)
ANTIMYASTHENIC AGENTS		
MESTINON 60 MG TABLET DL,MD	4	PA
MESTINON 60 MG/5 ML SYRUP DL,MD	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MESTINON TIMESPAN 180 MG TABLET ER DL,MD	4	PA
<i>pyridostigmine bromide 180 mg TABLET ER</i> MD,MO	1	
<i>pyridostigmine bromide 30 mg, 60 mg TABLET</i> MD,MO	1	
<i>pyridostigmine bromide 60 mg/5 ml SYRUP</i> MD,MO	1	
REGONOL 5 MG/ML SOLUTION MO	3	
VYVGART 20 MG/ML SOLUTION DL,MD	4	PA
VYVGART HYTRULO 1,008 MG-11,200 UNIT/5.6 ML SOLUTION DL,MD	4	PA,QL(22.4 per 28 days)
ANTIMYCOBACTERIALS		
<i>cycloserine 250 mg CAPSULE</i> DL	4	
<i>dapsone 100 mg, 25 mg TABLET</i> MD,MO	1	
<i>ethambutol 100 mg, 400 mg TABLET</i> MO	1	
<i>isoniazid 100 mg, 300 mg TABLET</i> MO	1	
<i>isoniazid 100 mg/ml, 50 mg/5 ml SOLUTION</i> MO	1	
MYAMBUTOL 400 MG TABLET MO	3	
MYCOBUTIN 150 MG CAPSULE MO	3	
PRETOMANID 200 MG TABLET MO	3	PA,QL(30 per 30 days)
PRIFTIN 150 MG TABLET MO	3	
<i>pyrazinamide 500 mg TABLET</i> MO	1	
<i>rifabutin 150 mg CAPSULE</i> MO	1	
RIFADIN 600 MG RECON SOLUTION MO	3	
<i>rifampin 150 mg, 300 mg CAPSULE</i> MO	1	
<i>rifampin 600 mg RECON SOLUTION</i> MO	1	
SIRTURO 100 MG, 20 MG TABLET DL	4	PA
TRECTOR 250 MG TABLET MO	3	
ANTINEOPLASTICS		
<i>abiraterone 250 mg TABLET</i> DL,MD	4	PA,QL(120 per 30 days)
<i>abiraterone 500 mg TABLET</i> DL,MD	4	PA,QL(60 per 30 days)
ABRAXANE 100 MG SUSPENSION FOR RECONSTITUTION DL	4	PA
ADCETRIS 50 MG RECON SOLUTION DL	4	PA
ADRIAMYCIN 50 MG RECON SOLUTION MO	1	BvsD
<i>adrucil 2.5 gram/50 ml SOLUTION</i> MO	1	BvsD
AFINITOR 10 MG, 2.5 MG, 5 MG, 7.5 MG TABLET DL,MD	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AFINITOR DISPERZ 2 MG, 3 MG, 5 MG TABLET FOR SUSPENSION DL,MD	4	PA
AKEEGA 100-500 MG, 50-500 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
ALECENSA 150 MG CAPSULE DL,MD	4	PA,QL(240 per 30 days)
ALIMTA 100 MG, 500 MG RECON SOLUTION DL,MD	4	PA
ALIQOPA 60 MG RECON SOLUTION DL,MD	4	PA,QL(3 per 28 days)
ALUNBRIG 180 MG, 90 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
ALUNBRIG 30 MG TABLET DL,MD	4	PA,QL(180 per 30 days)
ALUNBRIG 90 MG (7)- 180 MG (23) TABLET, DOSE PACK DL	4	PA,QL(30 per 30 days)
ALYMSYS 25 MG/ML SOLUTION DL	4	PA
<i>anastrozole 1 mg TABLET</i> MD,MO	1	QL(30 per 30 days)
ANKTIVA 400 MCG/0.4 ML SOLUTION DL,MD	4	PA
ARIMIDEX 1 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
AROMASIN 25 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
ARRANON 250 MG/50 ML SOLUTION DL	4	
<i>arsenic trioxide 1 mg/ml, 2 mg/ml SOLUTION</i> DL	4	PA
ASPARLAS 750 UNIT/ML SOLUTION DL	4	PA
AUGTYRO 40 MG CAPSULE DL,MD	4	PA,QL(240 per 30 days)
AVASTIN 25 MG/ML SOLUTION DL	4	PA
AYVAKIT 100 MG, 200 MG, 25 MG, 300 MG, 50 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
<i>azacitidine 100 mg RECON SOLUTION</i> DL	4	PA
BALVERSA 3 MG TABLET DL,MD	4	PA,QL(90 per 30 days)
BALVERSA 4 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
BALVERSA 5 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
BAVENCIO 20 MG/ML SOLUTION DL,MD	4	PA
BELEODAQ 500 MG RECON SOLUTION DL,MD	4	PA
<i>bendamustine 100 mg, 25 mg RECON SOLUTION</i> DL	4	PA
<i>bendamustine 25 mg/ml SOLUTION</i> DL	4	PA
BENDEKA 25 MG/ML SOLUTION DL	4	PA
BESPONSA 0.9 MG (0.25 MG/ML INITIAL) RECON SOLUTION DL	4	PA
<i>bexarotene 1 % GEL</i> DL	4	PA,QL(240 per 30 days)
<i>bexarotene 75 mg CAPSULE</i> DL,MD	4	PA,QL(300 per 30 days)
<i>bicalutamide 50 mg TABLET</i> MD,MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BICNU 100 MG RECON SOLUTION MO	3	
<i>bleomycin 15 unit, 30 unit RECON SOLUTION</i> MO	1	BvsD
BORTEZOMIB 1 MG, 2.5 MG RECON SOLUTION DL,MD	4	PA
<i>bortezomib 3.5 mg RECON SOLUTION</i> DL,MD	4	PA
BOSULIF 100 MG CAPSULE DL,MD	4	PA,QL(180 per 30 days)
BOSULIF 100 MG TABLET DL,MD	4	PA,QL(120 per 30 days)
BOSULIF 400 MG, 500 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
BOSULIF 50 MG CAPSULE DL,MD	4	PA,QL(360 per 30 days)
BRAFTOVI 75 MG CAPSULE DL,MD	4	PA,QL(180 per 30 days)
BRUKINSA 80 MG CAPSULE DL,MD	4	PA,QL(120 per 30 days)
<i>busulfan 60 mg/10 ml SOLUTION</i> MO	1	
BUSULFEX 60 MG/10 ML SOLUTION MO	3	
CABOMETYX 20 MG, 40 MG, 60 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
CALQUENCE 100 MG CAPSULE DL,MD	4	PA,QL(60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) 100 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
CAMPTOSAR 100 MG/5 ML, 300 MG/15 ML, 40 MG/2 ML SOLUTION DL	4	
CAPRELSA 100 MG TABLET DL,LA,MD	4	PA,QL(60 per 30 days)
CAPRELSA 300 MG TABLET DL,LA,MD	4	PA,QL(30 per 30 days)
<i>carboplatin 10 mg/ml SOLUTION</i> MO	1	
<i>carmustine 100 mg RECON SOLUTION</i> MO	1	
CASODEX 50 MG TABLET DL,MD	4	QL(30 per 30 days)
<i>cisplatin 1 mg/ml SOLUTION</i> MO	1	
<i>cladribine 10 mg/10 ml SOLUTION</i> DL	4	BvsD
<i>clofarabine 1 mg/ml SOLUTION</i> DL	4	
CLOLAR 1 MG/ML SOLUTION DL	4	
COLUMVI 1 MG/ML SOLUTION DL	4	PA
COMETRIQ 100 MG/DAY(80 MG X1-20 MG X1) CAPSULE DL,MD	4	PA,QL(56 per 28 days)
COMETRIQ 140 MG/DAY(80 MG X1-20 MG X3) CAPSULE DL,MD	4	PA,QL(112 per 28 days)
COMETRIQ 60 MG/DAY (20 MG X 3/DAY) CAPSULE DL,MD	4	PA,QL(84 per 28 days)
COPIKTRA 15 MG, 25 MG CAPSULE DL,MD	4	PA,QL(56 per 28 days)
COSMEGEN 0.5 MG RECON SOLUTION DL	4	
COTELLIC 20 MG TABLET DL,MD	4	PA,QL(63 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>cyclophosphamide 1 gram, 2 gram, 500 mg RECON SOLUTION</i> MO	1	BvsD
CYCLOPHOSPHAMIDE 100 MG/ML, 200 MG/ML SOLUTION MO	1	BvsD
<i>cyclophosphamide 200 mg/ml SOLUTION</i> MO	1	BvsD
<i>cyclophosphamide 25 mg, 50 mg CAPSULE</i> MO	1	BvsD
<i>cyclophosphamide 25 mg, 50 mg TABLET</i> MO	1	BvsD
<i>cyclophosphamide 500 mg/ml SOLUTION</i>	4	BvsD
CYRAMZA 10 MG/ML SOLUTION DL,MD	4	PA
<i>cytarabine 20 mg/ml SOLUTION</i> MO	1	BvsD
<i>cytarabine (pf) 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml), 20 mg/ml SOLUTION</i> MO	1	BvsD
<i>dacarbazine 100 mg, 200 mg RECON SOLUTION</i> MO	1	
DACOGEN 50 MG RECON SOLUTION DL	4	PA
<i>dactinomycin 0.5 mg RECON SOLUTION</i> DL	4	
DANYELZA 4 MG/ML SOLUTION DL,MD	4	PA,QL(120 per 28 days)
DARZALEX 20 MG/ML SOLUTION DL	4	PA
DARZALEX FASPRO 1,800 MG-30,000 UNIT/15 ML SOLUTION DL,MD	4	PA
<i>dasatinib 100 mg, 50 mg, 70 mg, 80 mg TABLET</i> DL,MD	4	PA,QL(60 per 30 days)
<i>dasatinib 140 mg TABLET</i> DL,MD	4	PA,QL(30 per 30 days)
<i>dasatinib 20 mg TABLET</i> DL,MD	4	PA,QL(90 per 30 days)
<i>daunorubicin 5 mg/ml SOLUTION</i> MO	1	
DAURISMO 100 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
DAURISMO 25 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
<i>decitabine 50 mg RECON SOLUTION</i> DL	4	PA
<i>dexrazoxane hcl 250 mg, 500 mg RECON SOLUTION</i> MO	1	
DOCEFREZ 20 MG RECON SOLUTION MO	3	
DOCEFREZ 80 MG RECON SOLUTION DL	4	
<i>docetaxel 160 mg/16 ml (10 mg/ml), 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml) SOLUTION</i> MO	1	
DOCIVYX 160 MG/16 ML (10 MG/ML), 20 MG/2 ML (10 MG/ML), 80 MG/8 ML (10 MG/ML) SOLUTION DL	4	
DOXIL 2 MG/ML SUSPENSION DL	4	PA
<i>doxorubicin 10 mg, 50 mg RECON SOLUTION</i> MO	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>doxorubicin 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml SOLUTION</i> MO	1	BvsD
<i>doxorubicin, peg-liposomal 2 mg/ml SUSPENSION</i> DL	4	PA
ELITEK 1.5 MG, 7.5 MG RECON SOLUTION DL	4	PA
ELLEENCE 200 MG/100 ML, 50 MG/25 ML SOLUTION DL	4	
ELREXFIO 40 MG/ML SOLUTION DL,MD	4	PA
ELZONRIS 1,000 MCG/ML SOLUTION DL	4	PA,QL(10 per 21 days)
EMCYT 140 MG CAPSULE DL	4	
EMPLICITI 300 MG, 400 MG RECON SOLUTION DL	4	PA
ENHERTU 100 MG RECON SOLUTION DL	4	PA
<i>epirubicin 200 mg/100 ml, 50 mg/25 ml SOLUTION</i> MO	1	
EPKINLY 4 MG/0.8 ML, 48 MG/0.8 ML SOLUTION DL,MD	4	PA
ERBITUX 100 MG/50 ML, 200 MG/100 ML SOLUTION DL	4	PA
<i>eribulin 1 mg/2 ml (0.5 mg/ml) SOLUTION</i> DL	4	
ERIVEDGE 150 MG CAPSULE DL,MD	4	PA,QL(28 per 28 days)
ERLEADA 240 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
ERLEADA 60 MG TABLET DL,MD	4	PA,QL(120 per 30 days)
<i>erlotinib 100 mg, 150 mg TABLET</i> DL,MD	4	PA,QL(30 per 30 days)
<i>erlotinib 25 mg TABLET</i> DL,MD	4	PA,QL(90 per 30 days)
ETOPOPHOS 100 MG RECON SOLUTION MO	3	
<i>etoposide 20 mg/ml SOLUTION</i> MO	1	
EULEXIN 125 MG CAPSULE DL,MD	4	PA
<i>everolimus (antineoplastic) 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET</i> DL,MD	4	PA,QL(30 per 30 days)
<i>everolimus (antineoplastic) 2 mg, 3 mg, 5 mg TABLET FOR SUSPENSION</i> DL,MD	4	PA
EVOMELA 50 MG RECON SOLUTION DL	4	
<i>exemestane 25 mg TABLET</i> MD,MO	1	QL(60 per 30 days)
EXKIVITY 40 MG CAPSULE DL,MD	4	PA,QL(120 per 30 days)
FARESTON 60 MG TABLET DL,MD	4	QL(30 per 30 days)
FASLODEX 250 MG/5 ML SYRINGE DL,MD	4	PA,QL(30 per 30 days)
FEMARA 2.5 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
<i>flouxuridine 0.5 gram RECON SOLUTION</i> MO	1	BvsD
<i>fludarabine 50 mg RECON SOLUTION</i> MO	1	
<i>fludarabine 50 mg/2 ml SOLUTION</i> DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>fluorouracil 1 gram/20 ml, 2.5 gram/50 ml, 5 gram/100 ml, 500 mg/10 ml SOLUTION</i> MO	1	BvsD
FOLOTYN 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML) SOLUTION DL	4	PA
FOTIVDA 0.89 MG, 1.34 MG CAPSULE DL,MD	4	PA,QL(21 per 28 days)
FRUZAQLA 1 MG CAPSULE DL,MD	4	PA,QL(84 per 28 days)
FRUZAQLA 5 MG CAPSULE DL,MD	4	PA,QL(21 per 28 days)
<i>fulvestrant 250 mg/5 ml SYRINGE</i> MD,MO	1	PA,QL(30 per 30 days)
FUSILEV 50 MG RECON SOLUTION DL	4	PA
FYARRO 100 MG SUSPENSION FOR RECONSTITUTION DL,MD	4	PA
GAVRETO 100 MG CAPSULE DL,LA,MD	4	PA,QL(120 per 30 days)
GAZYVA 1,000 MG/40 ML SOLUTION DL	4	PA,QL(120 per 28 days)
<i>gefitinib 250 mg TABLET</i> DL	4	PA
<i>gemcitabine 1 gram, 2 gram, 200 mg RECON SOLUTION</i> MO	1	
<i>gemcitabine 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml) SOLUTION</i> MO	1	
GILOTRIF 20 MG, 30 MG, 40 MG TABLET DL,LA,MD	4	PA,QL(30 per 30 days)
GLEEVEC 100 MG TABLET DL,MD	4	PA,QL(90 per 30 days)
GLEEVEC 400 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
GLEOSTINE 10 MG CAPSULE MO	3	PA
GLEOSTINE 100 MG CAPSULE DL	4	PA
GLEOSTINE 40 MG CAPSULE	4	PA
HALAVEN 1 MG/2 ML (0.5 MG/ML) SOLUTION DL	4	
HERCEPTIN 150 MG RECON SOLUTION DL,MD	4	PA
HERCEPTIN HYLECTA 600 MG-10,000 UNIT/5 ML SOLUTION DL,MD	4	PA,QL(5 per 21 days)
HERZUMA 150 MG, 420 MG RECON SOLUTION DL,MD	4	PA
HYCANTIN 4 MG RECON SOLUTION DL	4	
HYDREA 500 MG CAPSULE MD,MO	3	
<i>hydroxyurea 500 mg CAPSULE</i> MD,MO	1	
IBRANCE 100 MG, 125 MG, 75 MG CAPSULE DL,MD	4	PA,QL(21 per 28 days)
IBRANCE 100 MG, 125 MG, 75 MG TABLET DL,MD	4	PA,QL(21 per 28 days)
ICLUSIG 10 MG, 30 MG, 45 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
ICLUSIG 15 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
IDAMYCIN PFS 1 MG/ML SOLUTION DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>idarubicin 1 mg/ml SOLUTION</i> DL	4	
IDHIFA 100 MG, 50 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
IFEX 1 GRAM, 3 GRAM RECON SOLUTION MO	3	
<i>ifosfamide 1 gram, 3 gram RECON SOLUTION</i> MO	1	
<i>ifosfamide 1 gram/20 ml, 3 gram/60 ml SOLUTION</i> MO	1	
<i>imatinib 100 mg TABLET</i> DL,MD	4	PA,QL(90 per 30 days)
<i>imatinib 400 mg TABLET</i> DL,MD	4	PA,QL(60 per 30 days)
IMBRUVICA 140 MG CAPSULE DL,MD	4	PA,QL(120 per 30 days)
IMBRUVICA 420 MG TABLET DL,MD	4	PA,QL(28 per 28 days)
IMBRUVICA 560 MG TABLET DL,MD	4	PA,QL(28 per 28 days)
IMBRUVICA 70 MG CAPSULE DL,MD	4	PA,QL(28 per 28 days)
IMBRUVICA 70 MG/ML SUSPENSION DL,MD	4	PA
IMDELLTRA 1 MG, 10 MG RECON SOLUTION DL,MD	4	PA
IMFINZI 50 MG/ML SOLUTION DL,MD	4	PA
IMJUDO 20 MG/ML SOLUTION DL	4	PA
IMLYGIC 10EXP6 (1 MILLION) PFU/ML SUSPENSION DL	4	PA,QL(4 per 365 days)
IMLYGIC 10EXP8 (100 MILLION) PFU/ML SUSPENSION DL,MD	4	PA,QL(8 per 28 days)
INFUGEM 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML) PIGGYBACK DL	4	
INLYTA 1 MG TABLET DL,MD	4	PA,QL(180 per 30 days)
INLYTA 5 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
INQOVI 35-100 MG TABLET DL,MD	4	PA,QL(5 per 28 days)
INREBIC 100 MG CAPSULE DL,MD	4	PA,QL(120 per 30 days)
IRESSA 250 MG TABLET DL	4	PA
<i>irinotecan 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml, 500 mg/25 ml SOLUTION</i> MO	1	
ISTODAX 10 MG/2 ML RECON SOLUTION DL	4	PA
IWILFIN 192 MG TABLET DL,MD	4	PA,QL(240 per 30 days)
IXEMPRA 15 MG, 45 MG RECON SOLUTION DL	4	PA
JAKAFI 10 MG, 15 MG, 20 MG, 25 MG, 5 MG TABLET DL,MD	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
JAYPIRCA 100 MG, 50 MG TABLET DL,MD	4	PA,QL(90 per 30 days)
JEMPERLI 50 MG/ML SOLUTION MD	4	PA,QL(20 per 42 days)
JEVTANA 10 MG/ML (FIRST DILUTION) SOLUTION DL	4	PA
KADCYLA 100 MG, 160 MG RECON SOLUTION DL	4	PA
KANJINTI 150 MG, 420 MG RECON SOLUTION DL,MD	4	PA
KEYTRUDA 25 MG/ML SOLUTION DL,MD	4	PA
KHAPZORY 175 MG, 300 MG RECON SOLUTION DL	4	PA
KIMMTRAK 100 MCG/0.5 ML SOLUTION DL,MD	4	PA
KISQALI 200 MG/DAY (200 MG X 1) TABLET DL,MD	4	PA,QL(21 per 28 days)
KISQALI 400 MG/DAY (200 MG X 2) TABLET DL,MD	4	PA,QL(42 per 28 days)
KISQALI 600 MG/DAY (200 MG X 3) TABLET DL,MD	4	PA,QL(63 per 28 days)
KISQALI FEMARA CO-PACK 200 MG/DAY(200 MG X 1)-2.5 MG TABLET DL,MD	4	PA,QL(49 per 28 days)
KISQALI FEMARA CO-PACK 400 MG/DAY(200 MG X 2)-2.5 MG TABLET DL,MD	4	PA,QL(70 per 28 days)
KISQALI FEMARA CO-PACK 600 MG/DAY(200 MG X 3)-2.5 MG TABLET DL,MD	4	PA,QL(91 per 28 days)
KOSELUGO 10 MG CAPSULE DL,MD	4	PA,QL(240 per 30 days)
KOSELUGO 25 MG CAPSULE DL,MD	4	PA,QL(120 per 30 days)
KRAZATI 200 MG TABLET DL,MD	4	PA,QL(180 per 30 days)
KYPROLIS 10 MG RECON SOLUTION DL,MD	4	PA,QL(6 per 28 days)
KYPROLIS 30 MG RECON SOLUTION DL,MD	4	PA,QL(3 per 28 days)
KYPROLIS 60 MG RECON SOLUTION DL,MD	4	PA,QL(12 per 28 days)
<i>lapatinib 250 mg TABLET</i> DL,MD	4	PA,QL(180 per 30 days)
LAZCLUZE 240 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
LAZCLUZE 80 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
<i>lenalidomide 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg CAPSULE</i> DL,MD	4	PA,QL(28 per 28 days)
LENVIMA 10 MG/DAY (10 MG X 1), 4 MG CAPSULE DL,MD	4	PA,QL(30 per 30 days)
LENVIMA 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1) CAPSULE DL,MD	4	PA,QL(90 per 30 days)
LENVIMA 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) CAPSULE DL,MD	4	PA,QL(60 per 30 days)
<i>letrozole 2.5 mg TABLET</i> MD,MO	1	QL(30 per 30 days)
<i>leucovorin calcium 10 mg, 15 mg, 25 mg, 5 mg TABLET</i> MO	1	
<i>leucovorin calcium 10 mg/ml SOLUTION</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
leucovorin calcium 100 mg, 200 mg, 350 mg, 50 mg, 500 mg RECON SOLUTION MO	1	
levoleucovorin calcium 10 mg/ml SOLUTION MO	1	PA
levoleucovorin calcium 50 mg RECON SOLUTION MO	1	PA
LEVULAN 20 % SOLUTION MO	3	
LIBTAYO 50 MG/ML SOLUTION DL,MD	4	PA,QL(7 per 21 days)
LONSURF 15-6.14 MG TABLET DL	4	PA,QL(100 per 30 days)
LONSURF 20-8.19 MG TABLET DL	4	PA,QL(80 per 30 days)
LOQTORZI 240 MG/6 ML (40 MG/ML) SOLUTION DL,MD	4	PA
LORBRENA 100 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
LORBRENA 25 MG TABLET DL,MD	4	PA,QL(90 per 30 days)
LUMAKRAS 120 MG TABLET DL,MD	4	PA,QL(240 per 30 days)
LUMAKRAS 320 MG TABLET DL,MD	4	PA,QL(90 per 30 days)
LUNSUMIO 1 MG/ML SOLUTION DL	4	PA
LYNPARZA 100 MG, 150 MG TABLET DL,MD	4	PA,QL(120 per 30 days)
LYSODREN 500 MG TABLET DL,MD	4	
LYTGOBI 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5) TABLET DL,MD	4	PA,QL(140 per 28 days)
MARGENZA 25 MG/ML SOLUTION DL,MD	4	PA
MATULANE 50 MG CAPSULE DL	4	
MEKINIST 0.05 MG/ML RECON SOLUTION DL,MD	4	PA,QL(1170 per 28 days)
MEKINIST 0.5 MG TABLET DL,MD	4	PA,QL(120 per 30 days)
MEKINIST 2 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
MEKTOVI 15 MG TABLET DL,MD	4	PA,QL(180 per 30 days)
melphalan 2 mg TABLET MO	1	BvsD
melphalan hcl 50 mg RECON SOLUTION MO	1	
mercaptopurine 50 mg TABLET MD,MO	1	
mesna 100 mg/ml SOLUTION MO	1	
MESNEX 100 MG/ML SOLUTION DL	4	
MESNEX 400 MG TABLET DL	4	
mitomycin 20 mg, 40 mg, 5 mg RECON SOLUTION DL	4	
mitoxantrone 2 mg/ml CONCENTRATE MD,MO	1	
MUTAMYCIN 20 MG, 40 MG, 5 MG RECON SOLUTION DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MVASI 25 MG/ML SOLUTION DL	4	PA
MYLOTARG 4.5 MG (1 MG/ML INITIAL CONC) RECON SOLUTION DL	4	PA
<i>nelarabine 250 mg/50 ml SOLUTION</i> DL	4	
NERLYNX 40 MG TABLET DL	4	PA,QL(180 per 30 days)
NEXAVAR 200 MG TABLET DL	4	PA,QL(120 per 30 days)
NILANDRON 150 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
<i>nilutamide 150 mg TABLET</i> DL,MD	4	QL(60 per 30 days)
NINLARO 2.3 MG, 3 MG, 4 MG CAPSULE DL,MD	4	PA,QL(3 per 28 days)
NIPENT 10 MG RECON SOLUTION DL	4	
NUBEQA 300 MG TABLET DL,MD	4	PA,QL(120 per 30 days)
ODOMZO 200 MG CAPSULE DL,MD	4	PA,QL(30 per 30 days)
OGIVRI 150 MG, 420 MG RECON SOLUTION DL,MD	4	PA
OGSIVEO 100 MG, 150 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
OGSIVEO 50 MG TABLET DL,MD	4	PA,QL(180 per 30 days)
OJEMDA 25 MG/ML SUSPENSION FOR RECONSTITUTION DL,MD	4	PA,QL(96 per 28 days)
OJEMDA 400 MG/WEEK (100 MG X 4) TABLET DL,MD	4	PA,QL(16 per 28 days)
OJEMDA 500 MG/WEEK (100 MG X 5) TABLET DL,MD	4	PA,QL(20 per 28 days)
OJEMDA 600 MG/WEEK (100 MG X 6) TABLET DL,MD	4	PA,QL(24 per 28 days)
OJJAARA 100 MG, 150 MG, 200 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
ONCASPAR 750 UNIT/ML SOLUTION DL	4	PA
ONIVYDE 4.3 MG/ML DISPERSION DL	4	PA
ONTRUZANT 150 MG, 420 MG RECON SOLUTION DL,MD	4	PA
ONUREG 200 MG, 300 MG TABLET DL,MD	4	PA,QL(14 per 28 days)
OPDIVO 100 MG/10 ML SOLUTION DL,MD	4	PA,QL(40 per 28 days)
OPDIVO 120 MG/12 ML, 240 MG/24 ML SOLUTION DL,MD	4	PA,QL(48 per 28 days)
OPDIVO 40 MG/4 ML SOLUTION DL,MD	4	PA,QL(16 per 28 days)
OPDUALAG 240-80 MG/20 ML SOLUTION DL,MD	4	PA,QL(40 per 28 days)
ORGOVYX 120 MG TABLET DL,MD	4	PA,QL(32 per 30 days)
ORSERDU 345 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
ORSERDU 86 MG TABLET DL,MD	4	PA,QL(90 per 30 days)
<i>oxaliplatin 100 mg, 50 mg RECON SOLUTION</i> MO	1	
<i>oxaliplatin 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml) SOLUTION</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>paclitaxel 6 mg/ml CONCENTRATE</i> MO	1	
<i>paclitaxel protein-bound 100 mg SUSPENSION FOR RECONSTITUTION</i> DL	4	PA
PADCEV 20 MG RECON SOLUTION DL,MD	4	PA,QL(21 per 28 days)
PADCEV 30 MG RECON SOLUTION DL,MD	4	PA,QL(15 per 28 days)
PANRETIN 0.1 % GEL DL	4	PA
<i>paraplatin 10 mg/ml SOLUTION</i> MO	1	
<i>pazopanib 200 mg TABLET</i> DL,MD	4	PA,QL(120 per 30 days)
PEDMARK 12.5 GRAM/100ML (125 MG/ML) SOLUTION DL	4	PA
PEMAZYRE 13.5 MG, 4.5 MG, 9 MG TABLET DL,MD	4	PA,QL(28 per 28 days)
<i>pemetrexed 1 gram, 100 mg, 500 mg RECON SOLUTION</i> DL,MD	4	PA
<i>pemetrexed 25 mg/ml SOLUTION</i> DL,MD	4	PA,QL(120 per 21 days)
<i>pemetrexed disodium 1,000 mg, 100 mg, 500 mg, 750 mg RECON SOLUTION</i> DL,MD	4	PA
<i>pemetrexed disodium 25 mg/ml SOLUTION</i> DL,MD	4	PA
PEMYDI RTU 10 MG/ML SOLUTION DL,MD	4	PA
PERJETA 420 MG/14 ML (30 MG/ML) SOLUTION DL	4	PA
PHESGO 1,200 MG-600MG- 30000 UNIT/15ML SOLUTION DL,MD	4	PA,QL(15 per 21 days)
PHESGO 600 MG-600 MG- 20000 UNIT/10ML SOLUTION DL,MD	4	PA,QL(10 per 21 days)
PIQRAY 200 MG/DAY (200 MG X 1) TABLET DL,MD	4	PA,QL(28 per 28 days)
PIQRAY 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) TABLET DL,MD	4	PA,QL(56 per 28 days)
POLIVY 140 MG RECON SOLUTION DL	4	PA,QL(2 per 21 days)
POLIVY 30 MG RECON SOLUTION DL	4	PA,QL(8 per 21 days)
POMALYST 1 MG, 2 MG, 3 MG, 4 MG CAPSULE DL,MD	4	PA,QL(21 per 28 days)
PORTRAZZA 800 MG/50 ML (16 MG/ML) SOLUTION DL	4	PA,QL(100 per 21 days)
POTELIGEO 4 MG/ML SOLUTION DL,MD	4	PA
<i>pralatrexate 20 mg/ml (1 ml), 40 mg/2 ml (20 mg/ml) SOLUTION</i> DL	4	PA
PURIXAN 20 MG/ML SUSPENSION DL,MD	4	
QINLOCK 50 MG TABLET DL,MD	4	PA,QL(90 per 30 days)
RETEVMO 120 MG, 160 MG, 80 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
RETEVMO 40 MG CAPSULE DL,MD	4	PA,QL(180 per 30 days)
RETEVMO 40 MG TABLET DL,MD	4	PA,QL(90 per 30 days)
RETEVMO 80 MG CAPSULE DL,MD	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
REZLIDHIA 150 MG CAPSULE DL,MD	4	PA,QL(60 per 30 days)
RIABNI 10 MG/ML SOLUTION DL	4	PA
RITUXAN 10 MG/ML CONCENTRATE DL	4	PA
RITUXAN HYCELA 1400 MG/11.7 ML (120 MG/ML) SOLUTION DL,MD	4	PA,QL(46.8 per 28 days)
RITUXAN HYCELA 1600 MG/13.4 ML (120 MG/ML) SOLUTION DL,MD	4	PA,QL(13.4 per 28 days)
<i>romidepsin 10 mg/2 ml RECON SOLUTION</i> DL	4	PA
ROMIDEPSIN 5 MG/ML SOLUTION DL	4	PA
ROZLYTREK 100 MG CAPSULE DL,MD	4	PA,QL(150 per 30 days)
ROZLYTREK 200 MG CAPSULE DL,MD	4	PA,QL(90 per 30 days)
ROZLYTREK 50 MG PELLETS IN PACKET DL,MD	4	PA,QL(360 per 30 days)
RUBRACA 200 MG, 250 MG, 300 MG TABLET DL,MD	4	PA,QL(120 per 30 days)
RUXIENCE 10 MG/ML SOLUTION DL	4	PA
RYBREVANT 50 MG/ML SOLUTION DL,MD	4	PA,QL(784 per 365 days)
RYDAPT 25 MG CAPSULE DL,MD	4	PA,QL(224 per 28 days)
RYLAZE 10 MG/0.5 ML SOLUTION DL	4	PA
RYTELO 188 MG, 47 MG RECON SOLUTION DL,MD	4	PA
SARCLISA 20 MG/ML SOLUTION DL,MD	4	PA
SCEMBLIX 100 MG TABLET DL,MD	4	PA,QL(120 per 30 days)
SCEMBLIX 20 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
SCEMBLIX 40 MG TABLET DL,MD	4	PA,QL(300 per 30 days)
SOLTAMOX 20 MG/10 ML SOLUTION DL,MD	4	
<i>sorafenib 200 mg TABLET</i> DL	4	PA,QL(120 per 30 days)
SPRYCEL 100 MG, 50 MG, 70 MG, 80 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
SPRYCEL 140 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
SPRYCEL 20 MG TABLET DL,MD	4	PA,QL(90 per 30 days)
STIVARGA 40 MG TABLET DL	4	PA,QL(84 per 28 days)
<i>sunitinib malate 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE</i> DL	4	PA,QL(28 per 28 days)
SUTENT 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE DL	4	PA,QL(28 per 28 days)
SYNRIBO 3.5 MG RECON SOLUTION DL,MD	4	PA
TABRECTA 150 MG, 200 MG TABLET DL,MD	4	PA,QL(112 per 28 days)
TAFINLAR 10 MG TABLET FOR SUSPENSION DL,MD	4	PA,QL(840 per 28 days)
TAFINLAR 50 MG CAPSULE DL,MD	4	PA,QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TAFINLAR 75 MG CAPSULE DL,MD	4	PA,QL(120 per 30 days)
TAGRISSE 40 MG, 80 MG TABLET DL	4	PA,QL(30 per 30 days)
TALVEY 2 MG/ML, 40 MG/ML SOLUTION DL,MD	4	PA
TALZENNA 0.1 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG CAPSULE DL	4	PA,QL(30 per 30 days)
TALZENNA 0.25 MG CAPSULE DL	4	PA,QL(90 per 30 days)
<i>tamoxifen 10 mg, 20 mg TABLET</i> MD,MO	1	
TARCEVA 100 MG, 150 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
TARCEVA 25 MG TABLET DL,MD	4	PA,QL(90 per 30 days)
TARGRETIN 1 % GEL DL	4	PA,QL(240 per 30 days)
TARGRETIN 75 MG CAPSULE DL,MD	4	PA,QL(300 per 30 days)
TASIGNA 150 MG, 200 MG, 50 MG CAPSULE DL,MD	4	PA,QL(120 per 30 days)
TAZVERIK 200 MG TABLET DL,MD	4	PA,QL(240 per 30 days)
TECENTRIQ 1,200 MG/20 ML (60 MG/ML) SOLUTION DL,MD	4	PA,QL(20 per 21 days)
TECENTRIQ 840 MG/14 ML (60 MG/ML) SOLUTION DL,MD	4	PA,QL(28 per 28 days)
TECENTRIQ HYBREZA 1,875 MG-30,000 UNIT/15 ML SOLUTION DL,MD	4	PA,QL(15 per 21 days)
TECVAYLI 10 MG/ML, 90 MG/ML SOLUTION DL	4	PA
TEMODAR 100 MG RECON SOLUTION DL	4	PA,QL(27 per 30 days)
<i>temsirolimus 30 mg/3 ml (10 mg/ml) (first) RECON SOLUTION</i> DL	4	PA,QL(8 per 28 days)
TEPADINA 100 MG, 15 MG RECON SOLUTION DL	4	
TEPMETKO 225 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
TEVIMBRA 10 MG/ML SOLUTION DL,MD	4	PA,QL(20 per 21 days)
THALOMID 100 MG, 200 MG, 50 MG CAPSULE DL,MD	4	PA,QL(30 per 30 days)
THALOMID 150 MG CAPSULE DL,MD	4	PA,QL(60 per 30 days)
<i>thiotepa 100 mg RECON SOLUTION</i> DL	4	
<i>thiotepa 15 mg RECON SOLUTION</i> MO	1	
TIBSOVO 250 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
TIVDAK 40 MG RECON SOLUTION DL,MD	4	PA,QL(5 per 21 days)
<i>toposar 20 mg/ml SOLUTION</i> MO	1	
<i>topotecan 4 mg RECON SOLUTION</i> MO	1	
<i>topotecan 4 mg/4 ml (1 mg/ml) SOLUTION</i> MO	1	
<i>toremifene 60 mg TABLET</i> DL,MD	4	QL(30 per 30 days)
TORISEL 30 MG/3 ML (10 MG/ML) (FIRST) RECON SOLUTION DL	4	PA,QL(8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>torpenz</i> 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET DL,MD	4	PA,QL(30 per 30 days)
TRAZIMERA 150 MG RECON SOLUTION DL,MD	4	PA
TRAZIMERA 420 MG RECON SOLUTION DL,MD	4	PA
TREANDA 100 MG, 25 MG RECON SOLUTION DL	4	PA
<i>tretinoin (antineoplastic)</i> 10 mg CAPSULE DL	4	
TRISENOX 2 MG/ML SOLUTION DL	4	PA
TRODELVY 180 MG RECON SOLUTION DL,MD	4	PA
TRUQAP 160 MG, 200 MG TABLET DL,MD	4	PA,QL(64 per 28 days)
TRUXIMA 10 MG/ML SOLUTION DL	4	PA
TUKYSA 150 MG TABLET DL,MD	4	PA,QL(120 per 30 days)
TUKYSA 50 MG TABLET DL,MD	4	PA,QL(300 per 30 days)
TURALIO 125 MG, 200 MG CAPSULE DL,LA,MD	4	PA,QL(120 per 30 days)
TYKERB 250 MG TABLET DL,MD	4	PA,QL(180 per 30 days)
UNITUXIN 3.5 MG/ML SOLUTION DL	4	PA
VALCHLOR 0.016 % GEL DL,MD	4	PA,QL(60 per 28 days)
<i>valrubicin</i> 40 mg/ml SOLUTION DL	4	PA,QL(80 per 28 days)
VALSTAR 40 MG/ML SOLUTION DL	4	PA,QL(80 per 28 days)
VANFLYTA 17.7 MG, 26.5 MG TABLET DL,MD	4	PA,QL(56 per 28 days)
VECTIBIX 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML) SOLUTION DL	4	PA
VEGZELMA 25 MG/ML SOLUTION DL	4	PA
VELCADE 3.5 MG RECON SOLUTION DL,MD	4	PA
VENCLEXTA 10 MG TABLET MD,MO	2	PA,QL(56 per 28 days)
VENCLEXTA 100 MG TABLET DL,MD	4	PA,QL(180 per 30 days)
VENCLEXTA 50 MG TABLET MD,MO	2	PA,QL(28 per 28 days)
VENCLEXTA STARTING PACK 10 MG-50 MG- 100 MG TABLET, DOSE PACK DL	4	PA,QL(42 per 28 days)
VERZENIO 100 MG, 150 MG, 200 MG, 50 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
VIDAZA 100 MG RECON SOLUTION DL	4	PA
<i>vinblastine</i> 1 mg/ml SOLUTION MO	1	BvsD
<i>vincasar pfs</i> 1 mg/ml, 2 mg/2 ml SOLUTION MO	1	BvsD
<i>vincristine</i> 1 mg/ml, 2 mg/2 ml SOLUTION MO	1	BvsD
<i>vinorelbine</i> 10 mg/ml, 50 mg/5 ml SOLUTION MO	1	
VITRAKVI 100 MG CAPSULE DL,MD	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VITRAKVI 20 MG/ML SOLUTION DL,MD	4	PA,QL(300 per 30 days)
VITRAKVI 25 MG CAPSULE DL,MD	4	PA,QL(180 per 30 days)
VIZIMPRO 15 MG, 30 MG, 45 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
VONJO 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
VORANIGO 10 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
VORANIGO 40 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
VOTRIENT 200 MG TABLET DL,MD	4	PA,QL(120 per 30 days)
VYXEOS 44-100 MG RECON SOLUTION DL	4	PA
XALKORI 150 MG PELLETT DL,MD	4	PA,QL(180 per 30 days)
XALKORI 20 MG PELLETT DL,MD	4	PA,QL(120 per 30 days)
XALKORI 200 MG, 250 MG CAPSULE DL,MD	4	PA,QL(120 per 30 days)
XALKORI 50 MG PELLETT DL,MD	4	PA,QL(240 per 30 days)
XOSPATA 40 MG TABLET DL,MD	4	PA,QL(90 per 30 days)
XPOVIO 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) TABLET DL,MD	4	PA,QL(8 per 28 days)
XPOVIO 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1) TABLET DL,MD	4	PA,QL(4 per 28 days)
XPOVIO 60MG TWICE WEEK (120 MG/WEEK) TABLET DL,MD	4	PA,QL(24 per 28 days)
XPOVIO 80MG TWICE WEEK (160 MG/WEEK) TABLET DL,MD	4	PA,QL(32 per 28 days)
XTANDI 40 MG CAPSULE DL,MD	4	PA,QL(120 per 30 days)
XTANDI 40 MG TABLET DL,MD	4	PA,QL(120 per 30 days)
XTANDI 80 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
YERVOY 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) SOLUTION DL	4	PA
YONDELIS 1 MG RECON SOLUTION DL,MD	4	PA
YONSA 125 MG TABLET DL,MD	4	PA,QL(120 per 30 days)
ZALTRAP 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML) SOLUTION DL,MD	4	PA
ZANOSAR 1 GRAM RECON SOLUTION MO	3	
ZEJULA 100 MG CAPSULE DL,MD	4	PA,QL(90 per 30 days)
ZEJULA 100 MG, 200 MG, 300 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
ZELBORAF 240 MG TABLET DL,MD	4	PA,QL(240 per 30 days)
ZEPZELCA 4 MG RECON SOLUTION DL,MD	4	PA
ZIRABEV 25 MG/ML SOLUTION DL	4	PA
ZOLINZA 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZYDELIG 100 MG, 150 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
ZYKADIA 150 MG TABLET DL,MD	4	PA,QL(150 per 30 days)
ZYNLONTA 10 MG RECON SOLUTION DL,MD	4	PA
ZYNYZ 500 MG/20 ML SOLUTION DL,MD	4	PA,QL(20 per 28 days)
ZYTIGA 250 MG TABLET DL,MD	4	PA,QL(120 per 30 days)
ZYTIGA 500 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
ANTIPARASITICS		
<i>albendazole 200 mg TABLET MO</i>	1	
<i>atovaquone 750 mg/5 ml SUSPENSION MO</i>	1	
<i>atovaquone-proguanil 250-100 mg, 62.5-25 mg TABLET MO</i>	1	
BILTRICIDE 600 MG TABLET DL	4	PA
<i>chloroquine phosphate 250 mg, 500 mg TABLET MO</i>	1	
COARTEM 20-120 MG TABLET MO	3	QL(24 per 30 days)
DARAPRIM 25 MG TABLET DL	4	PA,QL(90 per 30 days)
EGATEN 250 MG TABLET MO	3	
<i>emverm 100 mg CHEWABLE TABLET DL</i>	4	
<i>hydroxychloroquine 100 mg, 300 mg, 400 mg TABLET MD,MO</i>	1	
<i>hydroxychloroquine 200 mg TABLET MD,MO</i>	1	
IMPAVIDO 50 MG CAPSULE DL	4	QL(84 per 28 days)
<i>ivermectin 3 mg TABLET MO</i>	1	
KRINTAFEL 150 MG TABLET MO	3	QL(4 per 180 days)
LAMPIT 120 MG, 30 MG TABLET MO	3	
MALARONE 250-100 MG TABLET MO	3	PA
MALARONE PEDIATRIC 62.5-25 MG TABLET MO	3	PA
<i>mefloquine 250 mg TABLET MO</i>	1	
MEPRON 750 MG/5 ML SUSPENSION DL	4	
NEBUPENT 300 MG RECON SOLUTION MD,MO	3	BvsD
<i>nitazoxanide 500 mg TABLET DL</i>	4	
PENTAM 300 MG RECON SOLUTION MO	3	
<i>pentamidine 300 mg RECON SOLUTION MD,MO</i>	1	BvsD
<i>pentamidine 300 mg RECON SOLUTION MO</i>	1	
PLAQUENIL 200 MG TABLET MD,MO	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
praziquantel 600 mg TABLET MO	1	
primaquine 26.3 mg (15 mg base) TABLET MO	1	
pyrimethamine 25 mg TABLET DL	4	QL(90 per 30 days)
QUALAQUIN 324 MG CAPSULE MO	3	PA,QL(42 per 7 days)
quinine sulfate 324 mg CAPSULE MO	1	PA,QL(42 per 7 days)
SOVUNA 200 MG, 300 MG TABLET MD,MO	3	
STROMEKTOL 3 MG TABLET MO	3	PA
ANTIPARKINSON AGENTS		
amantadine hcl 100 mg CAPSULE MD,MO	1	
amantadine hcl 100 mg TABLET MD,MO	1	
amantadine hcl 50 mg/5 ml SOLUTION MD,MO	1	
APOKYN 10 MG/ML CARTRIDGE DL,MD	4	PA,QL(84 per 28 days)
apomorphine 10 mg/ml CARTRIDGE DL,MD	4	PA,QL(84 per 28 days)
AZILECT 0.5 MG, 1 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
benztropine 0.5 mg, 1 mg, 2 mg TABLET MD,MO	1	
benztropine 1 mg/ml SOLUTION MO	1	
bromocriptine 2.5 mg TABLET MD,MO	1	
bromocriptine 5 mg CAPSULE MD,MO	1	QL(600 per 30 days)
carbidopa 25 mg TABLET MD,MO	1	
carbidopa-levodopa 10-100 mg, 25-100 mg, 25-250 mg TABLET, DISINTEGRATING MD,MO	1	
carbidopa-levodopa 10-100 mg, 25-250 mg TABLET MD,MO	1	
carbidopa-levodopa 25-100 mg TABLET MD,MO	1	
carbidopa-levodopa 25-100 mg, 50-200 mg TABLET ER MD,MO	1	
carbidopa-levodopa-entacapone 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg TABLET MD,MO	1	
COMTAN 200 MG TABLET MD,MO	3	PA,QL(300 per 30 days)
CREXONT 35-140 MG, 52.5-210 MG, 70-280 MG, 87.5-350 MG CAPSULE, IR/ER, BIPHASIC MD,MO	3	ST,QL(180 per 30 days)
DHIVY 25-100 MG TABLET MD,MO	3	
DUOPA 4.63-20 MG/ML INTESTINAL PUMP SUSPENSION DL,MD	4	PA,QL(2800 per 28 days)
entacapone 200 mg TABLET MD,MO	1	QL(300 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GOCOVRI 137 MG CAPSULE, ER 24 HR. DL,MD	4	PA,QL(60 per 30 days)
GOCOVRI 68.5 MG CAPSULE, ER 24 HR. DL,MD	4	PA,QL(30 per 30 days)
INBRIJA 42 MG CAPSULE DL,MD	4	PA,QL(300 per 30 days)
INBRIJA 42 MG CAPSULE, W/INHALATION DEVICE DL,MD	4	PA,QL(300 per 30 days)
LODOSYN 25 MG TABLET DL,MD	4	PA
MIRAPEX ER 0.375 MG, 0.75 MG, 1.5 MG, 2.25 MG, 3 MG, 3.75 MG, 4.5 MG TABLET, ER 24 HR. MD,MO	3	ST,QL(30 per 30 days)
NEUPRO 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR PATCH, 24 HR. MD,MO	3	ST,QL(30 per 30 days)
NOURIANZ 20 MG, 40 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
ONGENTYS 25 MG, 50 MG CAPSULE MD,MO	3	PA,QL(30 per 30 days)
OSMOLEX ER 129 MG, 193 MG, 258 MG TABLET, IR/ER 24 HR., BIPHASIC MD,MO	3	PA,QL(30 per 30 days)
OSMOLEX ER 322 MG/DAY(129 MG X1-193MG X1) TABLET, IR/ER 24 HR., BIPHASIC MD,MO	3	PA,QL(60 per 30 days)
PARLODEL 2.5 MG TABLET MD,MO	3	PA
PARLODEL 5 MG CAPSULE MD,MO	3	PA,QL(600 per 30 days)
<i>pramipexole 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> TABLET MD,MO	1	
<i>pramipexole 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg</i> TABLET, ER 24 HR. MD,MO	1	ST,QL(30 per 30 days)
<i>rasagiline 0.5 mg, 1 mg</i> TABLET MD,MO	1	QL(30 per 30 days)
<i>ropinirole 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> TABLET MD,MO	1	
<i>ropinirole 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i> TABLET, ER 24 HR. MD,MO	1	ST,QL(90 per 30 days)
RYTARY 23.75-95 MG, 48.75-195 MG CAPSULE, ER MD,MO	3	ST,QL(360 per 30 days)
RYTARY 36.25-145 MG CAPSULE, ER MD,MO	3	ST,QL(270 per 30 days)
RYTARY 61.25-245 MG CAPSULE, ER MD,MO	3	ST,QL(300 per 30 days)
<i>selegiline hcl 5 mg</i> CAPSULE MD,MO	1	
<i>selegiline hcl 5 mg</i> TABLET MD,MO	1	
SINEMET 10-100 MG, 25-100 MG TABLET MD,MO	3	PA
STALEVO 100 25-100-200 MG TABLET DL,MD	4	PA
STALEVO 125 31.25-125-200 MG TABLET DL,MD	4	PA
STALEVO 150 37.5-150-200 MG TABLET DL,MD	4	PA
STALEVO 200 50-200-200 MG TABLET DL,MD	4	PA
STALEVO 50 12.5-50-200 MG TABLET DL,MD	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
STALEVO 75 18.75-75-200 MG TABLET DL,MD	4	PA
TASMAR 100 MG TABLET DL,MD	4	PA
<i>tolcapone 100 mg TABLET</i> DL,MD	4	PA
<i>trihexyphenidyl 0.4 mg/ml ELIXIR</i> MD,MO	1	
<i>trihexyphenidyl 2 mg, 5 mg TABLET</i> MD,MO	1	
XADAGO 100 MG, 50 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
ZELAPAR 1.25 MG TABLET, DISINTEGRATING DL,MD	4	
ANTIPSYCHOTICS		
ABILIFY 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET MD,MO	3	PA
ABILIFY ASIMTUFII 720 MG/2.4 ML SUSPENSION, ER, SYRINGE MD	4	QL(2.4 per 56 days)
ABILIFY ASIMTUFII 960 MG/3.2 ML SUSPENSION, ER, SYRINGE MD	4	QL(3.2 per 56 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, RECON DL,MD	4	QL(1 per 28 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, SYRINGE DL,MD	4	QL(1 per 28 days)
ABILIFY MYCITE MAINTENANCE KIT 10 MG TABLET WITH SENSOR AND STRIP DL,MD	4	PA,QL(30 per 30 days)
ABILIFY MYCITE MAINTENANCE KIT 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET WITH SENSOR AND STRIP DL,MD	4	PA,QL(30 per 30 days)
ABILIFY MYCITE STARTER KIT 10 MG TABLET W/SENSOR AND STRIP, POD DL	4	PA,QL(30 per 30 days)
ABILIFY MYCITE STARTER KIT 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET W/SENSOR AND STRIP, POD DL	4	PA,QL(30 per 30 days)
<i>aripiprazole 1 mg/ml SOLUTION</i> MD,MO	1	QL(750 per 30 days)
<i>aripiprazole 10 mg, 15 mg TABLET, DISINTEGRATING</i> MD,MO	1	QL(60 per 30 days)
<i>aripiprazole 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg TABLET</i> MD,MO	1	
ARISTADA 1,064 MG/3.9 ML SUSPENSION, ER, SYRINGE MD	4	QL(3.9 per 56 days)
ARISTADA 441 MG/1.6 ML SUSPENSION, ER, SYRINGE DL,MD	4	QL(1.6 per 28 days)
ARISTADA 662 MG/2.4 ML SUSPENSION, ER, SYRINGE DL,MD	4	QL(2.4 per 28 days)
ARISTADA 882 MG/3.2 ML SUSPENSION, ER, SYRINGE DL,MD	4	QL(3.2 per 28 days)
ARISTADA INITIO 675 MG/2.4 ML SUSPENSION, ER, SYRINGE DL	4	QL(2.4 per 42 days)
<i>asenapine maleate 10 mg, 2.5 mg, 5 mg SUBLINGUAL TABLET</i> MD,MO	1	PA,QL(60 per 30 days)
CAPLYTA 10.5 MG, 21 MG, 42 MG CAPSULE DL,MD	4	PA,QL(30 per 30 days)
<i>chlorpromazine 10 mg, 25 mg TABLET</i> MD,MO	1	BvsD
<i>chlorpromazine 100 mg, 200 mg, 50 mg TABLET</i> MD,MO	1	
<i>chlorpromazine 100 mg/ml, 30 mg/ml CONCENTRATE</i> MD,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
chlorpromazine 25 mg/ml SOLUTION MO	1	
clozapine 100 mg TABLET MD,MO	1	QL(270 per 30 days)
clozapine 100 mg TABLET, DISINTEGRATING MD,MO	1	PA,QL(270 per 30 days)
clozapine 12.5 mg TABLET, DISINTEGRATING MD,MO	1	PA
clozapine 150 mg TABLET, DISINTEGRATING MD,MO	1	PA,QL(180 per 30 days)
clozapine 200 mg TABLET MD,MO	1	QL(135 per 30 days)
clozapine 200 mg TABLET, DISINTEGRATING MD,MO	1	PA,QL(135 per 30 days)
clozapine 25 mg TABLET MD,MO	1	QL(1080 per 30 days)
clozapine 25 mg TABLET, DISINTEGRATING MD,MO	1	PA,QL(1080 per 30 days)
clozapine 50 mg TABLET MD,MO	1	
CLOZARIL 100 MG TABLET DL,MD	4	QL(270 per 30 days)
CLOZARIL 200 MG TABLET DL,MD	4	QL(135 per 30 days)
CLOZARIL 25 MG TABLET DL,MD	4	QL(1080 per 30 days)
CLOZARIL 50 MG TABLET DL,MD	4	
droperidol 2.5 mg/ml SOLUTION MO	1	
FANAPT 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
FANAPT 1MG(2)-2MG(2)- 4MG(2)-6MG(2) TABLET, DOSE PACK MO	3	PA,QL(56 per 28 days)
fluphenazine decanoate 25 mg/ml SOLUTION MD,MO	1	
fluphenazine hcl 1 mg, 10 mg, 2.5 mg, 5 mg TABLET MD,MO	1	
fluphenazine hcl 2.5 mg/5 ml ELIXIR MD,MO	1	
fluphenazine hcl 2.5 mg/ml SOLUTION MO	1	
fluphenazine hcl 5 mg/ml CONCENTRATE MD,MO	1	
GEODON 20 MG, 40 MG, 60 MG, 80 MG CAPSULE DL,MD	4	PA
GEODON 20 MG/ML (FINAL CONC.) RECON SOLUTION MO	3	PA
HALDOL DECANOATE 100 MG/ML, 50 MG/ML SOLUTION MD,MO	3	PA
haloperidol 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg TABLET MD,MO	1	
haloperidol decanoate 100 mg/ml, 50 mg/ml SOLUTION MD,MO	1	
haloperidol lactate 2 mg/ml CONCENTRATE MD,MO	1	
haloperidol lactate 5 mg/ml SOLUTION MO	1	
haloperidol lactate 5 mg/ml SYRINGE MO	1	
INVEGA 1.5 MG TABLET, ER 24 HR. DL,MD	4	PA,QL(30 per 30 days)
INVEGA 3 MG, 9 MG TABLET, ER 24 HR. DL,MD	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INVEGA 6 MG TABLET, ER 24 HR. DL,MD	4	PA,QL(60 per 30 days)
INVEGA HAFYERA 1,092 MG/3.5 ML SYRINGE MD	4	QL(3.5 per 180 days)
INVEGA HAFYERA 1,560 MG/5 ML SYRINGE MD	4	QL(5 per 180 days)
INVEGA SUSTENNA 117 MG/0.75 ML, 234 MG/1.5 ML, 78 MG/0.5 ML SYRINGE DL,MD	4	QL(1.5 per 28 days)
INVEGA SUSTENNA 156 MG/ML SYRINGE DL,MD	4	QL(1 per 28 days)
INVEGA SUSTENNA 39 MG/0.25 ML SYRINGE MD,MO	3	QL(1.5 per 28 days)
INVEGA TRINZA 273 MG/0.88 ML SYRINGE MD	4	QL(0.88 per 90 days)
INVEGA TRINZA 410 MG/1.32 ML SYRINGE MD	4	QL(1.32 per 90 days)
INVEGA TRINZA 546 MG/1.75 ML SYRINGE MD	4	QL(1.75 per 90 days)
INVEGA TRINZA 819 MG/2.63 ML SYRINGE MD	4	QL(2.63 per 90 days)
LATUDA 120 MG, 20 MG, 40 MG, 60 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
LATUDA 80 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
<i>loxapine succinate 10 mg, 25 mg, 5 mg, 50 mg CAPSULE MD,MO</i>	1	
<i>lurasidone 120 mg, 20 mg, 40 mg, 60 mg TABLET MD,MO</i>	1	QL(30 per 30 days)
<i>lurasidone 80 mg TABLET MD,MO</i>	1	QL(60 per 30 days)
LYBALVI 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
<i>molindone 10 mg TABLET MD,MO</i>	1	PA,QL(240 per 30 days)
<i>molindone 25 mg TABLET MD,MO</i>	1	PA,QL(270 per 30 days)
<i>molindone 5 mg TABLET MD,MO</i>	1	PA,QL(360 per 30 days)
NUPLAZID 10 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
NUPLAZID 34 MG CAPSULE DL,MD	4	PA,QL(30 per 30 days)
<i>olanzapine 10 mg RECON SOLUTION MO</i>	1	
<i>olanzapine 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg TABLET MD,MO</i>	1	
<i>olanzapine 10 mg, 5 mg TABLET, DISINTEGRATING MD,MO</i>	1	QL(30 per 30 days)
<i>olanzapine 15 mg, 20 mg TABLET, DISINTEGRATING MD,MO</i>	1	QL(60 per 30 days)
<i>paliperidone 1.5 mg, 3 mg, 9 mg TABLET, ER 24 HR. MD,MO</i>	1	QL(30 per 30 days)
<i>paliperidone 6 mg TABLET, ER 24 HR. MD,MO</i>	1	QL(60 per 30 days)
<i>perphenazine 16 mg, 2 mg, 4 mg, 8 mg TABLET MD,MO</i>	1	
PERSERIS 120 MG, 90 MG SUSPENSION, ER, SYRINGE DL,MD	4	QL(1 per 28 days)
<i>pimozide 1 mg, 2 mg TABLET MD,MO</i>	1	
<i>quetiapine 100 mg TABLET MD,MO</i>	1	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
quetiapine 150 mg TABLET MD,MO	1	QL(30 per 30 days)
quetiapine 150 mg TABLET, ER 24 HR. MD,MO	1	QL(90 per 30 days)
quetiapine 200 mg TABLET MD,MO	1	QL(120 per 30 days)
quetiapine 200 mg TABLET, ER 24 HR. MD,MO	1	QL(30 per 30 days)
quetiapine 25 mg, 50 mg TABLET MD,MO	1	QL(120 per 30 days)
quetiapine 300 mg, 400 mg TABLET MD,MO	1	QL(60 per 30 days)
quetiapine 300 mg, 400 mg TABLET, ER 24 HR. MD,MO	1	QL(60 per 30 days)
quetiapine 50 mg TABLET, ER 24 HR. MD,MO	1	QL(120 per 30 days)
REXULTI 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
RISPERDAL 0.5 MG TABLET MD,MO	3	QL(120 per 30 days)
RISPERDAL 1 MG, 2 MG TABLET MD,MO	3	QL(60 per 30 days)
RISPERDAL 1 MG/ML SOLUTION DL,MD	4	
RISPERDAL 3 MG, 4 MG TABLET DL,MD	4	QL(60 per 30 days)
RISPERDAL CONSTA 12.5 MG/2 ML, 25 MG/2 ML SUSPENSION, ER, RECON MD,MO	3	QL(2 per 28 days)
RISPERDAL CONSTA 37.5 MG/2 ML, 50 MG/2 ML SUSPENSION, ER, RECON DL,MD	4	QL(2 per 28 days)
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET MD,MO	1	QL(60 per 30 days)
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET, DISINTEGRATING MD,MO	1	ST,QL(60 per 30 days)
risperidone 0.5 mg TABLET MD,MO	1	QL(120 per 30 days)
risperidone 0.5 mg TABLET, DISINTEGRATING MD,MO	1	ST,QL(120 per 30 days)
risperidone 1 mg/ml SOLUTION MD,MO	1	
SAPHRIS 10 MG, 2.5 MG, 5 MG SUBLINGUAL TABLET DL,MD	4	PA,QL(60 per 30 days)
SECUADO 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR PATCH, 24 HR. DL,MD	4	PA,QL(30 per 30 days)
SEROQUEL 100 MG TABLET MD,MO	3	QL(90 per 30 days)
SEROQUEL 200 MG, 25 MG, 50 MG TABLET MD,MO	3	QL(120 per 30 days)
SEROQUEL 300 MG, 400 MG TABLET MD,MO	3	QL(60 per 30 days)
SEROQUEL XR 150 MG TABLET, ER 24 HR. MD,MO	3	PA,QL(90 per 30 days)
SEROQUEL XR 200 MG TABLET, ER 24 HR. MD,MO	3	PA,QL(30 per 30 days)
SEROQUEL XR 300 MG, 400 MG TABLET, ER 24 HR. MD,MO	3	PA,QL(60 per 30 days)
SEROQUEL XR 50 MG TABLET, ER 24 HR. MD,MO	3	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SEROQUEL XR 50 MG(3)-200 MG (1)-300 MG(11) TABLET, ER 24 HR., DOSE PACK MO	3	PA,QL(15 per 30 days)
thioridazine 10 mg, 100 mg, 25 mg, 50 mg TABLET MD,MO	1	
thiothixene 1 mg, 10 mg, 2 mg, 5 mg CAPSULE MD,MO	1	
trifluoperazine 1 mg, 10 mg, 2 mg, 5 mg TABLET MD,MO	1	
UZEDY 100 MG/0.28 ML SUSPENSION, ER, SYRINGE DL,MD	4	QL(0.28 per 28 days)
UZEDY 125 MG/0.35 ML SUSPENSION, ER, SYRINGE DL,MD	4	QL(0.35 per 28 days)
UZEDY 150 MG/0.42 ML SUSPENSION, ER, SYRINGE MD	4	QL(0.42 per 56 days)
UZEDY 200 MG/0.56 ML SUSPENSION, ER, SYRINGE MD	4	QL(0.56 per 56 days)
UZEDY 250 MG/0.7 ML SUSPENSION, ER, SYRINGE MD	4	QL(0.7 per 56 days)
UZEDY 50 MG/0.14 ML SUSPENSION, ER, SYRINGE DL,MD	4	QL(0.14 per 28 days)
UZEDY 75 MG/0.21 ML SUSPENSION, ER, SYRINGE DL,MD	4	QL(0.21 per 28 days)
VERSACLOZ 50 MG/ML SUSPENSION DL,MD	4	PA,QL(540 per 30 days)
VRAYLAR 1.5 MG (1)- 3 MG (6) CAPSULE, DOSE PACK MO	3	PA
VRAYLAR 1.5 MG, 3 MG, 4.5 MG, 6 MG CAPSULE DL,MD	4	PA,QL(30 per 30 days)
ziprasidone hcl 20 mg, 40 mg, 60 mg, 80 mg CAPSULE MD,MO	1	
ziprasidone mesylate 20 mg/ml (final conc.) RECON SOLUTION MO	1	
ZYPREXA 10 MG RECON SOLUTION MO	3	
ZYPREXA 10 MG, 15 MG, 2.5 MG, 20 MG, 5 MG, 7.5 MG TABLET DL,MD	4	
ZYPREXA RELPREVV 210 MG SUSPENSION FOR RECONSTITUTION MD,MO	3	QL(4 per 28 days)
ZYPREXA RELPREVV 300 MG SUSPENSION FOR RECONSTITUTION DL,MD	4	QL(2 per 28 days)
ZYPREXA RELPREVV 405 MG SUSPENSION FOR RECONSTITUTION DL,MD	4	QL(1 per 28 days)
ZYPREXA ZYDIS 10 MG TABLET, DISINTEGRATING DL,MD	4	QL(30 per 30 days)
ZYPREXA ZYDIS 15 MG, 20 MG TABLET, DISINTEGRATING DL,MD	4	QL(60 per 30 days)
ZYPREXA ZYDIS 5 MG TABLET, DISINTEGRATING MD,MO	3	QL(30 per 30 days)
ANTISPASTICITY AGENTS		
baclofen 10 mg TABLET MD,MO	1	
baclofen 10 mg/5 ml (2 mg/ml), 5 mg/5 ml SOLUTION DL,MD	4	
baclofen 15 mg, 20 mg TABLET MD,MO	1	
baclofen 25 mg/5 ml (5 mg/ml) SUSPENSION DL,MD	4	QL(480 per 30 days)
baclofen 5 mg TABLET MD,MO	1	QL(90 per 30 days)
DANTRIUM 20 MG RECON SOLUTION MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DANTRIUM 25 MG CAPSULE MD,MO	3	
<i>dantrolene 100 mg, 25 mg, 50 mg CAPSULE MD,MO</i>	1	
<i>dantrolene 20 mg RECON SOLUTION MO</i>	1	
FLEQSUVY 25 MG/5 ML (5 MG/ML) SUSPENSION DL,MD	4	QL(480 per 30 days)
LYVISPAH 10 MG, 20 MG GRANULES IN PACKET MD,MO	3	ST,QL(120 per 30 days)
LYVISPAH 5 MG GRANULES IN PACKET MD,MO	3	ST,QL(270 per 30 days)
OZOBAX 5 MG/5 ML SOLUTION DL,MD	4	
OZOBAX DS 10 MG/5 ML (2 MG/ML) SOLUTION DL,MD	4	
<i>revonto 20 mg RECON SOLUTION MO</i>	1	
<i>tizanidine 2 mg, 4 mg TABLET MD,MO</i>	1	
<i>tizanidine 2 mg, 4 mg, 6 mg CAPSULE MD,MO</i>	1	ST
ZANAFLEX 2 MG, 4 MG, 6 MG CAPSULE MD,MO	3	ST
ZANAFLEX 4 MG TABLET MD,MO	3	ST
ANTIVIRALS		
<i>abacavir 20 mg/ml SOLUTION MD,MO</i>	1	QL(960 per 30 days)
<i>abacavir 300 mg TABLET MD,MO</i>	1	QL(60 per 30 days)
<i>abacavir-lamivudine 600-300 mg TABLET MD,MO</i>	1	QL(30 per 30 days)
<i>acyclovir 200 mg CAPSULE MD,MO</i>	1	
<i>acyclovir 200 mg/5 ml SUSPENSION MD,MO</i>	1	
<i>acyclovir 400 mg, 800 mg TABLET MD,MO</i>	1	
<i>acyclovir 5 % CREAM MO</i>	3	PA,QL(5 per 30 days)
<i>acyclovir 5 % OINTMENT MO</i>	1	PA,QL(30 per 30 days)
<i>acyclovir sodium 50 mg/ml SOLUTION MO</i>	1	BvsD
<i>adefovir 10 mg TABLET MO</i>	1	
APTIVUS 250 MG CAPSULE DL,MD	4	QL(120 per 30 days)
<i>atazanavir 150 mg, 200 mg CAPSULE MD,MO</i>	1	QL(60 per 30 days)
<i>atazanavir 300 mg CAPSULE MD,MO</i>	1	QL(30 per 30 days)
ATRIPLA 600-200-300 MG TABLET DL,MD	4	QL(30 per 30 days)
BARACLUDE 0.05 MG/ML SOLUTION DL,MD	4	QL(630 per 30 days)
BARACLUDE 0.5 MG, 1 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
BIKTARVY 30-120-15 MG, 50-200-25 MG TABLET DL,MD	4	QL(30 per 30 days)
CABENUVA 400 MG/2 ML- 600 MG/2 ML SUSPENSION, ER DL,MD	4	QL(50 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CABENUVA 600 MG/3 ML- 900 MG/3 ML SUSPENSION, ER DL	4	QL(50 per 365 days)
<i>cidofovir 75 mg/ml SOLUTION</i> DL	4	
CIMDUO 300-300 MG TABLET DL,MD	4	QL(30 per 30 days)
COMBIVIR 150-300 MG TABLET DL,MD	4	QL(60 per 30 days)
COMPLERA 200-25-300 MG TABLET DL,MD	4	QL(30 per 30 days)
<i>darunavir 600 mg TABLET</i> DL,MD	4	QL(60 per 30 days)
<i>darunavir 800 mg TABLET</i> DL,MD	4	QL(30 per 30 days)
DELSTRIGO 100-300-300 MG TABLET DL,MD	4	QL(30 per 30 days)
DENAVIR 1 % CREAM MO	3	PA
DESCOVY 120-15 MG, 200-25 MG TABLET DL,MD	4	QL(30 per 30 days)
<i>didanosine 250 mg, 400 mg CAPSULE, DR/EC</i> MD,MO	1	QL(30 per 30 days)
DOVATO 50-300 MG TABLET DL,MD	4	QL(30 per 30 days)
EDURANT 25 MG TABLET DL,MD	4	QL(30 per 30 days)
<i>efavirenz 200 mg CAPSULE</i> MD,MO	1	QL(120 per 30 days)
<i>efavirenz 50 mg CAPSULE</i> MD,MO	1	QL(480 per 30 days)
<i>efavirenz 600 mg TABLET</i> MD,MO	1	QL(30 per 30 days)
<i>efavirenz-emtricitabin-tenofov 600-200-300 mg TABLET</i> MD,MO	1	QL(30 per 30 days)
<i>efavirenz-lamivu-tenofov disop 400-300-300 mg, 600-300-300 mg TABLET</i> DL,MD	4	QL(30 per 30 days)
<i>emtricitabine 200 mg CAPSULE</i> MD,MO	1	QL(30 per 30 days)
<i>emtricitabine-tenofovir (tdf) 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg TABLET</i> MD,MO	1	QL(30 per 30 days)
EMTRIVA 10 MG/ML SOLUTION MD,MO	3	QL(680 per 28 days)
EMTRIVA 200 MG CAPSULE MD,MO	3	QL(30 per 30 days)
<i>entecavir 0.5 mg, 1 mg TABLET</i> MD,MO	1	QL(30 per 30 days)
EPCLUSA 150-37.5 MG PELLETS IN PACKET DL	4	PA,QL(28 per 28 days)
EPCLUSA 200-50 MG PELLETS IN PACKET DL	4	PA,QL(56 per 28 days)
EPCLUSA 200-50 MG, 400-100 MG TABLET DL	4	PA,QL(28 per 28 days)
EPIVIR 10 MG/ML SOLUTION MD,MO	3	QL(900 per 30 days)
EPIVIR 150 MG TABLET MD,MO	3	QL(60 per 30 days)
EPIVIR 300 MG TABLET MD,MO	3	QL(30 per 30 days)
EPIVIR HBV 100 MG TABLET MD,MO	3	QL(90 per 30 days)
EPIVIR HBV 25 MG/5 ML (5 MG/ML) SOLUTION MD,MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EPZICOM 600-300 MG TABLET DL,MD	4	QL(30 per 30 days)
<i>etravirine 100 mg TABLET</i> DL,MD	4	QL(120 per 30 days)
<i>etravirine 200 mg TABLET</i> DL,MD	4	QL(60 per 30 days)
EVOTAZ 300-150 MG TABLET DL,MD	4	QL(30 per 30 days)
<i>famciclovir 125 mg, 250 mg, 500 mg TABLET</i> MD,MO	1	QL(90 per 30 days)
FLUMADINE 100 MG TABLET MO	3	
<i>fosamprenavir 700 mg TABLET</i> DL,MD	4	QL(120 per 30 days)
<i>foscarnet 24 mg/ml SOLUTION</i> MO	1	BvsD
FUZEON 90 MG RECON SOLUTION DL,MD	4	QL(60 per 30 days)
<i>ganciclovir sodium 50 mg/ml SOLUTION</i> MO	1	BvsD
<i>ganciclovir sodium 500 mg RECON SOLUTION</i> MO	1	BvsD
GENVOYA 150-150-200-10 MG TABLET DL,MD	4	QL(30 per 30 days)
HARVONI 33.75-150 MG PELLETS IN PACKET DL	4	PA,QL(28 per 28 days)
HARVONI 45-200 MG PELLETS IN PACKET DL	4	PA,QL(56 per 28 days)
HARVONI 45-200 MG, 90-400 MG TABLET DL	4	PA,QL(28 per 28 days)
HEPSERA 10 MG TABLET DL	4	
INTELENCE 100 MG TABLET DL,MD	4	QL(120 per 30 days)
INTELENCE 200 MG TABLET DL,MD	4	QL(60 per 30 days)
INTELENCE 25 MG TABLET MD,MO	3	QL(120 per 30 days)
ISENTRESS 100 MG CHEWABLE TABLET DL,MD	4	QL(180 per 30 days)
ISENTRESS 100 MG POWDER IN PACKET MD,MO	3	QL(300 per 30 days)
ISENTRESS 25 MG CHEWABLE TABLET MD,MO	2	QL(180 per 30 days)
ISENTRESS 400 MG TABLET DL,MD	4	QL(120 per 30 days)
ISENTRESS HD 600 MG TABLET DL,MD	4	QL(60 per 30 days)
JULUCA 50-25 MG TABLET DL,MD	4	QL(30 per 30 days)
KALETRA 100-25 MG TABLET MD,MO	3	QL(300 per 30 days)
KALETRA 200-50 MG TABLET MD,MO	3	QL(150 per 30 days)
KALETRA 400-100 MG/5 ML SOLUTION DL,MD	4	
LAGEVRIO (EUA) 200 MG CAPSULE MO	2	QL(40 per 5 days)
<i>lamivudine 10 mg/ml SOLUTION</i> MD,MO	1	QL(900 per 30 days)
<i>lamivudine 100 mg TABLET</i> MD,MO	1	QL(90 per 30 days)
<i>lamivudine 150 mg TABLET</i> MD,MO	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
lamivudine 300 mg TABLET MD,MO	1	QL(30 per 30 days)
lamivudine-zidovudine 150-300 mg TABLET MD,MO	1	QL(60 per 30 days)
ledipasvir-sofosbuvir 90-400 mg TABLET DL	4	PA,QL(28 per 28 days)
LEXIVA 50 MG/ML SUSPENSION MD,MO	3	QL(1575 per 28 days)
LEXIVA 700 MG TABLET DL,MD	4	QL(120 per 30 days)
LIVTENCITY 200 MG TABLET DL	4	PA,QL(120 per 30 days)
lopinavir-ritonavir 100-25 mg TABLET MD,MO	1	QL(300 per 30 days)
lopinavir-ritonavir 200-50 mg TABLET MD,MO	1	QL(150 per 30 days)
lopinavir-ritonavir 400-100 mg/5 ml SOLUTION MD,MO	1	
maraviroc 150 mg TABLET DL,MD	4	QL(240 per 30 days)
maraviroc 300 mg TABLET DL,MD	4	QL(120 per 30 days)
MAVYRET 100-40 MG TABLET DL	4	PA,QL(84 per 28 days)
MAVYRET 50-20 MG PELLETS IN PACKET DL	4	PA,QL(150 per 30 days)
nevirapine 100 mg TABLET, ER 24 HR. MD,MO	1	QL(120 per 30 days)
nevirapine 200 mg TABLET MD,MO	1	QL(60 per 30 days)
nevirapine 400 mg TABLET, ER 24 HR. MD,MO	1	QL(30 per 30 days)
nevirapine 50 mg/5 ml SUSPENSION MD,MO	1	QL(1200 per 30 days)
NORVIR 100 MG CAPSULE MD,MO	3	QL(360 per 30 days)
NORVIR 100 MG POWDER IN PACKET MD,MO	3	QL(360 per 30 days)
NORVIR 100 MG TABLET MD,MO	3	QL(360 per 30 days)
NORVIR 80 MG/ML SOLUTION MD,MO	3	QL(480 per 30 days)
ODEFSEY 200-25-25 MG TABLET DL,MD	4	QL(30 per 30 days)
oseltamivir 30 mg CAPSULE MO	1	QL(224 per 365 days)
oseltamivir 45 mg, 75 mg CAPSULE MO	1	QL(112 per 365 days)
oseltamivir 6 mg/ml SUSPENSION FOR RECONSTITUTION MO	1	QL(1440 per 365 days)
PAXLOVID 150-100 MG TABLET, DOSE PACK MO	2	QL(40 per 10 days)
PAXLOVID 300 MG (150 MG X 2)-100 MG TABLET, DOSE PACK MO	2	QL(60 per 10 days)
penciclovir 1 % CREAM MO	1	PA
PIFELTRO 100 MG TABLET DL,MD	4	QL(60 per 30 days)
PREVYMIS 240 MG TABLET DL	4	PA,QL(28 per 28 days)
PREVYMIS 240 MG/12 ML SOLUTION DL	4	PA,QL(336 per 28 days)
PREVYMIS 480 MG TABLET DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PREVYMIS 480 MG/24 ML SOLUTION DL	4	PA,QL(672 per 28 days)
PREZCOBIX 800-150 MG-MG TABLET DL,MD	4	QL(30 per 30 days)
PREZISTA 100 MG/ML SUSPENSION DL,MD	4	QL(360 per 30 days)
PREZISTA 150 MG TABLET DL,MD	4	QL(240 per 30 days)
PREZISTA 600 MG TABLET DL,MD	4	QL(60 per 30 days)
PREZISTA 75 MG TABLET MD,MO	3	QL(480 per 30 days)
PREZISTA 800 MG TABLET DL,MD	4	QL(30 per 30 days)
RELENZA DISKHALER 5 MG/ACTUATION BLISTER WITH DEVICE MO	3	QL(60 per 180 days)
RETROVIR 10 MG/ML SOLUTION MO	3	
RETROVIR 10 MG/ML SYRUP MD,MO	3	QL(1680 per 28 days)
RETROVIR 100 MG CAPSULE MD,MO	3	QL(180 per 30 days)
REYATAZ 200 MG CAPSULE DL,MD	4	QL(60 per 30 days)
REYATAZ 300 MG CAPSULE DL,MD	4	QL(30 per 30 days)
REYATAZ 50 MG POWDER IN PACKET MD,MO	3	
<i>ribavirin 200 mg CAPSULE</i> MO	1	
<i>ribavirin 200 mg TABLET</i> MO	1	
<i>rimantadine 100 mg TABLET</i> MO	1	
<i>ritonavir 100 mg TABLET</i> MD,MO	1	QL(360 per 30 days)
RUKOBIA 600 MG TABLET, ER 12 HR. DL,MD	4	QL(60 per 30 days)
SELZENTRY 150 MG TABLET DL,MD	4	QL(240 per 30 days)
SELZENTRY 20 MG/ML SOLUTION DL,MD	4	QL(1800 per 30 days)
SELZENTRY 25 MG TABLET MD,MO	3	QL(240 per 30 days)
SELZENTRY 300 MG, 75 MG TABLET DL,MD	4	QL(120 per 30 days)
SOVALDI 150 MG PELLETS IN PACKET DL	4	PA,QL(28 per 28 days)
SOVALDI 200 MG PELLETS IN PACKET DL	4	PA,QL(56 per 28 days)
SOVALDI 200 MG, 400 MG TABLET DL	4	PA,QL(28 per 28 days)
<i>stavudine 15 mg, 20 mg CAPSULE</i> MD,MO	1	QL(120 per 30 days)
<i>stavudine 30 mg, 40 mg CAPSULE</i> MD,MO	1	QL(60 per 30 days)
STRIBILD 150-150-200-300 MG TABLET DL,MD	4	QL(30 per 30 days)
SUNLENCA 300 MG TABLET DL	4	QL(10 per 365 days)
SUNLENCA 309 MG/ML SOLUTION MD	4	QL(9 per 365 days)
SUSTIVA 200 MG CAPSULE DL,MD	4	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SUSTIVA 50 MG CAPSULE DL,MD	4	QL(480 per 30 days)
SUSTIVA 600 MG TABLET DL,MD	4	QL(30 per 30 days)
SYMFI 600-300-300 MG TABLET DL,MD	4	QL(30 per 30 days)
SYMFI LO 400-300-300 MG TABLET DL,MD	4	QL(30 per 30 days)
SYMTUZA 800-150-200-10 MG TABLET DL,MD	4	QL(30 per 30 days)
TAMIFLU 30 MG CAPSULE MO	3	PA,QL(224 per 365 days)
TAMIFLU 45 MG, 75 MG CAPSULE MO	3	PA,QL(112 per 365 days)
TAMIFLU 6 MG/ML SUSPENSION FOR RECONSTITUTION MO	3	PA,QL(1440 per 365 days)
<i>tenofovir disoproxil fumarate 300 mg</i> TABLET MD,MO	1	QL(30 per 30 days)
TIVICAY 10 MG TABLET MD,MO	3	QL(60 per 30 days)
TIVICAY 25 MG, 50 MG TABLET DL,MD	4	QL(60 per 30 days)
TIVICAY PD 5 MG TABLET FOR SUSPENSION DL,MD	4	QL(180 per 30 days)
TRIUMEQ 600-50-300 MG TABLET DL,MD	4	QL(30 per 30 days)
TRIUMEQ PD 60-5-30 MG TABLET FOR SUSPENSION MD,MO	3	QL(180 per 30 days)
TRIZIVIR 300-150-300 MG TABLET DL,MD	4	QL(60 per 30 days)
TROGARZO 200 MG/1.33 ML (150 MG/ML) SOLUTION DL,MD	4	
TRUVADA 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG TABLET DL,MD	4	QL(30 per 30 days)
TYBOST 150 MG TABLET MD,MO	2	QL(30 per 30 days)
<i>valacyclovir 1 gram, 500 mg</i> TABLET MD,MO	1	
VALCYTE 450 MG TABLET DL,MD	4	PA,QL(120 per 30 days)
VALCYTE 50 MG/ML RECON SOLUTION DL,MD	4	PA,QL(1056 per 30 days)
<i>valganciclovir 450 mg</i> TABLET MD,MO	1	QL(120 per 30 days)
<i>valganciclovir 50 mg/ml</i> RECON SOLUTION DL,MD	4	QL(1056 per 30 days)
VALTREX 1 GRAM, 500 MG TABLET MD,MO	3	PA
VEMLIDY 25 MG TABLET DL,MD	4	QL(30 per 30 days)
VIRACEPT 250 MG TABLET DL,MD	4	QL(300 per 30 days)
VIRACEPT 625 MG TABLET DL,MD	4	QL(120 per 30 days)
VIREAD 150 MG, 200 MG, 250 MG, 300 MG TABLET DL,MD	4	QL(30 per 30 days)
VIREAD 40 MG/SCOOP (40 MG/GRAM) POWDER DL,MD	4	QL(240 per 30 days)
VOCABRIA 30 MG TABLET DL	4	QL(30 per 30 days)
VOSEVI 400-100-100 MG TABLET DL	4	PA,QL(28 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XERESE 5-1 % CREAM DL	4	QL(5 per 30 days)
XOFLUZA 20 MG, 40 MG, 80 MG TABLET MO	3	
ZEPATIER 50-100 MG TABLET DL	4	PA,QL(28 per 28 days)
ZIAGEN 20 MG/ML SOLUTION MD,MO	3	QL(960 per 30 days)
ZIAGEN 300 MG TABLET MD,MO	3	QL(60 per 30 days)
zidovudine 10 mg/ml SYRUP MD,MO	1	QL(1680 per 28 days)
zidovudine 100 mg CAPSULE MD,MO	1	QL(180 per 30 days)
zidovudine 300 mg TABLET MD,MO	1	QL(60 per 30 days)
ZIRGAN 0.15 % GEL MO	3	QL(5 per 30 days)
ZOVIRAX 200 MG/5 ML SUSPENSION MD,MO	3	PA
ZOVIRAX 5 % CREAM MO	3	PA,QL(5 per 30 days)
ZOVIRAX 5 % OINTMENT MO	3	PA,QL(30 per 30 days)
ANXIOLYTICS		
alprazolam 0.25 mg, 0.5 mg, 1 mg TABLET DL	1	QL(120 per 30 days)
alprazolam 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING DL	1	
alprazolam 0.5 mg, 1 mg, 2 mg, 3 mg TABLET, ER 24 HR. DL	1	QL(60 per 30 days)
alprazolam 2 mg TABLET DL	1	QL(150 per 30 days)
alprazolam intensol 1 mg/ml CONCENTRATE DL	1	
ATIVAN 0.5 MG, 1 MG TABLET DL	4	PA,QL(90 per 30 days)
ATIVAN 2 MG TABLET DL	4	PA,QL(150 per 30 days)
ATIVAN 2 MG/ML, 4 MG/ML SOLUTION DL	3	PA
buspirone 10 mg, 5 mg TABLET MD,MO	1	
buspirone 15 mg, 30 mg, 7.5 mg TABLET MD,MO	1	
chlordiazepoxide hcl 10 mg, 25 mg, 5 mg CAPSULE DL	1	QL(120 per 30 days)
clonazepam 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING DL,MD	1	
clonazepam 0.5 mg, 1 mg TABLET DL,MD	1	
clonazepam 2 mg TABLET DL,MD	1	
clorazepate dipotassium 15 mg, 3.75 mg, 7.5 mg TABLET DL	1	
diazepam 10 mg TABLET DL	1	QL(120 per 30 days)
diazepam 2 mg TABLET DL	1	QL(90 per 30 days)
diazepam 5 mg TABLET DL	1	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
diazepam 5 mg/5 ml (1 mg/ml), 5 mg/5 ml (1 mg/ml, 5 ml) SOLUTION DL	1	QL(1200 per 30 days)
diazepam 5 mg/ml CONCENTRATE DL	1	QL(240 per 30 days)
diazepam 5 mg/ml SOLUTION DL	1	
diazepam 5 mg/ml SYRINGE DL	1	
diazepam intensol 5 mg/ml CONCENTRATE DL	1	QL(240 per 30 days)
doxepin 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg CAPSULE MD,MO	1	
doxepin 10 mg/ml CONCENTRATE MD,MO	1	
hydroxyzine hcl 10 mg, 50 mg TABLET MO	1	
hydroxyzine hcl 10 mg/5 ml, 25 mg/ml, 50 mg/ml SOLUTION MO	1	
hydroxyzine hcl 25 mg TABLET MO	1	
KLONOPIN 0.5 MG, 1 MG, 2 MG TABLET DL,MD	3	PA
lorazepam 0.5 mg, 1 mg TABLET DL	1	QL(90 per 30 days)
lorazepam 2 mg TABLET DL	1	QL(150 per 30 days)
lorazepam 2 mg/ml CONCENTRATE DL	1	QL(150 per 30 days)
lorazepam 2 mg/ml SYRINGE DL	1	
lorazepam 2 mg/ml, 4 mg/ml SOLUTION DL	1	
lorazepam intensol 2 mg/ml CONCENTRATE DL	1	QL(150 per 30 days)
LOREEV XR 1 MG CAPSULE, ER 24 HR. DL	4	PA,QL(210 per 30 days)
LOREEV XR 1.5 MG, 2 MG CAPSULE, ER 24 HR. DL	4	PA,QL(150 per 30 days)
LOREEV XR 3 MG CAPSULE, ER 24 HR. DL	4	PA,QL(90 per 30 days)
meprobamate 200 mg, 400 mg TABLET MO	1	
oxazepam 10 mg, 15 mg, 30 mg CAPSULE DL	1	
TRANXENE T-TAB 7.5 MG TABLET DL	3	PA
VALIUM 5 MG TABLET DL	3	PA,QL(90 per 30 days)
XANAX 0.25 MG, 0.5 MG, 1 MG TABLET DL	3	PA,QL(120 per 30 days)
XANAX 2 MG TABLET DL	3	PA,QL(150 per 30 days)
XANAX XR 0.5 MG, 1 MG, 2 MG, 3 MG TABLET, ER 24 HR. DL	3	PA,QL(60 per 30 days)
BIPOLAR AGENTS		
lithium carbonate 150 mg, 300 mg, 600 mg CAPSULE MD,MO	1	
lithium carbonate 300 mg TABLET MD,MO	1	
lithium carbonate 300 mg, 450 mg TABLET ER MD,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>lithium citrate 8 meq/5 ml SOLUTION</i> MD,MO	1	
LITHOBID 300 MG TABLET ER MD,MO	3	
BLOOD GLUCOSE REGULATORS		
<i>acarbose 100 mg, 25 mg, 50 mg TABLET</i> MD,MO	1	
ACTOPLUS MET 15-850 MG TABLET MD,MO	3	PA,QL(90 per 30 days)
ACTOS 15 MG, 30 MG, 45 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
ADLYXIN 10 MCG/0.2 ML- 20 MCG/0.2 ML PEN INJECTOR MO	3	PA,QL(6 per 28 days)
ADLYXIN 20 MCG/0.2 ML PEN INJECTOR MD,MO	3	PA,QL(6 per 28 days)
ADMELOG SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN CI,MD,MO	3	ST
ADMELOG U-100 INSULIN LISPRO 100 UNIT/ML SOLUTION CI,MD,MO	3	ST
AFREZZA 12 UNIT CARTRIDGE WITH INHALER CI,DL,MD	4	PA,QL(90 per 30 days)
AFREZZA 4 UNIT (90)/ 8 UNIT (90), 4 UNIT/8 UNIT/ 12 UNIT (60), 8 UNIT (90)/ 12 UNIT (90) CARTRIDGE WITH INHALER CI,DL,MD	4	PA,QL(180 per 30 days)
AFREZZA 4 UNIT, 8 UNIT CARTRIDGE WITH INHALER CI,MD,MO	3	PA,QL(90 per 30 days)
AMARYL 1 MG, 2 MG, 4 MG TABLET MD,MO	3	PA
APIDRA SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN CI,MD,MO	3	ST
APIDRA U-100 INSULIN 100 UNIT/ML SOLUTION CI,MD,MO	3	ST
BAQSIMI 3 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	ST
BASAGLAR KWIKPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	3	PA
BASAGLAR TEMPO PEN(U-100)INSLN 100 UNIT/ML (3 ML) INSULIN PEN, SENSOR CI,MD,MO	3	PA
BYDUREON BCISE 2 MG/0.85 ML AUTO-INJECTOR MD,MO	3	PA,QL(3.4 per 28 days)
BYETTA 10 MCG/DOSE(250 MCG/ML) 2.4 ML, 5 MCG/DOSE (250 MCG/ML) 1.2 ML PEN INJECTOR MD,MO	3	PA,QL(2.4 per 30 days)
CYCLOSET 0.8 MG TABLET MD,MO	3	ST,QL(180 per 30 days)
<i>diazoxide 50 mg/ml SUSPENSION</i> DL,MD	4	
DUETACT 30-2 MG, 30-4 MG TABLET MD,MO	3	QL(30 per 30 days)
FARXIGA 10 MG, 5 MG TABLET MD,MO	3	QL(30 per 30 days)
FIASP FLEXTOUCH U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	2	
FIASP PENFILL U-100 INSULIN 100 UNIT/ML (3 ML) CARTRIDGE CI,MD,MO	2	
FIASP U-100 INSULIN 100 UNIT/ML SOLUTION CI,MD,MO	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
glimepiride 1 mg, 3 mg TABLET MD,MO	1	
glimepiride 2 mg, 4 mg TABLET MD,MO	1	
glipizide 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR. MD,MO	1	
glipizide 10 mg, 5 mg TABLET MD,MO	1	
glipizide 2.5 mg TABLET MD,MO	1	
glipizide-metformin 2.5-250 mg, 2.5-500 mg, 5-500 mg TABLET MD,MO	1	
GLUCAGEN HYPOKIT 1 MG RECON SOLUTION MO	3	ST
GLUCAGON (HCL) EMERGENCY KIT 1 MG RECON SOLUTION MO	3	ST
glucagon emergency kit (human) 1 mg RECON SOLUTION MO	3	ST
GLUCAGON EMERGENCY KIT (HUMAN) 1 MG RECON SOLUTION MO	3	ST
GLUCOTROL XL 10 MG, 2.5 MG, 5 MG TABLET, ER 24 HR. MD,MO	3	
GLUMETZA 1,000 MG TABLET, GAST. RETENTION 24 HR. DL,MD	4	ST,QL(60 per 30 days)
GLUMETZA 500 MG TABLET, GAST. RETENTION 24 HR. DL,MD	4	ST,QL(120 per 30 days)
glyburide 1.25 mg, 2.5 mg, 5 mg TABLET MD,MO	1	
glyburide micronized 1.5 mg, 3 mg, 6 mg TABLET MD,MO	1	
glyburide-metformin 1.25-250 mg, 2.5-500 mg, 5-500 mg TABLET MD,MO	1	
GLYNASE 1.5 MG, 3 MG, 6 MG TABLET MD,MO	3	
GLYXAMBI 10-5 MG, 25-5 MG TABLET MD,MO	2	QL(30 per 30 days)
GVOKE 1 MG/0.2 ML SOLUTION MO	3	ST
GVOKE HYPOPEN 1-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR MO	3	ST
GVOKE HYPOPEN 2-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR MO	3	ST
GVOKE PFS 1-PACK SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML SYRINGE MO	3	ST
GVOKE PFS 2-PACK SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML SYRINGE MO	3	ST
HUMALOG JUNIOR KWIKPEN U-100 100 UNIT/ML INSULIN PEN, HALF-UNIT CI,MD,MO	2	
HUMALOG KWIKPEN INSULIN 100 UNIT/ML, 200 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	2	
HUMALOG MIX 50-50 INSULN U-100 100 UNIT/ML (50-50) SUSPENSION CI,MD,MO	2	
HUMALOG MIX 50-50 KWIKPEN 100 UNIT/ML (50-50) INSULIN PEN CI,MD,MO	2	
HUMALOG MIX 75-25 KWIKPEN 100 UNIT/ML (75-25) INSULIN PEN CI,MD,MO	2	
HUMALOG MIX 75-25(U-100)INSULN 100 UNIT/ML (75-25) SUSPENSION CI,MD,MO	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HUMALOG TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN, SENSOR CI,MD,MO	3	ST
HUMALOG U-100 INSULIN 100 UNIT/ML CARTRIDGE CI,MD,MO	2	
HUMALOG U-100 INSULIN 100 UNIT/ML SOLUTION CI,MD,MO	2	
HUMULIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION CI,MD,MO	2	
HUMULIN 70/30 U-100 KWIKPEN 100 UNIT/ML (70-30) INSULIN PEN CI,MD,MO	2	
HUMULIN N NPH INSULIN KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	2	
HUMULIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION CI,MD,MO	2	
HUMULIN R REGULAR U-100 INSULN 100 UNIT/ML SOLUTION CI,MD,MO	2	
HUMULIN R U-500 (CONC) INSULIN 500 UNIT/ML SOLUTION CI,DL,MD	4	
HUMULIN R U-500 (CONC) KWIKPEN 500 UNIT/ML (3 ML) INSULIN PEN CI,DL,MD	4	
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) INSULIN PEN CI,MD,MO	2	
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) SOLUTION CI,MD,MO	2	
INSULIN ASPART U-100 100 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	2	
INSULIN ASPART U-100 100 UNIT/ML CARTRIDGE CI,MD,MO	2	
INSULIN ASPART U-100 100 UNIT/ML SOLUTION CI,MD,MO	2	
INSULIN DEGLUDEC 100 UNIT/ML (3 ML), 200 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	3	PA
INSULIN DEGLUDEC 100 UNIT/ML SOLUTION CI,MD,MO	3	PA
INSULIN GLARGINE 100 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	3	PA
INSULIN GLARGINE 100 UNIT/ML SOLUTION CI,MD,MO	3	PA
INSULIN GLARGINE U-300 CONC 300 UNIT/ML (1.5 ML), 300 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	3	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	3	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML SOLUTION CI,MD,MO	3	PA
INSULIN LISPRO 100 UNIT/ML INSULIN PEN CI,MD,MO	2	
INSULIN LISPRO 100 UNIT/ML INSULIN PEN, HALF-UNIT CI,MD,MO	2	
INSULIN LISPRO 100 UNIT/ML SOLUTION CI,MD,MO	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INSULIN LISPRO PROTAMIN-LISPRO 100 UNIT/ML (75-25) INSULIN PEN CI,MD,MO	2	
INVOKAMET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET MD,MO	2	QL(60 per 30 days)
INVOKAMET XR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET, IR/ER 24 HR., BIPHASIC MD,MO	2	QL(60 per 30 days)
INVOKANA 100 MG, 300 MG TABLET MD,MO	2	QL(30 per 30 days)
JANUMET 50-1,000 MG, 50-500 MG TABLET MD,MO	2	QL(60 per 30 days)
JANUMET XR 100-1,000 MG TABLET, ER 24 HR., MULTIPHASE MD,MO	2	QL(30 per 30 days)
JANUMET XR 50-1,000 MG, 50-500 MG TABLET, ER 24 HR., MULTIPHASE MD,MO	2	QL(60 per 30 days)
JANUVIA 100 MG, 25 MG, 50 MG TABLET MD,MO	2	QL(30 per 30 days)
JARDIANCE 10 MG, 25 MG TABLET MD,MO	2	QL(30 per 30 days)
JENTADUETO 2.5-1,000 MG, 2.5-500 MG TABLET MD,MO	2	QL(60 per 30 days)
JENTADUETO 2.5-850 MG TABLET MD,MO	2	QL(60 per 30 days)
JENTADUETO XR 2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MD,MO	2	QL(60 per 30 days)
JENTADUETO XR 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MD,MO	2	QL(30 per 30 days)
KAZANO 12.5-1,000 MG, 12.5-500 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
LANTUS SOLOSTAR U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	2	
LANTUS U-100 INSULIN 100 UNIT/ML SOLUTION CI,MD,MO	2	
LEVEMIR FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	3	PA
LEVEMIR FLEXTOUCH U100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	3	PA
LEVEMIR U-100 INSULIN 100 UNIT/ML SOLUTION CI,MD,MO	3	PA
<i>liraglutide 0.6 mg/0.1 ml (18 mg/3 ml) PEN INJECTOR</i> MD,MO	3	PA,QL(9 per 30 days)
LYUMJEV KWIKPEN U-100 INSULIN 100 UNIT/ML INSULIN PEN CI,MD,MO	2	
LYUMJEV KWIKPEN U-200 INSULIN 200 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	2	
LYUMJEV TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN, SENSOR CI,MD,MO	3	ST
LYUMJEV U-100 INSULIN 100 UNIT/ML SOLUTION CI,MD,MO	2	
<i>metformin 1,000 mg TABLET, ER 24 HR.</i> MD,MO	3	ST,QL(60 per 30 days)
<i>metformin 1,000 mg TABLET, GAST. RETENTION 24 HR.</i> DL,MD	4	ST,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
metformin 1,000 mg, 500 mg TABLET MD,MO	1	
metformin 500 mg TABLET, ER 24 HR. MD,MO	3	ST,QL(150 per 30 days)
metformin 500 mg TABLET, ER 24 HR. MD,MO	1	QL(120 per 30 days)
metformin 500 mg TABLET, GAST. RETENTION 24 HR. DL,MD	4	ST,QL(120 per 30 days)
metformin 500 mg/5 ml SOLUTION MD,MO	1	QL(750 per 30 days)
metformin 625 mg TABLET DL,MD	4	ST,QL(120 per 30 days)
metformin 750 mg TABLET, ER 24 HR. MD,MO	1	QL(60 per 30 days)
metformin 850 mg TABLET MD,MO	1	
migliitol 100 mg, 25 mg, 50 mg TABLET MD,MO	1	
MOUNJARO 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML PEN INJECTOR MD,MO	2	PA,QL(2 per 28 days)
MOUNJARO 2.5 MG/0.5 ML PEN INJECTOR MO	2	PA,QL(2 per 28 days)
nateglinide 120 mg, 60 mg TABLET MD,MO	1	
NESINA 12.5 MG, 25 MG, 6.25 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
NOVOLIN 70-30 FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN CI,MD,MO	2	
NOVOLIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION CI,MD,MO	2	
NOVOLIN N FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	2	
NOVOLIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION CI,MD,MO	2	
NOVOLIN R FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	2	
NOVOLIN R REGULAR U100 INSULIN 100 UNIT/ML SOLUTION CI,MD,MO	2	
NOVOLOG FLEXPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	2	
NOVOLOG MIX 70-30 U-100 INSULIN 100 UNIT/ML (70-30) SOLUTION CI,MD,MO	2	
NOVOLOG MIX 70-30FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN CI,MD,MO	2	
NOVOLOG PENFILL U-100 INSULIN 100 UNIT/ML CARTRIDGE CI,MD,MO	2	
NOVOLOG U-100 INSULIN ASPART 100 UNIT/ML SOLUTION CI,MD,MO	2	
OSENI 12.5-30 MG, 25-15 MG, 25-30 MG, 25-45 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
OZEMPIC 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) PEN INJECTOR MD,MO	2	PA,QL(3 per 28 days)
OZEMPIC 0.25 MG OR 0.5 MG(2 MG/1.5 ML) PEN INJECTOR MD,MO	2	PA,QL(1.5 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
pioglitazone 15 mg, 45 mg TABLET MD,MO	1	QL(30 per 30 days)
pioglitazone 30 mg TABLET MD,MO	1	QL(30 per 30 days)
pioglitazone-glimepiride 30-2 mg, 30-4 mg TABLET MD,MO	1	QL(30 per 30 days)
pioglitazone-metformin 15-500 mg, 15-850 mg TABLET MD,MO	1	QL(90 per 30 days)
PRECOSE 100 MG, 25 MG, 50 MG TABLET MD,MO	3	
PROGLYCEM 50 MG/ML SUSPENSION DL,MD	4	PA
QTERN 10-5 MG, 5-5 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
repaglinide 0.5 mg, 1 mg, 2 mg TABLET MD,MO	1	
REZVOGLAR KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	3	PA
RIOMET 500 MG/5 ML SOLUTION MD,MO	3	QL(750 per 30 days)
RYBELSUS 14 MG, 7 MG TABLET MD,MO	2	PA,QL(30 per 30 days)
RYBELSUS 3 MG TABLET MO	2	PA,QL(30 per 30 days)
saxagliptin 2.5 mg, 5 mg TABLET MD,MO	1	QL(30 per 30 days)
saxagliptin-metformin 2.5-1,000 mg TABLET, ER 24 HR., MULTIPHASE MD,MO	1	QL(60 per 30 days)
saxagliptin-metformin 5-1,000 mg, 5-500 mg TABLET, ER 24 HR., MULTIPHASE MD,MO	1	QL(30 per 30 days)
SEGLUROMET 2.5-1,000 MG, 2.5-500 MG, 7.5-1,000 MG, 7.5-500 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
SEMGLEE(INSULIN GLARG-YFGN)PEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	3	PA
SEMGLEE(INSULIN GLARGINE-YFGN) 100 UNIT/ML SOLUTION CI,MD,MO	3	PA
sitagliptin 100 mg, 25 mg, 50 mg TABLET MD,MO	3	PA,QL(30 per 30 days)
sitagliptin-metformin 50-1,000 mg, 50-500 mg TABLET MD,MO	3	PA,QL(60 per 30 days)
SOLIQUA 100/33 100 UNIT-33 MCG/ML INSULIN PEN CI,MD,MO	2	QL(15 per 24 days)
STEGLATRO 15 MG, 5 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
STEGLUJAN 15-100 MG, 5-100 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
SYMLINPEN 120 2,700 MCG/2.7 ML PEN INJECTOR DL,MD	4	QL(10.8 per 30 days)
SYMLINPEN 60 1,500 MCG/1.5 ML PEN INJECTOR DL,MD	4	QL(10.5 per 28 days)
SYNJARDY 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG TABLET MD,MO	2	QL(60 per 30 days)
SYNJARDY XR 10-1,000 MG, 25-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MD,MO	2	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SYNJARDY XR 12.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MD,MO	2	QL(60 per 30 days)
TOUJEO MAX U-300 SOLOSTAR 300 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	2	
TOUJEO SOLOSTAR U-300 INSULIN 300 UNIT/ML (1.5 ML) INSULIN PEN CI,MD,MO	2	
TRADJENTA 5 MG TABLET MD,MO	2	QL(30 per 30 days)
TRESIBA FLEXTOUCH U-100 100 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	2	
TRESIBA FLEXTOUCH U-200 200 UNIT/ML (3 ML) INSULIN PEN CI,MD,MO	2	
TRESIBA U-100 INSULIN 100 UNIT/ML SOLUTION CI,MD,MO	2	
TRIJARDY XR 10-5-1,000 MG, 25-5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MD,MO	2	QL(30 per 30 days)
TRIJARDY XR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MD,MO	2	QL(60 per 30 days)
TRULICITY 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML PEN INJECTOR MD,MO	2	PA,QL(2 per 28 days)
VICTOZA 2-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR MD,MO	3	PA,QL(9 per 30 days)
VICTOZA 3-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR MD,MO	3	PA,QL(9 per 30 days)
XIGDUO XR 10-1,000 MG, 10-500 MG, 5-500 MG TABLET, IR/ER 24 HR., BIPHASIC MD,MO	3	QL(30 per 30 days)
XIGDUO XR 2.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MD,MO	3	QL(60 per 30 days)
XULTOPHY 100/3.6 100 UNIT-3.6 MG /ML (3 ML) INSULIN PEN CI,MD,MO	3	PA,QL(15 per 30 days)
ZEGALOGUE AUTOINJECTOR 0.6 MG/0.6 ML AUTO-INJECTOR MO	2	
ZEGALOGUE SYRINGE 0.6 MG/0.6 ML SYRINGE MO	2	
ZITUVIO 100 MG, 25 MG, 50 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
BLOOD PRODUCTS AND MODIFIERS		
ADZYNMA 1,500 (+/-) UNIT, 500 (+/-) UNIT KIT DL	4	PA
AGGRASTAT CONCENTRATE 250 MCG/ML CONCENTRATE MO	3	
AGGRASTAT IN SODIUM CHLORIDE 12.5 MG/250 ML (50 MCG/ML), 5 MG/100 ML (50 MCG/ML) SOLUTION MO	3	
AGRYLIN 0.5 MG CAPSULE MD,MO	3	PA
ALVAIZ 18 MG, 9 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
ALVAIZ 36 MG, 54 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
<i>aminocaproic acid 1,000 mg TABLET</i> DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>aminocaproic acid 250 mg/ml, 250 mg/ml (25 %) SOLUTION</i> MO	1	
<i>aminocaproic acid 500 mg TABLET</i> MO	1	
<i>anagrelide 0.5 mg, 1 mg CAPSULE</i> MD,MO	1	
ARANESP (IN POLYSORBATE) 10 MCG/0.4 ML, 40 MCG/0.4 ML SYRINGE MD,MO	3	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/0.5 ML SYRINGE DL,MD	4	PA,QL(2 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/ML, 200 MCG/ML, 60 MCG/ML SOLUTION DL,MD	4	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 150 MCG/0.3 ML SYRINGE DL,MD	4	PA,QL(1.2 per 30 days)
ARANESP (IN POLYSORBATE) 200 MCG/0.4 ML SYRINGE DL,MD	4	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/0.42 ML SYRINGE MD,MO	3	PA,QL(1.68 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/ML, 40 MCG/ML SOLUTION MD,MO	3	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 300 MCG/0.6 ML SYRINGE DL,MD	4	PA,QL(2.4 per 30 days)
ARANESP (IN POLYSORBATE) 500 MCG/ML SYRINGE DL,MD	4	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 60 MCG/0.3 ML SYRINGE MD,MO	3	PA,QL(1.2 per 30 days)
ARIXTRA 10 MG/0.8 ML SYRINGE DL	4	PA,QL(24 per 30 days)
ARIXTRA 2.5 MG/0.5 ML SYRINGE DL	4	PA,QL(15 per 30 days)
ARIXTRA 5 MG/0.4 ML SYRINGE DL	4	PA,QL(12 per 30 days)
ARIXTRA 7.5 MG/0.6 ML SYRINGE DL	4	PA,QL(18 per 30 days)
<i>aspirin-dipyridamole 25-200 mg CAPSULE ER MULTIPHASE 12 HR.</i> MD,MO	1	ST,QL(60 per 30 days)
BRILINTA 60 MG, 90 MG TABLET MD,MO	2	QL(60 per 30 days)
CABLIVI 11 MG KIT DL	4	PA,QL(30 per 30 days)
<i>cilostazol 100 mg, 50 mg TABLET</i> MD,MO	1	
<i>clopidogrel 300 mg TABLET</i> MO	1	
<i>clopidogrel 75 mg TABLET</i> MD,MO	1	QL(30 per 30 days)
CYKLOKAPRON 1,000 MG/10 ML (100 MG/ML) SOLUTION DL	4	PA
<i>dabigatran etexilate 110 mg, 150 mg, 75 mg CAPSULE</i> MD,MO	1	QL(60 per 30 days)
<i>dipyridamole 25 mg, 50 mg, 75 mg TABLET</i> MD,MO	1	
DOPTELET (10 TAB PACK) 20 MG TABLET DL	4	PA,QL(60 per 30 days)
DOPTELET (15 TAB PACK) 20 MG TABLET DL	4	PA,QL(60 per 30 days)
DOPTELET (30 TAB PACK) 20 MG TABLET DL	4	PA,QL(60 per 30 days)
EFFIENT 10 MG, 5 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
ELIQUIS 2.5 MG TABLET MD,MO	2	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ELIQUIS 5 MG TABLET MD,MO	2	QL(74 per 30 days)
ELIQUIS DVT-PE TREAT 30D START 5 MG (74 TABS) TABLET, DOSE PACK MO	2	QL(74 per 30 days)
enoxaparin 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml SYRINGE MO	1	
enoxaparin 300 mg/3 ml SOLUTION MO	1	
EPOGEN 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION MD,MO	3	PA,QL(14 per 30 days)
EPOGEN 20,000 UNIT/2 ML SOLUTION MD,MO	3	PA,QL(28 per 30 days)
eptifibatide 0.75 mg/ml, 2 mg/ml SOLUTION MO	1	
fondaparinux 10 mg/0.8 ml SYRINGE DL	4	QL(24 per 30 days)
fondaparinux 2.5 mg/0.5 ml SYRINGE DL	4	QL(15 per 30 days)
fondaparinux 5 mg/0.4 ml SYRINGE DL	4	QL(12 per 30 days)
fondaparinux 7.5 mg/0.6 ml SYRINGE DL	4	QL(18 per 30 days)
FRAGMIN 10,000 ANTI-XA UNIT/ML SYRINGE DL	4	QL(30 per 30 days)
FRAGMIN 12,500 ANTI-XA UNIT/0.5 ML SYRINGE DL	4	QL(15 per 30 days)
FRAGMIN 15,000 ANTI-XA UNIT/0.6 ML SYRINGE DL	4	QL(18 per 30 days)
FRAGMIN 18,000 ANTI-XA UNIT/0.72 ML SYRINGE DL	4	QL(21.6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML SYRINGE DL	4	QL(6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/ML SOLUTION DL	4	QL(120 per 30 days)
FRAGMIN 25,000 ANTI-XA UNIT/ML SOLUTION DL	4	QL(22.8 per 30 days)
FRAGMIN 7,500 ANTI-XA UNIT/0.3 ML SYRINGE DL	4	QL(9 per 30 days)
FULPHILA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
FYLNETRA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
GRANIX 300 MCG/0.5 ML SYRINGE DL	4	PA,QL(7 per 28 days)
GRANIX 300 MCG/ML SOLUTION DL	4	PA,QL(14 per 28 days)
GRANIX 480 MCG/0.8 ML SYRINGE DL	4	PA,QL(11.2 per 28 days)
GRANIX 480 MCG/1.6 ML SOLUTION DL	4	PA,QL(22.4 per 28 days)
heparin (porcine) 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml SOLUTION MO	1	
heparin (porcine) 5,000 unit/ml (1 ml) CARTRIDGE MO	1	
heparin (porcine) 5,000 unit/ml SYRINGE MO	1	
heparin, porcine (pf) 1,000 unit/ml, 5,000 unit/0.5 ml SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
heparin, porcine (pf) 5,000 unit/0.5 ml, 5,000 unit/ml SYRINGE MO	1	
jantoven 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg TABLET MD,MO	1	
KENGREAL 50 MG RECON SOLUTION DL	4	
LEUKINE 250 MCG RECON SOLUTION DL	4	PA
LOVENOX 100 MG/ML, 120 MG/0.8 ML, 150 MG/ML, 30 MG/0.3 ML, 40 MG/0.4 ML, 60 MG/0.6 ML, 80 MG/0.8 ML SYRINGE DL	4	PA
LOVENOX 300 MG/3 ML SOLUTION DL	4	PA
LYSTEDA 650 MG TABLET MD,MO	3	QL(30 per 5 days)
MOZOBIL 24 MG/1.2 ML (20 MG/ML) SOLUTION DL	4	PA,QL(9.6 per 30 days)
MULPLETA 3 MG TABLET DL	4	PA
NEULASTA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
NEULASTA ONPRO 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR DL	4	PA,QL(1.2 per 28 days)
NEUPOGEN 300 MCG/0.5 ML SYRINGE DL	4	PA,QL(7 per 30 days)
NEUPOGEN 300 MCG/ML SOLUTION DL	4	PA,QL(14 per 30 days)
NEUPOGEN 480 MCG/0.8 ML SYRINGE DL	4	PA,QL(11.2 per 30 days)
NEUPOGEN 480 MCG/1.6 ML SOLUTION DL	4	PA,QL(22.4 per 30 days)
NIVESTYM 300 MCG/0.5 ML SYRINGE DL	4	PA,QL(7 per 30 days)
NIVESTYM 300 MCG/ML SOLUTION DL	4	PA,QL(14 per 30 days)
NIVESTYM 480 MCG/0.8 ML SYRINGE DL	4	PA,QL(11.2 per 30 days)
NIVESTYM 480 MCG/1.6 ML SOLUTION DL	4	PA,QL(22.4 per 30 days)
NYVEPRIA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
PLAVIX 75 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
plerixafor 24 mg/1.2 ml (20 mg/ml) SOLUTION DL	4	PA,QL(9.6 per 30 days)
PRADAXA 110 MG, 150 MG, 75 MG CAPSULE MD,MO	3	QL(60 per 30 days)
PRADAXA 110 MG, 30 MG, 40 MG, 50 MG PELLETS IN PACKET DL,MD	4	PA,QL(120 per 30 days)
PRADAXA 150 MG, 20 MG PELLETS IN PACKET DL,MD	4	PA,QL(60 per 30 days)
prasugrel 10 mg, 5 mg TABLET MD,MO	1	QL(30 per 30 days)
PROCRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION MD,MO	3	PA,QL(14 per 30 days)
PROCRIT 20,000 UNIT/2 ML SOLUTION MD,MO	3	PA,QL(28 per 30 days)
PROCRIT 20,000 UNIT/ML, 40,000 UNIT/ML SOLUTION DL,MD	4	PA,QL(14 per 30 days)
PROMACTA 12.5 MG POWDER IN PACKET DL,LA,MD	4	PA,QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PROMACTA 12.5 MG, 25 MG TABLET DL,LA,MD	4	PA,QL(30 per 30 days)
PROMACTA 25 MG POWDER IN PACKET DL,LA,MD	4	PA,QL(180 per 30 days)
PROMACTA 50 MG TABLET DL,LA,MD	4	PA,QL(90 per 30 days)
PROMACTA 75 MG TABLET DL,LA,MD	4	PA,QL(60 per 30 days)
REBLOZYL 25 MG, 75 MG RECON SOLUTION DL,MD	4	PA
RELEUKO 300 MCG/0.5 ML SYRINGE DL	4	PA,QL(7 per 30 days)
RELEUKO 300 MCG/ML SOLUTION DL	4	PA,QL(14 per 30 days)
RELEUKO 480 MCG/0.8 ML SYRINGE DL	4	PA,QL(11.2 per 30 days)
RELEUKO 480 MCG/1.6 ML SOLUTION DL	4	PA,QL(22.4 per 30 days)
RETACRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION MD,MO	3	PA,QL(14 per 30 days)
RETACRIT 40,000 UNIT/ML SOLUTION DL,MD	4	PA,QL(14 per 30 days)
RIASTAP 1 GRAM (900MG-1,300MG) RECON SOLUTION MO	3	
ROLVEDON 13.2 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
SAVAYSA 15 MG, 30 MG, 60 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
STIMUFEND 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
TAVALISSE 100 MG, 150 MG TABLET DL	4	PA,QL(60 per 30 days)
<i>tirofiban-0.9% sodium chloride 12.5 mg/250 ml (50 mcg/ml), 5 mg/100 ml (50 mcg/ml) SOLUTION</i> MO	1	
<i>tranexamic acid 1,000 mg/10 ml (100 mg/ml) SOLUTION</i> MO	1	PA
<i>tranexamic acid 650 mg TABLET</i> MD,MO	1	QL(30 per 5 days)
UDENYCA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
UDENYCA AUTOINJECTOR 6 MG/0.6 ML AUTO-INJECTOR DL	4	PA,QL(1.2 per 28 days)
UDENYCA ONBODY 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR DL	4	PA,QL(1.2 per 28 days)
<i>warfarin 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 6 mg, 7.5 mg TABLET</i> MD,MO	1	
<i>warfarin 5 mg TABLET</i> MD,MO	1	
XARELTO 1 MG/ML SUSPENSION FOR RECONSTITUTION MD,MO	2	ST,QL(600 per 30 days)
XARELTO 10 MG, 20 MG TABLET MD,MO	2	QL(30 per 30 days)
XARELTO 15 MG, 2.5 MG TABLET MD,MO	2	QL(60 per 30 days)
XARELTO DVT-PE TREAT 30D START 15 MG (42)- 20 MG (9) TABLET, DOSE PACK MO	2	QL(51 per 30 days)
XOLREMDI 100 MG CAPSULE DL,MD	4	PA,QL(120 per 30 days)
ZARXIO 300 MCG/0.5 ML SYRINGE DL	4	PA,QL(7 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZARXIO 480 MCG/0.8 ML SYRINGE DL	4	PA,QL(11.2 per 30 days)
ZIEXTENZO 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
CARDIOVASCULAR AGENTS		
ACCUPRIL 10 MG, 20 MG, 40 MG, 5 MG TABLET MD,MO	3	
ACCURETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET MD,MO	3	
acebutolol 200 mg, 400 mg CAPSULE MD,MO	1	
acetazolamide 125 mg, 250 mg TABLET MD,MO	1	
acetazolamide 500 mg CAPSULE, ER MD,MO	1	
acetazolamide sodium 500 mg RECON SOLUTION MO	1	
adenosine 3 mg/ml SOLUTION MO	1	
adenosine 3 mg/ml SYRINGE MO	1	
ADRENALIN 4 MG/250 ML (16 MCG/ML) SOLUTION MO	3	
ALDACTAZIDE 25-25 MG, 50-50 MG TABLET MD,MO	3	
ALDACTONE 100 MG, 25 MG, 50 MG TABLET MD,MO	3	
aliskiren 150 mg, 300 mg TABLET MD,MO	1	QL(30 per 30 days)
ALTACE 1.25 MG, 10 MG, 2.5 MG, 5 MG CAPSULE MD,MO	3	PA
ALTOPREV 20 MG, 40 MG, 60 MG TABLET, ER 24 HR. DL,MD	4	ST,QL(30 per 30 days)
amiloride 5 mg TABLET MD,MO	1	
amiloride-hydrochlorothiazide 5-50 mg TABLET MD,MO	1	
amiodarone 100 mg, 400 mg TABLET MD,MO	1	
amiodarone 150 mg/3 ml SYRINGE MO	1	
amiodarone 200 mg TABLET MD,MO	1	
amiodarone 50 mg/ml SOLUTION MO	1	
amlodipine 10 mg, 2.5 mg, 5 mg TABLET MD,MO	1	
amlodipine-atorvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg TABLET MD,MO	1	QL(30 per 30 days)
amlodipine-benazepril 10-20 mg, 2.5-10 mg, 5-10 mg, 5-20 mg CAPSULE MD,MO	1	QL(60 per 30 days)
amlodipine-benazepril 10-40 mg, 5-40 mg CAPSULE MD,MO	1	QL(30 per 30 days)
amlodipine-olmesartan 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg TABLET MD,MO	1	QL(30 per 30 days)
amlodipine-valsartan 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg TABLET MD,MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
amlodipine-valsartan-hcthiamid 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg TABLET MD,MO	1	QL(30 per 30 days)
ASPRUZYO SPRINKLE 1,000 MG, 500 MG ER GRANULES, PACKET MD,MO	3	QL(60 per 30 days)
ATACAND 16 MG, 4 MG, 8 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
ATACAND 32 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
ATACAND HCT 16-12.5 MG, 32-12.5 MG, 32-25 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
atenolol 100 mg TABLET MD,MO	1	
atenolol 25 mg, 50 mg TABLET MD,MO	1	
atenolol-chlorthalidone 100-25 mg, 50-25 mg TABLET MD,MO	1	
ATORVALIQ 20 MG/5 ML (4 MG/ML) SUSPENSION MD,MO	3	ST,QL(600 per 30 days)
atorvastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET MD,MO	1	
AVALIDE 150-12.5 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
AVALIDE 300-12.5 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
AVAPRO 150 MG, 300 MG, 75 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
AZOR 10-20 MG, 10-40 MG, 5-20 MG, 5-40 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
benazepril 10 mg, 20 mg, 40 mg, 5 mg TABLET MD,MO	1	
benazepril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg TABLET MD,MO	1	
BENICAR 20 MG, 40 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
BENICAR 5 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
BENICAR HCT 20-12.5 MG, 40-12.5 MG, 40-25 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
BETAPACE 120 MG, 160 MG, 240 MG, 80 MG TABLET DL,MD	4	PA
BETAPACE AF 120 MG, 160 MG, 80 MG TABLET DL,MD	4	PA
betaxolol 10 mg, 20 mg TABLET MD,MO	1	
BIDIL 20-37.5 MG TABLET MD,MO	3	PA,QL(180 per 30 days)
BIORPHEN 0.1 MG/ML SOLUTION MO	3	
bisoprolol fumarate 10 mg, 5 mg TABLET MD,MO	1	
bisoprolol-hydrochlorothiazide 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg TABLET MD,MO	1	
bretylum tosylate 50 mg/ml SOLUTION MO	1	
BREVIBLOC 100 MG/10 ML (10 MG/ML) SOLUTION MO	3	
BREVIBLOC IN NAACL (ISO-OSM) 2,000 MG/100 ML, 2,500 MG/250 ML (10 MG/ML) PARENTERAL SOLUTION MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
bumetanide 0.25 mg/ml SOLUTION MO	1	
bumetanide 0.5 mg, 2 mg TABLET MD,MO	1	
bumetanide 1 mg TABLET MD,MO	1	
BYSTOLIC 10 MG TABLET MD,MO	3	PA,QL(120 per 30 days)
BYSTOLIC 2.5 MG, 5 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
BYSTOLIC 20 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
CADUET 10-10 MG, 10-20 MG, 10-40 MG, 10-80 MG, 5-10 MG, 5-20 MG, 5-40 MG, 5-80 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
CALAN SR 120 MG, 240 MG TABLET ER MD,MO	3	
CAMZYOS 10 MG, 15 MG, 2.5 MG, 5 MG CAPSULE DL,MD	4	PA,QL(30 per 30 days)
candesartan 16 mg, 4 mg, 8 mg TABLET MD,MO	1	QL(60 per 30 days)
candesartan 32 mg TABLET MD,MO	1	QL(30 per 30 days)
candesartan-hydrochlorothiazid 16-12.5 mg, 32-12.5 mg, 32-25 mg TABLET MD,MO	1	QL(30 per 30 days)
captopril 100 mg, 12.5 mg, 25 mg, 50 mg TABLET MD,MO	1	
captopril-hydrochlorothiazide 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg TABLET MD,MO	1	
CARDIZEM 120 MG, 30 MG, 60 MG TABLET MD,MO	3	
CARDIZEM CD 120 MG, 180 MG, 240 MG CAPSULE, ER 24 HR. DL,MD	4	PA,QL(60 per 30 days)
CARDIZEM CD 300 MG, 360 MG CAPSULE, ER 24 HR. DL,MD	4	PA,QL(30 per 30 days)
CARDIZEM LA 120 MG, 300 MG, 360 MG, 420 MG TABLET, ER 24 HR. MD,MO	3	QL(30 per 30 days)
CARDIZEM LA 180 MG, 240 MG TABLET, ER 24 HR. MD,MO	3	QL(60 per 30 days)
CARDURA 1 MG, 2 MG, 4 MG, 8 MG TABLET MD,MO	3	
CARDURA XL 4 MG, 8 MG TABLET, ER 24 HR. MD,MO	3	QL(30 per 30 days)
CAROSPIR 25 MG/5 ML SUSPENSION MD,MO	3	PA,QL(450 per 30 days)
cartia xt 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MD,MO	1	QL(60 per 30 days)
cartia xt 300 mg CAPSULE, ER 24 HR. MD,MO	1	QL(30 per 30 days)
carvedilol 12.5 mg, 25 mg, 3.125 mg, 6.25 mg TABLET MD,MO	1	
carvedilol phosphate 10 mg, 20 mg, 40 mg, 80 mg CAPSULE ER MULTIPHASE 24 HR. MD,MO	1	QL(30 per 30 days)
chlorothiazide sodium 500 mg RECON SOLUTION MO	1	
chlorthalidone 25 mg TABLET MD,MO	1	
chlorthalidone 50 mg TABLET MD,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cholestyramine (with sugar) 4 gram POWDER MD,MO	1	
cholestyramine (with sugar) 4 gram POWDER IN PACKET MD,MO	1	
cholestyramine light 4 gram POWDER MD,MO	1	
cholestyramine light 4 gram POWDER IN PACKET MD,MO	1	
cholestyramine-aspartame 4 gram POWDER IN PACKET MD,MO	1	
CLEVIPREX 25 MG/50 ML, 50 MG/100 ML EMULSION MO	3	
clonidine 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr PATCH, WEEKLY MD,MO	1	QL(4 per 28 days)
clonidine hcl 0.1 mg TABLET MD,MO	1	
clonidine hcl 0.17 mg TABLET, ER 24 HR. DL,MD	4	PA,QL(90 per 30 days)
clonidine hcl 0.2 mg, 0.3 mg TABLET MD,MO	1	
colesevelam 3.75 gram POWDER IN PACKET MD,MO	1	QL(30 per 30 days)
colesevelam 625 mg TABLET MD,MO	1	QL(180 per 30 days)
COLESTID 1 GRAM TABLET MD,MO	3	
COLESTID 5 GRAM GRANULES MD,MO	3	QL(1000 per 30 days)
COLESTID 5 GRAM PACKET MD,MO	3	
COLESTID FLAVORED 5 GRAM GRANULES MD,MO	3	QL(1000 per 30 days)
COLESTID FLAVORED 7.5 GRAM PACKET MD,MO	3	
colestipol 1 gram TABLET MD,MO	1	
colestipol 5 gram GRANULES MD,MO	1	QL(1000 per 30 days)
colestipol 5 gram PACKET MD,MO	1	
CORGARD 20 MG, 40 MG, 80 MG TABLET MD,MO	3	PA
CORLANOR 5 MG, 7.5 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
CORLANOR 5 MG/5 ML SOLUTION MD,MO	3	PA,QL(560 per 28 days)
CORLOPAM 10 MG/ML SOLUTION MO	3	
CORVERT 0.1 MG/ML SOLUTION MO	3	
COZAAR 100 MG, 25 MG, 50 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
CRESTOR 10 MG, 20 MG, 40 MG, 5 MG TABLET MD,MO	3	PA
DEMSEER 250 MG CAPSULE DL	4	
DIBENZYLINE 10 MG CAPSULE DL	4	
digitek 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET MD,MO	1	QL(30 per 30 days)
digox 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET MD,MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>digoxin</i> 125 mcg (0.125 mg), 250 mcg (0.25 mg), 62.5 mcg (0.0625 mg) TABLET MD,MO	1	QL(30 per 30 days)
<i>digoxin</i> 250 mcg/ml (0.25 mg/ml) SOLUTION MO	1	
<i>digoxin</i> 50 mcg/ml (0.05 mg/ml) SOLUTION MD,MO	1	
<i>dilt-xr</i> 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MD,MO	1	QL(60 per 30 days)
<i>diltiazem hcl</i> 100 mg RECON SOLUTION MO	1	
<i>diltiazem hcl</i> 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MD,MO	1	QL(60 per 30 days)
<i>diltiazem hcl</i> 120 mg, 30 mg, 60 mg, 90 mg TABLET MD,MO	1	
<i>diltiazem hcl</i> 120 mg, 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. MD,MO	1	QL(30 per 30 days)
<i>diltiazem hcl</i> 120 mg, 60 mg, 90 mg CAPSULE, ER 12 HR. MD,MO	1	
<i>diltiazem hcl</i> 180 mg, 240 mg TABLET, ER 24 HR. MD,MO	1	QL(60 per 30 days)
<i>diltiazem hcl</i> 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. MD,MO	1	QL(30 per 30 days)
<i>diltiazem hcl</i> 5 mg/ml SOLUTION MO	1	
DIOVAN 160 MG, 320 MG, 40 MG, 80 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
DIOVAN HCT 160-12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
<i>disopyramide phosphate</i> 100 mg, 150 mg CAPSULE MD,MO	1	
DIURIL 250 MG/5 ML SUSPENSION MD,MO	3	
<i>dobutamine</i> 250 mg/20 ml (12.5 mg/ml) SOLUTION MO	1	BvsD
<i>dobutamine</i> in d5w 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml) PARENTERAL SOLUTION MO	1	BvsD
<i>dofetilide</i> 125 mcg, 250 mcg, 500 mcg CAPSULE MD,MO	1	
<i>dopamine</i> 200 mg/5 ml (40 mg/ml), 400 mg/10 ml (40 mg/ml), 400 mg/5 ml (80 mg/ml), 800 mg/10 ml (80 mg/ml), 800 mg/5 ml (160 mg/ml) SOLUTION MO	1	BvsD
<i>dopamine</i> in 5 % dextrose 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/250 ml (3,200 mcg/ml), 800 mg/500 ml (1,600 mcg/ml) SOLUTION MO	1	BvsD
<i>doxazosin</i> 1 mg, 2 mg, 4 mg, 8 mg TABLET MD,MO	1	
<i>droxidopa</i> 100 mg, 200 mg CAPSULE MD,MO	1	PA,QL(90 per 30 days)
<i>droxidopa</i> 300 mg CAPSULE MD,MO	1	PA,QL(180 per 30 days)
DYRENIUM 100 MG, 50 MG CAPSULE MD,MO	3	
EDARBI 40 MG, 80 MG TABLET MD,MO	3	ST,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EDARBYCLOR 40-12.5 MG, 40-25 MG TABLET MD,MO	3	ST,QL(30 per 30 days)
EDECIN 25 MG TABLET DL,MD	4	QL(480 per 30 days)
enalapril maleate 1 mg/ml SOLUTION MD,MO	1	
enalapril maleate 10 mg, 2.5 mg, 20 mg, 5 mg TABLET MD,MO	1	
enalapril-hydrochlorothiazide 10-25 mg, 5-12.5 mg TABLET MD,MO	1	
enalaprilat 1.25 mg/ml SOLUTION MO	1	
ENTRESTO 24-26 MG, 49-51 MG, 97-103 MG TABLET MD,MO	2	QL(60 per 30 days)
ENTRESTO SPRINKLE 15-16 MG, 6-6 MG PELLETT MD,MO	2	QL(240 per 30 days)
EPANED 1 MG/ML SOLUTION DL,MD	4	
eplerenone 25 mg, 50 mg TABLET MD,MO	1	PA
eprosartan 600 mg TABLET MD,MO	1	QL(60 per 30 days)
esmolol 100 mg/10 ml (10 mg/ml) SOLUTION MO	1	
esmolol in nacl (iso-osm) 2,000 mg/100 ml, 2,500 mg/250 ml (10 mg/ml) PARENTERAL SOLUTION MO	1	
ethacrynate sodium 50 mg RECON SOLUTION MO	1	
ethacrynic acid 25 mg TABLET MD,MO	1	QL(480 per 30 days)
EVKEEZA 150 MG/ML SOLUTION DL,MD	4	PA
EXFORGE 10-160 MG, 10-320 MG, 5-160 MG, 5-320 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
EXFORGE HCT 10-160-12.5 MG, 10-160-25 MG, 10-320-25 MG, 5-160-12.5 MG, 5-160-25 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
EZALLOR SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG CAPSULE, SPRINKLE MD,MO	3	ST,QL(30 per 30 days)
ezetimibe 10 mg TABLET MD,MO	1	QL(30 per 30 days)
ezetimibe-atorvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET MD,MO	1	ST,QL(30 per 30 days)
ezetimibe-rosuvastatin 10-5 mg TABLET MD,MO	3	ST,QL(30 per 30 days)
ezetimibe-simvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET MD,MO	1	QL(30 per 30 days)
felodipine 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR. MD,MO	1	QL(30 per 30 days)
fenofibrate 120 mg TABLET MD,MO	1	QL(30 per 30 days)
fenofibrate 150 mg CAPSULE MD,MO	1	QL(30 per 30 days)
fenofibrate 160 mg TABLET MD,MO	1	QL(30 per 30 days)
fenofibrate 40 mg, 54 mg TABLET MD,MO	1	QL(60 per 30 days)
fenofibrate 50 mg CAPSULE MD,MO	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>fenofibrate micronized 130 mg, 43 mg CAPSULE MD,MO</i>	1	ST,QL(30 per 30 days)
<i>fenofibrate micronized 134 mg, 200 mg CAPSULE MD,MO</i>	1	QL(30 per 30 days)
<i>fenofibrate micronized 30 mg, 90 mg CAPSULE MD,MO</i>	3	QL(30 per 30 days)
<i>fenofibrate micronized 67 mg CAPSULE MD,MO</i>	1	QL(60 per 30 days)
<i>fenofibrate nanocrystallized 145 mg TABLET MD,MO</i>	1	QL(30 per 30 days)
<i>fenofibrate nanocrystallized 48 mg TABLET MD,MO</i>	1	QL(60 per 30 days)
<i>fenofibric acid 105 mg, 35 mg TABLET MD,MO</i>	2	QL(30 per 30 days)
<i>fenofibric acid (choline) 135 mg, 45 mg CAPSULE, DR/EC MD,MO</i>	1	QL(30 per 30 days)
FENOGLIDE 120 MG TABLET MD,MO	3	QL(30 per 30 days)
FENOGLIDE 40 MG TABLET MD,MO	3	QL(60 per 30 days)
FIBRICOR 105 MG, 35 MG TABLET MD,MO	3	QL(30 per 30 days)
<i>flecainide 100 mg, 150 mg, 50 mg TABLET MD,MO</i>	1	
FLOLIPID 20 MG/5 ML (4 MG/ML), 40 MG/5 ML (8 MG/ML) SUSPENSION MD,MO	3	ST,QL(150 per 30 days)
<i>fluvastatin 20 mg, 40 mg CAPSULE MD,MO</i>	1	ST,QL(60 per 30 days)
<i>fluvastatin 80 mg TABLET, ER 24 HR. MD,MO</i>	1	ST,QL(30 per 30 days)
<i>fosinopril 10 mg, 20 mg, 40 mg TABLET MD,MO</i>	1	
<i>fosinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg TABLET MD,MO</i>	1	
FUROSCIX 80 MG/10 ML KIT MO	3	PA
<i>furosemide 10 mg/ml SOLUTION MO</i>	1	
<i>furosemide 10 mg/ml SYRINGE MO</i>	1	
<i>furosemide 10 mg/ml, 40 mg/5 ml (8 mg/ml) SOLUTION MD,MO</i>	1	
<i>furosemide 20 mg, 40 mg TABLET MD,MO</i>	1	
<i>furosemide 80 mg TABLET MD,MO</i>	1	
<i>gemfibrozil 600 mg TABLET MD,MO</i>	1	QL(60 per 30 days)
GONITRO 400 MCG POWDER IN PACKET MD,MO	3	
<i>guanfacine 1 mg, 2 mg TABLET MD,MO</i>	1	
HEMANGEOL 4.28 MG/ML SOLUTION MO	3	
<i>hydralazine 10 mg, 100 mg TABLET MD,MO</i>	1	
<i>hydralazine 20 mg/ml SOLUTION MO</i>	1	
<i>hydralazine 25 mg, 50 mg TABLET MD,MO</i>	1	
<i>hydrochlorothiazide 12.5 mg CAPSULE MD,MO</i>	1	
<i>hydrochlorothiazide 12.5 mg, 25 mg TABLET MD,MO</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
hydrochlorothiazide 50 mg TABLET MD,MO	1	
HYZAAR 100-12.5 MG, 100-25 MG, 50-12.5 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
ibutilide fumarate 0.1 mg/ml SOLUTION MO	1	
IMMPHENTIV 0.1 MG/ML SOLUTION MO	3	
indapamide 1.25 mg, 2.5 mg TABLET MD,MO	1	
INDERAL LA 120 MG, 160 MG, 60 MG, 80 MG CAPSULE, ER 24 HR. DL,MD	4	PA
INNOPRAN XL 120 MG, 80 MG CAPSULE, ER 24 HR. DL,MD	4	
INPEFA 200 MG, 400 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
INSPIRA 25 MG, 50 MG TABLET MD,MO	3	PA
irbesartan 150 mg, 300 mg, 75 mg TABLET MD,MO	1	QL(30 per 30 days)
irbesartan-hydrochlorothiazide 150-12.5 mg TABLET MD,MO	1	QL(60 per 30 days)
irbesartan-hydrochlorothiazide 300-12.5 mg TABLET MD,MO	1	QL(30 per 30 days)
ISORDIL 40 MG TABLET DL,MD	4	
ISORDIL TITRADOSE 5 MG TABLET DL,MD	4	PA
isosorbide dinitrate 10 mg, 20 mg, 30 mg, 40 mg, 5 mg TABLET MD,MO	1	
isosorbide mononitrate 10 mg, 20 mg TABLET MD,MO	1	
isosorbide mononitrate 120 mg TABLET, ER 24 HR. MD,MO	1	
isosorbide mononitrate 30 mg, 60 mg TABLET, ER 24 HR. MD,MO	1	
isosorbide-hydralazine 20-37.5 mg TABLET MD,MO	1	QL(180 per 30 days)
isradipine 2.5 mg, 5 mg CAPSULE MD,MO	1	
ISUPREL 0.2 MG/ML SOLUTION MO	3	
ivabradine 5 mg, 7.5 mg TABLET MD,MO	1	PA,QL(60 per 30 days)
JUXTAPID 10 MG, 30 MG, 5 MG CAPSULE DL,MD	4	PA,QL(28 per 28 days)
JUXTAPID 20 MG CAPSULE DL,MD	4	PA,QL(84 per 28 days)
KAPSPARGO SPRINKLE 100 MG, 25 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. MD,MO	3	ST,QL(30 per 30 days)
KAPSPARGO SPRINKLE 200 MG CAPSULE ER SPRINKLE 24 HR. MD,MO	3	ST,QL(60 per 30 days)
KATERZIA 1 MG/ML SUSPENSION MD,MO	3	ST,QL(300 per 30 days)
KERENDIA 10 MG, 20 MG TABLET MD,MO	2	PA,QL(30 per 30 days)
labetalol 100 mg, 200 mg, 300 mg TABLET MD,MO	1	
labetalol 5 mg/ml SOLUTION MO	1	
LABELALOL IN DEXTROSE,ISO-OSM 1 MG/ML SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LABELALOL IN NACL (ISO-OSMOT) 1 MG/ ML SOLUTION MO	1	
LANOXIN 125 MCG (0.125 MG), 250 MCG (0.25 MG), 62.5 MCG (0.0625 MG) TABLET MD,MO	3	QL(30 per 30 days)
LANOXIN 250 MCG/ML (0.25 MG/ML), 500 MCG/2 ML (0.5 MG/2 ML) SOLUTION MO	3	
LANOXIN PEDIATRIC 100 MCG/ML (0.1 MG/ML) SOLUTION MO	3	
LASIX 20 MG, 40 MG, 80 MG TABLET MD,MO	3	
LEQVIO 284 MG/1.5 ML SYRINGE MD	4	PA,QL(4.5 per 365 days)
LESCOL XL 80 MG TABLET, ER 24 HR. MD,MO	3	ST,QL(30 per 30 days)
LEVOPHED (BITARTRATE) 1 MG/ML SOLUTION MO	3	
<i>lidocaine (pf) 20 mg/ml (2 %) SOLUTION</i> MO	1	
<i>lidocaine in 5 % dextrose (pf) 4 mg/ml (0.4 %), 8 mg/ml (0.8 %) PARENTERAL SOLUTION</i> MO	1	
LIPITOR 10 MG, 20 MG, 40 MG, 80 MG TABLET MD,MO	3	PA
LIPOFEN 150 MG CAPSULE MD,MO	3	QL(30 per 30 days)
LIPOFEN 50 MG CAPSULE MD,MO	3	QL(60 per 30 days)
<i>lisinopril 10 mg, 2.5 mg, 20 mg, 40 mg, 5 mg TABLET</i> MD,MO	1	
<i>lisinopril 30 mg TABLET</i> MD,MO	1	
<i>lisinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET</i> MD,MO	1	
LIVALO 1 MG, 2 MG, 4 MG TABLET MD,MO	3	ST,QL(30 per 30 days)
LODOCO 0.5 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
LOPID 600 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
LOPRESSOR 100 MG, 50 MG TABLET MD,MO	3	
<i>losartan 100 mg, 25 mg, 50 mg TABLET</i> MD,MO	1	QL(60 per 30 days)
<i>losartan-hydrochlorothiazide 100-12.5 mg, 100-25 mg, 50-12.5 mg TABLET</i> MD,MO	1	QL(60 per 30 days)
LOTENSIN 10 MG, 20 MG, 40 MG TABLET MD,MO	3	
LOTENSIN HCT 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET MD,MO	3	
LOTREL 10-20 MG, 5-10 MG, 5-20 MG CAPSULE MD,MO	3	PA,QL(60 per 30 days)
LOTREL 10-40 MG CAPSULE MD,MO	3	PA,QL(30 per 30 days)
<i>lovastatin 10 mg, 20 mg, 40 mg TABLET</i> MD,MO	1	
LOVAZA 1 GRAM CAPSULE MD,MO	3	PA,QL(120 per 30 days)
<i>mannitol 10 % 10 % PARENTERAL SOLUTION</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
mannitol 20 % 20 % PARENTERAL SOLUTION MO	1	
mannitol 25 % 25 % SOLUTION MO	1	
mannitol 5 % 5 % PARENTERAL SOLUTION MO	1	
matzim la 180 mg, 240 mg TABLET, ER 24 HR. MD,MO	1	QL(60 per 30 days)
matzim la 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. MD,MO	1	QL(30 per 30 days)
MAXZIDE 75-50 MG TABLET MD,MO	3	PA
MAXZIDE-25MG 37.5-25 MG TABLET MD,MO	3	PA
methyl dopa 250 mg, 500 mg TABLET MD,MO	1	
methyl dopa-hydrochlorothiazide 250-15 mg, 250-25 mg TABLET MD,MO	1	
methyl dopate 250 mg/5 ml SOLUTION MO	1	
metolazone 10 mg, 2.5 mg, 5 mg TABLET MD,MO	1	
metoprolol succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. MD,MO	1	
metoprolol succinate 200 mg TABLET, ER 24 HR. MD,MO	1	
metoprolol ta-hydrochlorothiaz 100-25 mg, 100-50 mg, 50-25 mg TABLET MD,MO	1	
metoprolol tartrate 100 mg, 25 mg, 50 mg TABLET MD,MO	1	
metoprolol tartrate 37.5 mg, 75 mg TABLET MD,MO	1	
metoprolol tartrate 5 mg/5 ml SOLUTION MO	1	
metyrosine 250 mg CAPSULE DL	4	
mexiletine 150 mg, 200 mg, 250 mg CAPSULE MD,MO	1	
MICARDIS 20 MG, 40 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
MICARDIS 80 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
MICARDIS HCT 40-12.5 MG, 80-25 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
MICARDIS HCT 80-12.5 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
midodrine 10 mg, 2.5 mg, 5 mg TABLET MO	1	
milrinone 1 mg/ml SOLUTION MO	1	BvsD
milrinone in 5 % dextrose 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml) PIGGYBACK MO	1	BvsD
MINIPRESS 1 MG, 2 MG, 5 MG CAPSULE MD,MO	3	
minoxidil 10 mg, 2.5 mg TABLET MD,MO	1	
moexipril 15 mg, 7.5 mg TABLET MD,MO	1	
MULTAQ 400 MG TABLET MD,MO	2	QL(60 per 30 days)
nadolol 20 mg, 40 mg, 80 mg TABLET MD,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
nebivolol 10 mg TABLET MD,MO	1	QL(120 per 30 days)
nebivolol 2.5 mg, 5 mg TABLET MD,MO	1	QL(30 per 30 days)
nebivolol 20 mg TABLET MD,MO	1	QL(60 per 30 days)
NEXICLON XR 0.17 MG TABLET, ER 24 HR. DL,MD	4	PA,QL(90 per 30 days)
NEXLETOL 180 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
NEXLIZET 180-10 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
NEXTERONE 150 MG/100 ML (1.5 MG/ML), 360 MG/200 ML (1.8 MG/ML) SOLUTION MO	3	
niacin 1,000 mg, 500 mg, 750 mg TABLET, ER 24 HR. MD,MO	1	
niacin 500 mg TABLET MD,MO	1	
niacor 500 mg TABLET MD,MO	1	
nicardipine 20 mg, 30 mg CAPSULE MD,MO	1	
nicardipine 25 mg/10 ml SOLUTION MO	1	
nifedipine 10 mg, 20 mg CAPSULE MD,MO	1	
nifedipine 30 mg, 60 mg, 90 mg TABLET ER MD,MO	1	QL(60 per 30 days)
nifedipine 30 mg, 60 mg, 90 mg TABLET, ER 24 HR. MD,MO	1	QL(60 per 30 days)
nimodipine 30 mg CAPSULE MO	1	
nimodipine 60 mg/20 ml SOLUTION DL	1	QL(2838 per 28 days)
nisoldipine 17 mg, 20 mg, 34 mg, 40 mg, 8.5 mg TABLET, ER 24 HR. MD,MO	1	QL(30 per 30 days)
nisoldipine 25.5 mg, 30 mg TABLET, ER 24 HR. MD,MO	1	QL(60 per 30 days)
NITRO-BID 2 % OINTMENT MD,MO	1	
NITRO-DUR 0.1 MG/HR, 0.4 MG/HR PATCH, 24 HR. MD,MO	3	
NITRO-DUR 0.2 MG/HR, 0.3 MG/HR, 0.6 MG/HR, 0.8 MG/HR PATCH, 24 HR. DL,MD	4	
nitroglycerin 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr PATCH, 24 HR. MD,MO	1	
nitroglycerin 0.3 mg, 0.6 mg SUBLINGUAL TABLET MD,MO	1	
nitroglycerin 0.4 mg SUBLINGUAL TABLET MD,MO	1	
nitroglycerin 400 mcg/spray SPRAY, NON-AEROSOL MD,MO	1	
nitroglycerin 50 mg/10 ml (5 mg/ml) SOLUTION MO	1	
nitroglycerin in 5 % dextrose 100 mg/250 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml) SOLUTION MO	1	
NITROLINGUAL 400 MCG/SPRAY SPRAY, NON-AEROSOL MD,MO	3	
NITROSTAT 0.3 MG, 0.4 MG, 0.6 MG SUBLINGUAL TABLET MD,MO	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>norepinephrine bitartrate 1 mg/ml SOLUTION</i> MO	1	
NORLIQVA 1 MG/ML SOLUTION DL,MD	4	ST,QL(300 per 30 days)
NORPACE 100 MG, 150 MG CAPSULE MD,MO	3	
NORPACE CR 100 MG, 150 MG CAPSULE, ER MD,MO	3	
NORTHERA 100 MG, 200 MG CAPSULE DL,MD	4	PA,QL(90 per 30 days)
NORTHERA 300 MG CAPSULE DL,MD	4	PA,QL(180 per 30 days)
NORVASC 10 MG, 2.5 MG, 5 MG TABLET MD,MO	3	PA
NYMALIZE 30 MG/5 ML SYRINGE DL	4	QL(630 per 28 days)
NYMALIZE 60 MG/10 ML SOLUTION DL	4	QL(1260 per 28 days)
NYMALIZE 60 MG/10 ML SYRINGE DL	4	QL(1260 per 28 days)
<i>olmesartan 20 mg TABLET</i> MD,MO	1	QL(30 per 30 days)
<i>olmesartan 40 mg TABLET</i> MD,MO	1	QL(30 per 30 days)
<i>olmesartan 5 mg TABLET</i> MD,MO	1	QL(60 per 30 days)
<i>olmesartan-amlodipin-hctiazid 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg TABLET</i> MD,MO	1	QL(30 per 30 days)
<i>olmesartan-hydrochlorothiazide 20-12.5 mg, 40-12.5 mg, 40-25 mg TABLET</i> MD,MO	1	QL(30 per 30 days)
<i>omega-3 acid ethyl esters 1 gram CAPSULE</i> MD,MO	1	QL(120 per 30 days)
OSMITROL 10 % 10 % PARENTERAL SOLUTION MO	3	
OSMITROL 15 % 15 % PARENTERAL SOLUTION MO	3	
OSMITROL 20 % 20 % PARENTERAL SOLUTION MO	3	
OSMITROL 5 % 5 % PARENTERAL SOLUTION MO	3	
PACERONE 100 MG, 400 MG TABLET MD,MO	1	
<i>pacerone 200 mg TABLET</i> MD,MO	1	
<i>pentoxifylline 400 mg TABLET ER</i> MD,MO	1	
<i>perindopril erbumine 2 mg, 4 mg, 8 mg TABLET</i> MD,MO	1	
<i>phenoxybenzamine 10 mg CAPSULE</i> DL	4	
<i>phenylephrine hcl 10 mg/ml SOLUTION</i> MO	1	
<i>pindolol 10 mg, 5 mg TABLET</i> MD,MO	1	
<i>pitavastatin calcium 1 mg, 2 mg, 4 mg TABLET</i> MD,MO	1	ST,QL(30 per 30 days)
PRALUENT PEN 150 MG/ML, 75 MG/ML PEN INJECTOR MD,MO	3	PA,QL(2 per 28 days)
<i>pravastatin 10 mg, 80 mg TABLET</i> MD,MO	1	
<i>pravastatin 20 mg, 40 mg TABLET</i> MD,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
prazosin 1 mg, 2 mg, 5 mg CAPSULE MD,MO	1	
prevalite 4 gram POWDER MD,MO	1	
prevalite 4 gram POWDER IN PACKET MD,MO	1	
procainamide 100 mg/ml, 500 mg/ml SOLUTION MO	1	
PROCARDIA XL 30 MG, 60 MG, 90 MG TABLET, ER 24 HR. MD,MO	3	PA,QL(60 per 30 days)
propafenone 150 mg, 225 mg, 300 mg TABLET MD,MO	1	
propafenone 225 mg, 325 mg, 425 mg CAPSULE, ER 12 HR. MD,MO	1	
propranolol 1 mg/ml SOLUTION MO	1	
propranolol 10 mg, 20 mg, 40 mg, 60 mg, 80 mg TABLET MD,MO	1	
propranolol 120 mg, 160 mg, 60 mg, 80 mg CAPSULE, ER 24 HR. MD,MO	1	
propranolol 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml) SOLUTION MD,MO	1	
propranolol-hydrochlorothiazid 40-25 mg, 80-25 mg TABLET MD,MO	1	
QBRELIS 1 MG/ML SOLUTION DL,MD	4	QL(1200 per 30 days)
QUESTRAN 4 GRAM POWDER MD,MO	1	
QUESTRAN 4 GRAM POWDER IN PACKET MD,MO	1	
QUESTRAN LIGHT 4 GRAM POWDER MD,MO	1	
quinapril 10 mg, 20 mg, 40 mg, 5 mg TABLET MD,MO	1	
quinapril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET MD,MO	1	
quinidine gluconate 324 mg TABLET ER MD,MO	1	
quinidine sulfate 200 mg, 300 mg TABLET MD,MO	1	
ramipril 1.25 mg, 10 mg, 2.5 mg, 5 mg CAPSULE MD,MO	1	
RANEXA 1,000 MG, 500 MG TABLET, ER 12 HR. MD,MO	3	PA,QL(120 per 30 days)
ranolazine 1,000 mg, 500 mg TABLET, ER 12 HR. MD,MO	1	QL(120 per 30 days)
REPATHA PUSHTRONEX 420 MG/3.5 ML WEARABLE INJECTOR MD,MO	2	PA,QL(3.5 per 28 days)
REPATHA SURECLICK 140 MG/ML PEN INJECTOR MD,MO	2	PA,QL(3 per 28 days)
REPATHA SYRINGE 140 MG/ML SYRINGE MD,MO	2	PA,QL(3 per 28 days)
rosuvastatin 10 mg, 20 mg, 40 mg, 5 mg TABLET MD,MO	1	
RYTHMOL SR 225 MG, 325 MG, 425 MG CAPSULE, ER 12 HR. MD,MO	3	PA
simvastatin 10 mg, 20 mg, 40 mg TABLET MD,MO	1	
simvastatin 5 mg, 80 mg TABLET MD,MO	1	
SOAANZ 20 MG, 40 MG, 60 MG TABLET MD,MO	3	ST
SODIUM EDECRIN 50 MG RECON SOLUTION MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
sorine 120 mg, 160 mg, 240 mg, 80 mg TABLET MD,MO	1	
sotalol 120 mg, 160 mg, 240 mg, 80 mg TABLET MD,MO	1	
sotalol af 120 mg, 160 mg, 80 mg TABLET MD,MO	1	
SOTYLIZE 5 MG/ML SOLUTION MD,MO	3	
spironolacton-hydrochlorothiaz 25-25 mg TABLET MD,MO	1	
spironolactone 100 mg TABLET MD,MO	1	
spironolactone 25 mg, 50 mg TABLET MD,MO	1	
spironolactone 25 mg/5 ml SUSPENSION MD,MO	3	PA,QL(450 per 30 days)
SULAR 17 MG, 34 MG, 8.5 MG TABLET, ER 24 HR. MD,MO	3	PA,QL(30 per 30 days)
taztia xt 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MD,MO	1	QL(60 per 30 days)
taztia xt 300 mg, 360 mg CAPSULE, ER 24 HR. MD,MO	1	QL(30 per 30 days)
TEKTURNA 150 MG, 300 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
TEKTURNA HCT 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG TABLET MD,MO	3	ST,QL(30 per 30 days)
telmisartan 20 mg, 40 mg TABLET MD,MO	1	QL(30 per 30 days)
telmisartan 80 mg TABLET MD,MO	1	QL(60 per 30 days)
telmisartan-amlodipine 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg TABLET MD,MO	1	QL(30 per 30 days)
telmisartan-hydrochlorothiazid 40-12.5 mg, 80-25 mg TABLET MD,MO	1	QL(30 per 30 days)
telmisartan-hydrochlorothiazid 80-12.5 mg TABLET MD,MO	1	QL(60 per 30 days)
TENORETIC 100 100-25 MG TABLET MD,MO	3	
TENORETIC 50 50-25 MG TABLET MD,MO	3	PA
TENORMIN 100 MG, 25 MG, 50 MG TABLET MD,MO	3	PA
terazosin 1 mg, 10 mg, 2 mg, 5 mg CAPSULE MD,MO	1	
THALITONE 15 MG TABLET MD,MO	3	
tiadylt er 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MD,MO	1	QL(60 per 30 days)
tiadylt er 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. MD,MO	1	QL(30 per 30 days)
TIAZAC 120 MG, 180 MG, 240 MG CAPSULE, ER 24 HR. MD,MO	3	QL(60 per 30 days)
TIAZAC 300 MG, 360 MG, 420 MG CAPSULE, ER 24 HR. MD,MO	3	QL(30 per 30 days)
TIKOSYN 125 MCG, 250 MCG, 500 MCG CAPSULE MD,MO	3	PA
timolol maleate 10 mg, 20 mg, 5 mg TABLET MD,MO	1	
TOPROL XL 100 MG, 200 MG, 25 MG, 50 MG TABLET, ER 24 HR. MD,MO	3	
torse mide 10 mg, 100 mg, 5 mg TABLET MD,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>torsemide</i> 20 mg TABLET MD,MO	1	
<i>trandolapril</i> 1 mg, 2 mg, 4 mg TABLET MD,MO	1	
<i>trandolapril-verapamil</i> 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg TABLET, IR/ER 24 HR., BIPHASIC MD,MO	1	
<i>triamterene</i> 100 mg, 50 mg CAPSULE MD,MO	1	
<i>triamterene-hydrochlorothiazid</i> 37.5-25 mg CAPSULE MD,MO	1	
<i>triamterene-hydrochlorothiazid</i> 37.5-25 mg TABLET MD,MO	1	
<i>triamterene-hydrochlorothiazid</i> 75-50 mg TABLET MD,MO	1	
TRIBENZOR 20-5-12.5 MG, 40-10-12.5 MG, 40-10-25 MG, 40-5-12.5 MG, 40-5-25 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
TRICOR 145 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
TRICOR 48 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
TRILIPIX 135 MG, 45 MG CAPSULE, DR/EC MD,MO	3	PA,QL(30 per 30 days)
TRYVIO 12.5 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
<i>valsartan</i> 160 mg TABLET MD,MO	1	QL(60 per 30 days)
<i>valsartan</i> 320 mg, 40 mg, 80 mg TABLET MD,MO	1	QL(60 per 30 days)
<i>valsartan</i> 4 mg/ml SOLUTION DL,MD	4	ST,QL(2400 per 30 days)
VALSARTAN 4 MG/ML SOLUTION DL,MD	4	ST,QL(2400 per 30 days)
<i>valsartan-hydrochlorothiazide</i> 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg TABLET MD,MO	1	QL(30 per 30 days)
VASCEPA 0.5 GRAM CAPSULE MD,MO	2	QL(240 per 30 days)
VASCEPA 1 GRAM CAPSULE MD,MO	2	QL(120 per 30 days)
VASERETIC 10-25 MG TABLET MD,MO	3	
VASOTEC 10 MG, 2.5 MG, 20 MG, 5 MG TABLET DL,MD	4	PA
<i>vecamyl</i> 2.5 mg TABLET DL	4	QL(300 per 30 days)
<i>verapamil</i> 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg, 360 mg CAPSULE ER PELLETS 24 HR. MD,MO	1	
<i>verapamil</i> 120 mg, 180 mg, 240 mg TABLET ER MD,MO	1	
<i>verapamil</i> 120 mg, 40 mg, 80 mg TABLET MD,MO	1	
<i>verapamil</i> 2.5 mg/ml SOLUTION MO	1	
<i>verapamil</i> 2.5 mg/ml SYRINGE MO	1	
VERELAN PM 100 MG, 200 MG, 300 MG CAPSULE ER PELLETS 24 HR. MD,MO	3	PA
VERQUVO 10 MG, 2.5 MG, 5 MG TABLET MD,MO	2	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VYTORIN 10-10 10-10 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
VYTORIN 10-20 10-20 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
VYTORIN 10-40 10-40 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
VYTORIN 10-80 10-80 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
WELCHOL 3.75 GRAM POWDER IN PACKET MD,MO	3	QL(30 per 30 days)
WELCHOL 625 MG TABLET MD,MO	3	QL(180 per 30 days)
ZESTORETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET MD,MO	3	
ZESTRIL 10 MG, 2.5 MG, 20 MG, 30 MG, 40 MG, 5 MG TABLET MD,MO	3	PA
ZETIA 10 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
ZIAC 10-6.25 MG, 2.5-6.25 MG, 5-6.25 MG TABLET MD,MO	3	PA
ZOCOR 10 MG, 20 MG, 40 MG, 80 MG TABLET MD,MO	3	PA
ZYPITAMAG 2 MG, 4 MG TABLET MD,MO	2	ST,QL(30 per 30 days)
CENTRAL NERVOUS SYSTEM AGENTS		
ADDERALL 10 MG, 12.5 MG, 15 MG, 20 MG, 5 MG, 7.5 MG TABLET MD,MO	1	PA,QL(90 per 30 days)
ADDERALL 30 MG TABLET MD,MO	1	PA,QL(60 per 30 days)
ADDERALL XR 10 MG, 15 MG, 5 MG CAPSULE, ER 24 HR. MD,MO	3	PA,QL(30 per 30 days)
ADDERALL XR 20 MG, 25 MG, 30 MG CAPSULE, ER 24 HR. MD,MO	3	PA,QL(60 per 30 days)
ADZENYS XR-ODT 12.5 MG, 15.7 MG, 18.8 MG, 3.1 MG, 6.3 MG, 9.4 MG TABLET, DISINTEGRATING ER BIPH MD,MO	3	QL(30 per 30 days)
<i>amphetamine 1.25 mg/ml SUSPENSION, IR/ER BIPHASIC</i> MD,MO	3	QL(450 per 30 days)
<i>amphetamine sulfate 10 mg, 5 mg TABLET</i> MD,MO	1	QL(90 per 30 days)
AMPYRA 10 MG TABLET, ER 12 HR. DL,MD	4	PA,QL(60 per 30 days)
APTENSIO XR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CAPSULE, ER SPRINKLE, BIPHASIC MD,MO	3	QL(30 per 30 days)
<i>atomoxetine 10 mg, 18 mg, 25 mg, 40 mg CAPSULE</i> MD,MO	1	QL(60 per 30 days)
<i>atomoxetine 100 mg, 60 mg, 80 mg CAPSULE</i> MD,MO	1	QL(30 per 30 days)
AUBAGIO 14 MG, 7 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
AUSTEDO 12 MG, 9 MG TABLET DL,MD	4	PA,QL(120 per 30 days)
AUSTEDO 6 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
AUSTEDO XR 12 MG, 6 MG TABLET, ER 24 HR. DL,MD	4	PA,QL(90 per 30 days)
AUSTEDO XR 18 MG, 30 MG, 36 MG, 42 MG, 48 MG TABLET, ER 24 HR. DL,MD	4	PA,QL(30 per 30 days)
AUSTEDO XR 24 MG TABLET, ER 24 HR. DL,MD	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AUSTEDO XR TITRATION KT(WK1-4) 12-18-24-30 MG TABLET, ER 24 HR., DOSE PACK DL	4	PA,QL(28 per 28 days)
AUSTEDO XR TITRATION KT(WK1-4) 6 MG (14)-12 MG (14)-24 MG (14) TABLET, ER 24 HR., DOSE PACK DL	4	PA,QL(42 per 28 days)
AVONEX 30 MCG/0.5 ML PEN INJECTOR KIT DL,MD	4	PA,QL(1 per 28 days)
AVONEX 30 MCG/0.5 ML SYRINGE KIT DL,MD	4	PA,QL(1 per 28 days)
AZSTARYS 26.1 MG- 5.2 MG, 39.2 MG- 7.8 MG, 52.3 MG- 10.4 MG CAPSULE MD,MO	3	QL(30 per 30 days)
BAFIERTAM 95 MG CAPSULE, DR/EC DL,MD	4	PA,QL(120 per 30 days)
BETASERON 0.3 MG KIT DL,MD	4	PA,QL(15 per 30 days)
BRIUMVI 25 MG/ML SOLUTION MD	4	PA
<i>clonidine hcl 0.1 mg TABLET, ER 12 HR.</i> MD,MO	1	QL(120 per 30 days)
CONCERTA 18 MG, 27 MG, 54 MG TABLET, ER 24 HR. MD,MO	3	PA,QL(30 per 30 days)
CONCERTA 36 MG TABLET, ER 24 HR. MD,MO	3	PA,QL(60 per 30 days)
COPAXONE 20 MG/ML SYRINGE DL,MD	4	PA,QL(30 per 30 days)
COPAXONE 40 MG/ML SYRINGE DL,MD	4	PA,QL(12 per 28 days)
COTEMPLA XR-ODT 17.3 MG, 8.6 MG TABLET, DISINTEGRATING ER BIPH MD,MO	3	QL(30 per 30 days)
COTEMPLA XR-ODT 25.9 MG TABLET, DISINTEGRATING ER BIPH MD,MO	3	QL(60 per 30 days)
CYMBALTA 20 MG CAPSULE, DR/EC MD,MO	3	PA,QL(120 per 30 days)
CYMBALTA 30 MG CAPSULE, DR/EC MD,MO	3	PA,QL(90 per 30 days)
CYMBALTA 60 MG CAPSULE, DR/EC MD,MO	3	PA,QL(60 per 30 days)
<i>dalfampridine 10 mg TABLET, ER 12 HR.</i> MD,MO	1	PA,QL(60 per 30 days)
DAYTRANA 10 MG/9 HR, 15 MG/9 HR, 20 MG/9 HR, 30 MG/9 HR PATCH, 24 HR. MD,MO	3	QL(30 per 30 days)
DESOXYN 5 MG TABLET DL,MD	4	PA,QL(150 per 30 days)
DEXEDRINE SPANSULE 10 MG CAPSULE, ER DL,MD	4	PA,QL(180 per 30 days)
DEXEDRINE SPANSULE 15 MG CAPSULE, ER DL,MD	4	PA,QL(120 per 30 days)
<i>dexmethylphenidate 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg CAPSULE, ER, BIPHASIC</i> MD,MO	1	QL(30 per 30 days)
<i>dexmethylphenidate 10 mg, 2.5 mg, 5 mg TABLET</i> MD,MO	1	QL(60 per 30 days)
<i>dextroamphetamine sulfate 10 mg CAPSULE, ER</i> MD,MO	1	QL(180 per 30 days)
<i>dextroamphetamine sulfate 10 mg TABLET</i> MD,MO	1	QL(180 per 30 days)
<i>dextroamphetamine sulfate 15 mg CAPSULE, ER</i> MD,MO	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dextroamphetamine sulfate 15 mg TABLET MD,MO	1	QL(120 per 30 days)
dextroamphetamine sulfate 2.5 mg, 20 mg, 7.5 mg TABLET MD,MO	1	QL(90 per 30 days)
dextroamphetamine sulfate 30 mg TABLET MD,MO	1	QL(60 per 30 days)
dextroamphetamine sulfate 5 mg CAPSULE, ER MD,MO	1	QL(60 per 30 days)
dextroamphetamine sulfate 5 mg TABLET MD,MO	1	QL(150 per 30 days)
dextroamphetamine sulfate 5 mg/5 ml SOLUTION MD,MO	1	QL(1800 per 30 days)
dextroamphetamine-amphetamine 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg TABLET MD,MO	1	QL(90 per 30 days)
dextroamphetamine-amphetamine 10 mg, 15 mg, 5 mg CAPSULE, ER 24 HR. MD,MO	1	QL(30 per 30 days)
dextroamphetamine-amphetamine 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE ER TRIPHASIC 24 HR. MD,MO	1	QL(30 per 30 days)
dextroamphetamine-amphetamine 20 mg, 25 mg, 30 mg CAPSULE, ER 24 HR. MD,MO	1	QL(60 per 30 days)
dextroamphetamine-amphetamine 30 mg TABLET MD,MO	1	QL(60 per 30 days)
dimethyl fumarate 120 mg (14)- 240 mg (46) CAPSULE, DR/EC MO	1	PA,QL(60 per 30 days)
dimethyl fumarate 120 mg CAPSULE, DR/EC MD,MO	1	PA,QL(14 per 30 days)
dimethyl fumarate 240 mg CAPSULE, DR/EC MD,MO	1	PA,QL(60 per 30 days)
DRIZALMA SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG CAPSULE, DR SPRINKLE MD,MO	3	PA,QL(60 per 30 days)
duloxetine 20 mg CAPSULE, DR/EC MD,MO	1	QL(120 per 30 days)
duloxetine 30 mg CAPSULE, DR/EC MD,MO	1	QL(90 per 30 days)
duloxetine 40 mg CAPSULE, DR/EC MD,MO	1	QL(60 per 30 days)
duloxetine 60 mg CAPSULE, DR/EC MD,MO	1	QL(60 per 30 days)
DYANAVEL XR 10 MG, 15 MG, 20 MG, 5 MG TABLET, IR/ER 24 HR., BIPHASIC MD,MO	3	QL(30 per 30 days)
DYANAVEL XR 2.5 MG/ML SUSPENSION, IR/ER BIPHASIC MD,MO	3	QL(240 per 30 days)
edaravone 30 mg/100 ml, 60 mg/100 ml SOLUTION DL,MD	4	PA
EVEKEO 10 MG, 5 MG TABLET MD,MO	1	QL(90 per 30 days)
EVEKEO ODT 10 MG, 5 MG TABLET, DISINTEGRATING MD,MO	3	QL(90 per 30 days)
EVEKEO ODT 15 MG, 20 MG TABLET, DISINTEGRATING MD,MO	3	QL(60 per 30 days)
EXSERVAN 50 MG FILM DL,MD	4	PA,QL(60 per 30 days)
EXTAVIA 0.3 MG KIT DL,MD	4	PA,QL(15 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EXTAVIA 0.3 MG RECON SOLUTION DL,MD	4	PA,QL(15 per 30 days)
<i>fingolimod 0.5 mg CAPSULE</i> MD,MO	1	PA,QL(30 per 30 days)
FIRDAPSE 10 MG TABLET DL,MD	4	PA,QL(240 per 30 days)
FOCALIN 10 MG, 2.5 MG, 5 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
FOCALIN XR 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG, 5 MG CAPSULE, ER, BIPHASIC MD,MO	3	QL(30 per 30 days)
<i>gabapentin 300 mg TABLET, ER 24 HR.</i> MO	1	ST,QL(30 per 30 days)
<i>gabapentin 600 mg TABLET, ER 24 HR.</i> MO	1	ST,QL(90 per 30 days)
GILENYA 0.25 MG, 0.5 MG CAPSULE DL,MD	4	PA,QL(30 per 30 days)
<i>glatiramer 20 mg/ml SYRINGE</i> DL,MD	4	PA,QL(30 per 30 days)
<i>glatiramer 40 mg/ml SYRINGE</i> DL,MD	4	PA,QL(12 per 28 days)
<i>glatopa 20 mg/ml SYRINGE</i> DL,MD	4	PA,QL(30 per 30 days)
<i>glatopa 40 mg/ml SYRINGE</i> DL,MD	4	PA,QL(12 per 28 days)
GRALISE 300 MG TABLET, ER 24 HR. MO	3	ST,QL(30 per 30 days)
GRALISE 450 MG, 600 MG TABLET, ER 24 HR. MO	3	ST,QL(90 per 30 days)
GRALISE 750 MG, 900 MG TABLET, ER 24 HR. MO	3	ST,QL(60 per 30 days)
<i>guanfacine 1 mg, 2 mg, 3 mg, 4 mg TABLET, ER 24 HR.</i> MD,MO	1	QL(30 per 30 days)
HORIZANT 300 MG, 600 MG TABLET ER MD,MO	3	PA,QL(60 per 30 days)
INGREZZA 40 MG, 60 MG, 80 MG CAPSULE DL,MD	4	PA,QL(30 per 30 days)
INGREZZA INITIATION PK(TARDIV) 40 MG (7)- 80 MG (21) CAPSULE, DOSE PACK DL	4	PA,QL(28 per 28 days)
INGREZZA SPRINKLE 40 MG, 60 MG, 80 MG CAPSULE, SPRINKLE DL,MD	4	PA,QL(30 per 30 days)
INTUNIV ER 1 MG, 2 MG, 3 MG, 4 MG TABLET, ER 24 HR. MD,MO	3	QL(30 per 30 days)
JORNAY PM 100 MG, 20 MG, 40 MG, 60 MG, 80 MG CAPSULE, DR, ER SPRINKLE MD,MO	3	QL(30 per 30 days)
KAPVAY 0.1 MG TABLET, ER 12 HR. MD,MO	3	QL(120 per 30 days)
KESIMPTA PEN 20 MG/0.4 ML PEN INJECTOR DL,MD	4	PA,QL(1.2 per 28 days)
LEMTRADA 12 MG/1.2 ML SOLUTION DL,MD	4	PA,QL(6 per 365 days)
<i>lisdexamfetamine 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CHEWABLE TABLET</i> MD,MO	1	PA,QL(30 per 30 days)
<i>lisdexamfetamine 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg CAPSULE</i> MD,MO	1	PA,QL(30 per 30 days)
LYRICA 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG CAPSULE MD,MO	3	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LYRICA 20 MG/ML SOLUTION MD,MO	3	PA,QL(900 per 30 days)
LYRICA 225 MG, 300 MG CAPSULE MD,MO	3	PA,QL(60 per 30 days)
LYRICA CR 165 MG, 82.5 MG TABLET, ER 24 HR. MD,MO	3	PA,QL(30 per 30 days)
LYRICA CR 330 MG TABLET, ER 24 HR. MD,MO	3	PA,QL(60 per 30 days)
MAVENCLAD (10 TABLET PACK) 10 MG TABLET DL,MD	4	PA
MAVENCLAD (4 TABLET PACK) 10 MG TABLET DL,MD	4	PA
MAVENCLAD (5 TABLET PACK) 10 MG TABLET DL,MD	4	PA
MAVENCLAD (6 TABLET PACK) 10 MG TABLET DL,MD	4	PA
MAVENCLAD (7 TABLET PACK) 10 MG TABLET DL,MD	4	PA
MAVENCLAD (8 TABLET PACK) 10 MG TABLET DL,MD	4	PA
MAVENCLAD (9 TABLET PACK) 10 MG TABLET DL,MD	4	PA
MAYZENT 0.25 MG TABLET DL,MD	4	PA,QL(120 per 30 days)
MAYZENT 1 MG, 2 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) 0.25 MG (7 TABS) TABLET, DOSE PACK DL	4	PA,QL(7 per 30 days)
MAYZENT STARTER(FOR 2MG MAINT) 0.25 MG (12 TABS) TABLET, DOSE PACK DL	4	PA,QL(12 per 30 days)
METADATE CD 10 MG, 40 MG, 50 MG, 60 MG CAPSULE, ER, BIPHASIC MD,MO	3	QL(30 per 30 days)
METADATE CD 20 MG, 30 MG CAPSULE, ER, BIPHASIC MD,MO	3	QL(60 per 30 days)
metadate er 20 mg TABLET ER MD,MO	1	QL(90 per 30 days)
methamphetamine 5 mg TABLET DL,MD	4	QL(150 per 30 days)
METHYLIN 10 MG/5 ML SOLUTION MD,MO	3	PA,QL(900 per 30 days)
METHYLIN 5 MG/5 ML SOLUTION MD,MO	3	PA,QL(1800 per 30 days)
methylphenidate 10 mg/9 hr, 15 mg/9 hr, 20 mg/9 hr, 30 mg/9 hr PATCH, 24 HR. MD,MO	1	QL(30 per 30 days)
methylphenidate hcl 10 mg CHEWABLE TABLET MD,MO	1	QL(180 per 30 days)
methylphenidate hcl 10 mg TABLET ER MD,MO	1	QL(180 per 30 days)
methylphenidate hcl 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER SPRINKLE, BIPHASIC MD,MO	3	QL(30 per 30 days)
methylphenidate hcl 10 mg, 20 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER, BIPHASIC MD,MO	1	QL(30 per 30 days)
methylphenidate hcl 10 mg, 20 mg, 5 mg TABLET MD,MO	1	QL(90 per 30 days)
methylphenidate hcl 10 mg/5 ml SOLUTION MD,MO	1	QL(900 per 30 days)
methylphenidate hcl 18 mg, 27 mg, 54 mg, 72 mg TABLET, ER 24 HR. MD,MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>methylphenidate hcl 2.5 mg, 5 mg CHEWABLE TABLET</i> MD,MO	1	QL(150 per 30 days)
<i>methylphenidate hcl 20 mg TABLET ER</i> MD,MO	1	QL(90 per 30 days)
<i>methylphenidate hcl 20 mg, 30 mg CAPSULE, ER, BIPHASIC</i> MD,MO	1	QL(60 per 30 days)
<i>methylphenidate hcl 36 mg TABLET, ER 24 HR.</i> MD,MO	1	QL(60 per 30 days)
<i>methylphenidate hcl 45 mg, 63 mg TABLET, ER 24 HR.</i> MD,MO	3	QL(30 per 30 days)
<i>methylphenidate hcl 5 mg/5 ml SOLUTION</i> MD,MO	1	QL(1800 per 30 days)
MYDAYIS 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE ER TRIPHASIC 24 HR. MD,MO	3	QL(30 per 30 days)
NUJEXTA 20-10 MG CAPSULE DL	4	PA,QL(60 per 30 days)
OCREVUS 30 MG/ML SOLUTION MD	4	PA,QL(40 per 365 days)
ONYDA XR 0.1 MG/ML SUSPENSION, ER 24 HR. DL,MD	4	QL(120 per 30 days)
PLEGRIDY 125 MCG/0.5 ML PEN INJECTOR DL,MD	4	PA,QL(1 per 28 days)
PLEGRIDY 125 MCG/0.5 ML SYRINGE DL,MD	4	PA,QL(1 per 28 days)
PLEGRIDY 63 MCG/0.5 ML - 94 MCG/0.5 ML PEN INJECTOR DL	4	PA,QL(1 per 28 days)
PLEGRIDY 63 MCG/0.5 ML - 94 MCG/0.5 ML SYRINGE DL	4	PA,QL(1 per 28 days)
PONVORY 20 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
PONVORY 14-DAY STARTER PACK 2 MG (2) - 10 MG (3) TABLET, DOSE PACK DL	4	PA,QL(14 per 30 days)
<i>pregabalin 100 mg, 150 mg, 50 mg, 75 mg CAPSULE</i> MD,MO	1	QL(90 per 30 days)
<i>pregabalin 165 mg, 82.5 mg TABLET, ER 24 HR.</i> MD,MO	1	PA,QL(30 per 30 days)
<i>pregabalin 20 mg/ml SOLUTION</i> MD,MO	1	QL(900 per 30 days)
<i>pregabalin 200 mg, 25 mg CAPSULE</i> MD,MO	1	QL(90 per 30 days)
<i>pregabalin 225 mg, 300 mg CAPSULE</i> MD,MO	1	QL(60 per 30 days)
<i>pregabalin 330 mg TABLET, ER 24 HR.</i> MD,MO	1	PA,QL(60 per 30 days)
<i>procentra 5 mg/5 ml SOLUTION</i> DL,MD	4	QL(1800 per 30 days)
QALSODY 100 MG/15 ML (6.7 MG/ML) SOLUTION DL,MD	4	PA
QELBREE 100 MG CAPSULE, ER 24 HR. MD,MO	3	PA,QL(30 per 30 days)
QELBREE 150 MG, 200 MG CAPSULE, ER 24 HR. MD,MO	3	PA,QL(60 per 30 days)
QUILLICHEW ER 20 MG, 40 MG CHEWABLE TABLET, IR/ER BIPHASE MD,MO	3	QL(30 per 30 days)
QUILLICHEW ER 30 MG CHEWABLE TABLET, IR/ER BIPHASE MD,MO	3	QL(60 per 30 days)
QUILLIVANT XR 5 MG/ML (25 MG/5 ML) SUSPENSION, ER, RECON MD,MO	3	QL(360 per 30 days)
RADICAVA 30 MG/100 ML SOLUTION DL,MD	4	PA
RADICAVA ORS 105 MG/5 ML SUSPENSION DL,MD	4	PA,QL(70 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RADICAVA ORS STARTER KIT SUSP 105 MG/5 ML SUSPENSION DL,MD	4	PA,QL(70 per 28 days)
REBIF (WITH ALBUMIN) 22 MCG/0.5 ML, 44 MCG/0.5 ML SYRINGE DL,MD	4	PA,QL(6 per 28 days)
REBIF REBIDOSE 22 MCG/0.5 ML, 44 MCG/0.5 ML PEN INJECTOR DL,MD	4	PA,QL(6 per 28 days)
REBIF REBIDOSE 8.8MCG/0.2ML-22 MCG/0.5ML (6) PEN INJECTOR DL	4	PA,QL(4.2 per 28 days)
REBIF TITRATION PACK 8.8MCG/0.2ML-22 MCG/0.5ML (6) SYRINGE DL	4	PA,QL(4.2 per 28 days)
RELEXXII 18 MG, 27 MG, 45 MG, 54 MG, 63 MG, 72 MG TABLET, ER 24 HR. MD,MO	3	QL(30 per 30 days)
RELEXXII 36 MG TABLET, ER 24 HR. MD,MO	3	QL(60 per 30 days)
RILUTEK 50 MG TABLET DL,MD	4	
<i>riluzole 50 mg TABLET</i> MD,MO	1	
RITALIN 10 MG, 20 MG, 5 MG TABLET MD,MO	3	PA,QL(90 per 30 days)
RITALIN LA 10 MG, 20 MG, 40 MG CAPSULE, ER, BIPHASIC MD,MO	3	PA,QL(30 per 30 days)
RITALIN LA 30 MG CAPSULE, ER, BIPHASIC MD,MO	3	PA,QL(60 per 30 days)
SAVELLA 100 MG, 12.5 MG, 25 MG, 50 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
SAVELLA 12.5 MG (5)-25 MG(8)-50 MG(42) TABLET, DOSE PACK MO	3	PA,QL(55 per 28 days)
SKYCLARYS 50 MG CAPSULE DL,MD	4	PA,QL(90 per 30 days)
STRATTERA 10 MG, 18 MG, 25 MG, 40 MG CAPSULE MD,MO	3	PA,QL(60 per 30 days)
STRATTERA 100 MG, 60 MG, 80 MG CAPSULE MD,MO	3	PA,QL(30 per 30 days)
TASCENSO ODT 0.25 MG, 0.5 MG TABLET, DISINTEGRATING DL,MD	4	PA,QL(30 per 30 days)
TECFIDERA 120 MG (14)- 240 MG (46) CAPSULE, DR/EC DL	4	PA,QL(60 per 30 days)
TECFIDERA 120 MG CAPSULE, DR/EC DL,MD	4	PA,QL(14 per 30 days)
TECFIDERA 240 MG CAPSULE, DR/EC DL,MD	4	PA,QL(60 per 30 days)
TEGLUTIK 50 MG/10 ML SUSPENSION DL,MD	4	PA,QL(600 per 30 days)
<i>teriflunomide 14 mg, 7 mg TABLET</i> MD,MO	1	PA,QL(30 per 30 days)
<i>tetrabenazine 12.5 mg TABLET</i> MD,MO	1	PA,QL(240 per 30 days)
<i>tetrabenazine 25 mg TABLET</i> MD,MO	1	PA,QL(120 per 30 days)
TIGLUTIK 50 MG/10 ML SUSPENSION DL,MD	4	PA,QL(600 per 30 days)
TYSABRI 300 MG/15 ML SOLUTION DL,MD	4	PA,QL(15 per 28 days)
VEOZAH 45 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
VUMERITY 231 MG CAPSULE, DR/EC DL,MD	4	PA,QL(120 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CHEWABLE TABLET MD,MO	3	PA,QL(30 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG CAPSULE MD,MO	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XELSTRYM 13.5 MG/9 HOUR, 18 MG/9 HOUR, 4.5 MG/9 HOUR, 9 MG/9 HOUR PATCH, 24 HR. MD,MO	3	QL(30 per 30 days)
XENAZINE 12.5 MG TABLET DL,MD	4	PA,QL(240 per 30 days)
XENAZINE 25 MG TABLET DL,MD	4	PA,QL(120 per 30 days)
zenzedi 10 mg TABLET MD,MO	1	QL(180 per 30 days)
ZENZEDI 15 MG TABLET MD,MO	1	QL(120 per 30 days)
ZENZEDI 2.5 MG, 20 MG, 7.5 MG TABLET MD,MO	1	QL(90 per 30 days)
ZENZEDI 30 MG TABLET MD,MO	1	QL(60 per 30 days)
zenzedi 5 mg TABLET MD,MO	1	QL(150 per 30 days)
ZEPOSIA 0.92 MG CAPSULE DL,MD	4	PA,QL(30 per 30 days)
ZEPOSIA STARTER KIT (28-DAY) 0.23 MG-0.46 MG -0.92 MG (21) CAPSULE, DOSE PACK DL	4	PA,QL(28 per 28 days)
ZEPOSIA STARTER KIT (37-DAY) 0.23 MG-0.46 MG -0.92 MG (30) CAPSULE, DOSE PACK	4	PA,QL(37 per 37 days)
ZEPOSIA STARTER PACK (7-DAY) 0.23 MG (4)- 0.46 MG (3) CAPSULE, DOSE PACK DL	4	PA,QL(7 per 7 days)
DENTAL & ORAL AGENTS		
cevimeline 30 mg CAPSULE MD,MO	1	
chlorhexidine gluconate 0.12 % MOUTHWASH MO	1	
EVOXAC 30 MG CAPSULE MD,MO	3	PA
KEPIVANCE 5.16 MG, 6.25 MG RECON SOLUTION DL	4	
kourzeq 0.1 % PASTE MO	1	
oralone 0.1 % PASTE MO	1	
periogard 0.12 % MOUTHWASH MO	1	
pilocarpine hcl 5 mg, 7.5 mg TABLET MD,MO	1	
SALAGEN (PILOCARPINE) 5 MG, 7.5 MG TABLET MD,MO	3	
triamcinolone acetonide 0.1 % PASTE MO	1	
DERMATOLOGICAL AGENTS		
ABSORICA 10 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG CAPSULE DL	4	ST
ABSORICA LD 16 MG, 24 MG, 32 MG, 8 MG CAPSULE DL	4	ST
ACANYA 1.2-2.5 % GEL WITH PUMP MO	3	QL(50 per 30 days)
accutane 10 mg, 20 mg, 30 mg, 40 mg CAPSULE MO	1	
acitretin 10 mg, 17.5 mg, 25 mg CAPSULE MO	1	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ACZONE 5 % GEL MO	3	QL(90 per 30 days)
ACZONE 7.5 % GEL WITH PUMP MO	3	QL(90 per 30 days)
adapalene 0.1 % CREAM MO	1	QL(45 per 30 days)
adapalene 0.1 % SOLUTION DL	4	QL(60 per 30 days)
adapalene 0.1 % SWAB MO	1	QL(30 per 30 days)
adapalene 0.3 % GEL MO	1	QL(45 per 30 days)
adapalene 0.3 % GEL WITH PUMP MO	1	QL(45 per 30 days)
adapalene-benzoyl peroxide 0.1-2.5 % GEL WITH PUMP MO	1	QL(45 per 30 days)
adapalene-benzoyl peroxide 0.3-2.5 % GEL WITH PUMP MO	1	QL(60 per 30 days)
ADBRY 150 MG/ML SYRINGE DL,MD	4	PA,QL(6 per 28 days)
ADBRY 300 MG/2 ML AUTO-INJECTOR DL,MD	4	PA,QL(6 per 28 days)
AKLIEF 0.005 % CREAM MO	3	PA,QL(90 per 30 days)
ALA-CORT 1 % CREAM MO	1	QL(240 per 30 days)
ALA-SCALP 2 % LOTION MO	1	QL(236.8 per 30 days)
alclometasone 0.05 % CREAM MO	1	QL(240 per 30 days)
alclometasone 0.05 % OINTMENT MO	1	QL(240 per 30 days)
ALTABAX 1 % OINTMENT MO	3	
ALTRENO 0.05 % LOTION MO	3	PA,QL(90 per 30 days)
amcinonide 0.1 % CREAM MO	1	QL(120 per 30 days)
amcinonide 0.1 % OINTMENT DL	4	ST,QL(120 per 30 days)
ammonium lactate 12 % CREAM MO	1	
ammonium lactate 12 % LOTION MO	1	
amnesteem 10 mg, 20 mg, 40 mg CAPSULE MO	1	
anusol-hc 2.5 % CREAM W/PERINEAL APPLICATOR MO	1	QL(60 per 30 days)
apexicon e 0.05 % CREAM MO	1	QL(60 per 30 days)
ARAZLO 0.045 % LOTION MO	3	PA
ATRALIN 0.05 % GEL MO	3	PA,QL(45 per 30 days)
AVITA 0.025 % CREAM MO	3	PA,QL(45 per 30 days)
AVITA 0.025 % GEL MO	3	PA,QL(45 per 30 days)
azelaic acid 15 % GEL MO	1	ST,QL(50 per 30 days)
AZELEX 20 % CREAM MO	3	QL(50 per 30 days)
BENZAMYCIN 3-5 % GEL MO	3	QL(46.6 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>bese</i> 0.05 % LOTION MO	1	QL(240 per 30 days)
<i>betamethasone dipropionate</i> 0.05 % CREAM MO	1	QL(90 per 30 days)
<i>betamethasone dipropionate</i> 0.05 % LOTION MO	1	QL(120 per 30 days)
<i>betamethasone dipropionate</i> 0.05 % OINTMENT MO	1	QL(90 per 30 days)
<i>betamethasone valerate</i> 0.1 % CREAM MO	1	QL(180 per 30 days)
<i>betamethasone valerate</i> 0.1 % LOTION MO	1	QL(120 per 30 days)
<i>betamethasone valerate</i> 0.1 % OINTMENT MO	1	QL(180 per 30 days)
<i>betamethasone valerate</i> 0.12 % FOAM MO	1	QL(200 per 30 days)
<i>betamethasone, augmented</i> 0.05 % CREAM MO	1	QL(100 per 30 days)
<i>betamethasone, augmented</i> 0.05 % GEL MO	1	QL(100 per 30 days)
<i>betamethasone, augmented</i> 0.05 % LOTION MO	1	QL(120 per 30 days)
<i>betamethasone, augmented</i> 0.05 % OINTMENT MO	1	QL(100 per 30 days)
<i>brimonidine</i> 0.33 % GEL WITH PUMP MO	1	ST,QL(30 per 30 days)
BRYHALI 0.01 % LOTION MO	3	ST,QL(200 per 30 days)
CABTREO 0.15-3.1-1.2 % GEL MO	3	QL(50 per 30 days)
<i>calcipotriene</i> 0.005 % CREAM MO	1	PA,QL(120 per 30 days)
<i>calcipotriene</i> 0.005 % FOAM MO	1	ST,QL(120 per 28 days)
<i>calcipotriene</i> 0.005 % OINTMENT MO	1	QL(240 per 30 days)
<i>calcipotriene</i> 0.005 % SOLUTION MO	1	QL(60 per 30 days)
<i>calcipotriene-betamethasone</i> 0.005-0.064 % OINTMENT MO	1	PA,QL(60 per 30 days)
<i>calcipotriene-betamethasone</i> 0.005-0.064 % SUSPENSION MO	1	PA,QL(420 per 30 days)
<i>calcitriol</i> 3 mcg/gram OINTMENT MO	1	ST,QL(800 per 28 days)
CAPEX 0.01 % SHAMPOO MO	3	QL(840 per 30 days)
CARAC 0.5 % CREAM DL	4	PA,QL(60 per 30 days)
CENTANY 2 % OINTMENT MO	3	
<i>claravis</i> 10 mg, 20 mg, 30 mg, 40 mg CAPSULE MO	1	
CLEOCIN T 1 % LOTION MO	3	QL(60 per 30 days)
<i>clindacin</i> 1 % FOAM MO	1	QL(100 per 30 days)
<i>clindacin etz</i> 1 % SWAB MO	1	
<i>clindacin p</i> 1 % SWAB MO	1	
CLINDAGEL 1 % GEL, ONCE DAILY DL	4	PA,QL(75 per 30 days)
<i>clindamycin phosphate</i> 1 % FOAM MO	1	QL(100 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
clindamycin phosphate 1 % GEL MO	1	QL(60 per 30 days)
clindamycin phosphate 1 % GEL, ONCE DAILY MO	1	PA,QL(75 per 30 days)
clindamycin phosphate 1 % LOTION MO	1	QL(60 per 30 days)
clindamycin phosphate 1 % SOLUTION MO	1	QL(60 per 30 days)
clindamycin phosphate 1 % SWAB MO	1	
clindamycin-benzoyl peroxide 1-5 % GEL MO	1	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1-5 %, 1.2 %(1 % base) -3.75 %, 1.2-2.5 % GEL WITH PUMP MO	1	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1.2 %(1 % base) -5 % GEL MO	1	QL(45 per 30 days)
clindamycin-tretinoin 1.2-0.025 % GEL MO	1	QL(60 per 30 days)
clobetasol 0.05 % CREAM MO	1	QL(120 per 30 days)
clobetasol 0.05 % FOAM MO	1	QL(100 per 28 days)
clobetasol 0.05 % GEL MO	1	QL(120 per 28 days)
clobetasol 0.05 % LOTION MO	1	QL(240 per 28 days)
clobetasol 0.05 % OINTMENT MO	1	QL(120 per 28 days)
clobetasol 0.05 % SHAMPOO MO	1	QL(240 per 30 days)
clobetasol 0.05 % SOLUTION MO	1	QL(100 per 30 days)
clobetasol 0.05 % SPRAY, NON-AEROSOL MO	1	QL(240 per 30 days)
clobetasol-emollient 0.05 % CREAM MO	1	QL(120 per 30 days)
clobetasol-emollient 0.05 % FOAM MO	1	QL(100 per 30 days)
CLOBEX 0.05 % LOTION MO	3	ST,QL(240 per 28 days)
CLOBEX 0.05 % SHAMPOO MO	3	ST,QL(240 per 30 days)
CLOBEX 0.05 % SPRAY, NON-AEROSOL MO	3	ST,QL(240 per 30 days)
clocortolone pivalate 0.1 % CREAM MO	1	QL(180 per 30 days)
clodan 0.05 % SHAMPOO MO	1	QL(240 per 30 days)
CONDYLOX 0.5 % GEL MO	3	
CORDRAN 0.025 % CREAM MO	3	ST,QL(240 per 30 days)
CORDRAN 0.05 % CREAM DL	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % LOTION DL	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % OINTMENT MO	3	ST,QL(240 per 30 days)
CORDRAN TAPE LARGE ROLL 4 MCG/CM2 TAPE MO	3	QL(2 per 30 days)
CORTEF 10 MG, 20 MG, 5 MG TABLET MD,MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>crotan 10 % LOTION</i> DL	4	PA,QL(454 per 30 days)
<i>dapsone 5 % GEL</i> MO	1	QL(90 per 30 days)
<i>dapsone 7.5 % GEL WITH PUMP</i> MO	1	QL(90 per 30 days)
DERMA-SMOOTHIE/FS BODY OIL 0.01 % OIL MO	3	QL(118.28 per 30 days)
DERMA-SMOOTHIE/FS SCALP OIL 0.01 % OIL MO	3	QL(118.28 per 30 days)
<i>desonide 0.05 % CREAM</i> MO	1	QL(240 per 30 days)
<i>desonide 0.05 % GEL</i> MO	1	QL(240 per 30 days)
<i>desonide 0.05 % LOTION</i> MO	1	QL(240 per 30 days)
<i>desonide 0.05 % OINTMENT</i> MO	1	QL(240 per 30 days)
DESOWEN 0.05 % CREAM MO	3	QL(240 per 30 days)
<i>desoximetasone 0.05 % CREAM</i> MO	1	QL(240 per 30 days)
<i>desoximetasone 0.05 % GEL</i> MO	1	QL(240 per 30 days)
<i>desoximetasone 0.05 % OINTMENT</i> MO	1	QL(240 per 30 days)
<i>desoximetasone 0.25 % CREAM</i> MO	1	QL(120 per 30 days)
<i>desoximetasone 0.25 % OINTMENT</i> MO	1	QL(120 per 30 days)
<i>desoximetasone 0.25 % SPRAY, NON-AEROSOL</i> MO	1	QL(100 per 30 days)
<i>desrx 0.05 % GEL</i> MO	1	QL(240 per 30 days)
<i>diclofenac sodium 3 % GEL</i> MO	1	PA
DIFFERIN 0.1 % CREAM MO	3	PA,QL(45 per 30 days)
DIFFERIN 0.1 % LOTION MO	3	QL(59 per 30 days)
DIFFERIN 0.3 % GEL WITH PUMP MO	3	QL(45 per 30 days)
<i>diflorasone 0.05 % CREAM</i> DL	4	QL(120 per 30 days)
<i>diflorasone 0.05 % OINTMENT</i> MO	3	QL(120 per 30 days)
DIPROLENE (AUGMENTED) 0.05 % OINTMENT MO	3	QL(100 per 30 days)
DOVONEX 0.005 % CREAM MO	3	PA,QL(120 per 30 days)
<i>doxepin 5 % CREAM</i> DL	4	PA,QL(45 per 30 days)
DUOBRII 0.01-0.045 % LOTION MO	3	PA,QL(200 per 28 days)
EBGLYSS PEN 250 MG/2 ML PEN INJECTOR DL,MD	4	PA,QL(8 per 28 days)
EFUDEX 5 % CREAM MO	3	PA
ELIDEL 1 % CREAM MO	3	PA,QL(100 per 30 days)
ELIMITE 5 % CREAM MO	3	
ENSTILAR 0.005-0.064 % FOAM MO	3	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EPIDUO 0.1-2.5 % GEL WITH PUMP MO	3	QL(45 per 30 days)
EPIDUO FORTE 0.3-2.5 % GEL WITH PUMP MO	3	QL(60 per 30 days)
EPIFOAM 1-1 % FOAM MO	1	
EPSOLAY 5 % CREAM MO	3	ST,QL(30 per 30 days)
<i>ery pads</i> 2 % SWAB MO	1	QL(60 per 30 days)
ERYGEL 2 % GEL MO	1	QL(60 per 30 days)
<i>erythromycin with ethanol</i> 2 % GEL MO	1	QL(60 per 30 days)
<i>erythromycin with ethanol</i> 2 % SOLUTION MO	1	QL(120 per 30 days)
<i>erythromycin-benzoyl peroxide</i> 3-5 % GEL MO	1	QL(46.6 per 30 days)
EUCRISA 2 % OINTMENT MO	3	PA,QL(100 per 30 days)
EURAX 10 % CREAM MO	3	PA
EURAX 10 % LOTION MO	3	PA,QL(454 per 30 days)
EVOCLIN 1 % FOAM MO	3	PA,QL(100 per 30 days)
FABIOR 0.1 % FOAM MO	3	PA,QL(100 per 30 days)
FINACEA 15 % FOAM MO	3	ST,QL(50 per 30 days)
FINACEA 15 % GEL MO	3	ST,QL(50 per 30 days)
<i>fluocinolone</i> 0.01 % OIL MO	1	QL(118.28 per 30 days)
<i>fluocinolone</i> 0.01 % SOLUTION MO	1	QL(180 per 30 days)
<i>fluocinolone</i> 0.01 %, 0.025 % CREAM MO	1	QL(120 per 30 days)
<i>fluocinolone</i> 0.025 % OINTMENT MO	1	QL(120 per 30 days)
<i>fluocinolone and shower cap</i> 0.01 % OIL MO	1	QL(118.28 per 30 days)
<i>fluocinonide</i> 0.05 % CREAM MO	1	QL(120 per 30 days)
<i>fluocinonide</i> 0.05 % GEL MO	1	QL(120 per 30 days)
<i>fluocinonide</i> 0.05 % OINTMENT MO	1	QL(120 per 30 days)
<i>fluocinonide</i> 0.05 % SOLUTION MO	1	QL(120 per 30 days)
<i>fluocinonide</i> 0.1 % CREAM MO	1	QL(120 per 28 days)
<i>fluocinonide-e</i> 0.05 % CREAM MO	1	QL(120 per 30 days)
<i>fluocinonide-emollient</i> 0.05 % CREAM MO	1	QL(120 per 30 days)
FLUOROPLEX 1 % CREAM DL	4	
<i>fluorouracil</i> 0.5 % CREAM DL	4	QL(60 per 30 days)
<i>fluorouracil</i> 2 % SOLUTION MO	1	QL(30 per 30 days)
<i>fluorouracil</i> 5 % CREAM MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluorouracil 5 % SOLUTION MO	1	QL(60 per 30 days)
flurandrenolide 0.05 % CREAM MO	1	QL(240 per 30 days)
flurandrenolide 0.05 % LOTION MO	3	QL(240 per 30 days)
flurandrenolide 0.05 % OINTMENT MO	1	QL(240 per 30 days)
fluticasone propionate 0.005 % OINTMENT MO	1	QL(240 per 30 days)
fluticasone propionate 0.05 % CREAM MO	1	QL(240 per 30 days)
fluticasone propionate 0.05 % LOTION MO	1	QL(240 per 30 days)
halcinonide 0.1 % CREAM DL	4	QL(120 per 30 days)
halcinonide 0.1 % SOLUTION MO	1	QL(120 per 30 days)
halobetasol propionate 0.05 % CREAM MO	1	QL(100 per 30 days)
halobetasol propionate 0.05 % FOAM MO	3	PA,QL(100 per 30 days)
halobetasol propionate 0.05 % OINTMENT MO	1	QL(100 per 30 days)
HALOG 0.1 % CREAM DL	4	QL(120 per 30 days)
HALOG 0.1 % OINTMENT MO	3	QL(120 per 30 days)
HALOG 0.1 % SOLUTION MO	3	QL(120 per 30 days)
hydrocortisone 1 % CREAM W/PERINEAL APPLICATOR MO	1	QL(28.4 per 30 days)
hydrocortisone 1 %, 2.5 % CREAM MO	1	QL(240 per 30 days)
hydrocortisone 1 %, 2.5 % OINTMENT MO	1	QL(240 per 30 days)
hydrocortisone 10 mg, 20 mg, 5 mg TABLET MD,MO	1	
hydrocortisone 2 % LOTION DL	4	QL(236.8 per 30 days)
hydrocortisone 2.5 % CREAM W/PERINEAL APPLICATOR MO	1	QL(60 per 30 days)
hydrocortisone 2.5 % LOTION MO	1	QL(236 per 30 days)
hydrocortisone butyr-emollient 0.1 % CREAM MO	1	QL(240 per 30 days)
hydrocortisone butyrate 0.1 % CREAM MO	1	QL(240 per 30 days)
hydrocortisone butyrate 0.1 % LOTION MO	1	QL(236 per 30 days)
hydrocortisone butyrate 0.1 % OINTMENT MO	1	QL(180 per 30 days)
hydrocortisone butyrate 0.1 % SOLUTION MO	1	QL(240 per 30 days)
hydrocortisone valerate 0.2 % CREAM MO	1	QL(240 per 30 days)
hydrocortisone valerate 0.2 % OINTMENT MO	1	QL(240 per 30 days)
HYFTOR 0.2 % GEL DL,MD	4	PA
imiquimod 3.75 % CREAM IN PACKET MO	3	ST,QL(28 per 28 days)
imiquimod 3.75 % CREAM, METERED DOSE PUMP DL	4	ST,QL(15 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>imiquimod</i> 5 % CREAM IN PACKET MO	1	QL(12 per 30 days)
IMPEKLO 0.05 % LOTION IN METERED DOSE PUMP DL	4	ST,QL(136 per 28 days)
<i>isotretinoin</i> 10 mg, 20 mg, 30 mg, 40 mg CAPSULE MO	1	
<i>isotretinoin</i> 25 mg, 35 mg CAPSULE DL	4	
<i>ivermectin</i> 1 % CREAM MO	1	ST,QL(45 per 30 days)
KLISYRI 1 % OINTMENT IN PACKET DL	4	PA,QL(5 per 30 days)
LEXETTE 0.05 % FOAM MO	3	PA,QL(100 per 30 days)
<i>lindane</i> 1 % SHAMPOO MO	1	QL(60 per 30 days)
LOCOID 0.1 % LOTION MO	3	QL(236 per 30 days)
LOCOID LIPOCREAM 0.1 % CREAM MO	3	QL(240 per 30 days)
LUXIQ 0.12 % FOAM MO	3	ST,QL(200 per 30 days)
<i>mafenide acetate</i> 50 gram PACKET MO	1	
<i>malathion</i> 0.5 % LOTION MO	1	
<i>methoxsalen</i> 10 mg CAPSULE, LIQ FILLED, RAPID REL MO	1	
MIRVASO 0.33 % GEL WITH PUMP MO	3	ST,QL(30 per 30 days)
<i>mometasone</i> 0.1 % CREAM MO	1	QL(180 per 30 days)
<i>mometasone</i> 0.1 % OINTMENT MO	1	QL(180 per 30 days)
<i>mometasone</i> 0.1 % SOLUTION MO	1	QL(180 per 30 days)
<i>mupirocin</i> 2 % OINTMENT MO	1	
<i>mupirocin calcium</i> 2 % CREAM MO	1	ST
<i>myorisan</i> 10 mg, 20 mg, 30 mg, 40 mg CAPSULE MO	1	
NATROBA 0.9 % SUSPENSION MO	3	QL(240 per 30 days)
NEO-SYNALAR 0.5 % (0.35 % BASE)-0.025 % CREAM MO	3	
<i>neuac</i> 1.2 %(1 % base) -5 % GEL MO	1	QL(45 per 30 days)
OLUX 0.05 % FOAM MO	3	PA,QL(100 per 28 days)
OLUX-E 0.05 % FOAM MO	3	PA,QL(100 per 30 days)
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL MO	3	
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL WITH PUMP MO	3	QL(50 per 30 days)
OPZELURA 1.5 % CREAM DL	4	PA,QL(240 per 28 days)
OTEZLA 20 MG, 30 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
OTEZLA STARTER 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47) TABLET, DOSE PACK DL	4	PA,QL(55 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG(19) TABLET, DOSE PACK DL	4	PA,QL(27 per 30 days)
OVIDE 0.5 % LOTION MO	3	PA
PANDEL 0.1 % CREAM DL	4	QL(160 per 30 days)
<i>permethrin</i> 5 % CREAM MO	1	
<i>pimecrolimus</i> 1 % CREAM MO	1	PA,QL(100 per 30 days)
<i>podofilox</i> 0.5 % GEL MO	1	
<i>podofilox</i> 0.5 % SOLUTION MO	1	QL(7 per 30 days)
<i>prednicarbate</i> 0.1 % CREAM MO	1	QL(240 per 30 days)
<i>prednicarbate</i> 0.1 % OINTMENT MO	1	QL(240 per 30 days)
<i>procto-med hc</i> 2.5 % CREAM W/PERINEAL APPLICATOR MO	1	QL(60 per 30 days)
<i>proctosol hc</i> 2.5 % CREAM W/PERINEAL APPLICATOR MO	1	QL(60 per 30 days)
<i>proctozone-hc</i> 2.5 % CREAM W/PERINEAL APPLICATOR MO	1	QL(60 per 30 days)
PROTOPIC 0.03 %, 0.1 % OINTMENT MO	3	QL(200 per 30 days)
PRUDOXIN 5 % CREAM DL	4	PA,QL(45 per 30 days)
REGRANEX 0.01 % GEL DL	4	PA
RETIN-A 0.01 %, 0.025 % GEL MO	3	PA,QL(45 per 30 days)
RETIN-A 0.025 %, 0.05 %, 0.1 % CREAM MO	3	PA,QL(45 per 30 days)
RETIN-A MICRO 0.04 % GEL DL	4	PA,QL(45 per 30 days)
RETIN-A MICRO 0.1 % GEL MO	3	PA,QL(45 per 30 days)
RETIN-A MICRO PUMP 0.04 %, 0.1 % GEL WITH PUMP DL	4	PA,QL(50 per 30 days)
RETIN-A MICRO PUMP 0.06 %, 0.08 % GEL WITH PUMP MO	3	PA,QL(50 per 30 days)
SANTYL 250 UNIT/GRAM OINTMENT MO	3	PA,QL(180 per 30 days)
<i>selenium sulfide</i> 2.5 % LOTION MO	1	QL(120 per 30 days)
SILVADENE 1 % CREAM MO	2	
<i>silver sulfadiazine</i> 1 % CREAM MO	1	
SOOLANTRA 1 % CREAM MO	3	ST,QL(45 per 30 days)
SORILUX 0.005 % FOAM DL	4	ST,QL(120 per 28 days)
<i>spinosad</i> 0.9 % SUSPENSION MO	3	QL(240 per 30 days)
SSD 1 % CREAM MO	1	
SULFAMYLON 50 GRAM PACKET MO	3	
SULFAMYLON 85 MG/G CREAM MO	3	
SYNALAR 0.01 % SOLUTION MO	3	QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TACLONEX 0.005-0.064 % OINTMENT DL	4	PA,QL(60 per 30 days)
TACLONEX 0.005-0.064 % SUSPENSION DL	4	PA,QL(420 per 30 days)
<i>tacrolimus</i> 0.03 %, 0.1 % OINTMENT MO	1	QL(200 per 30 days)
<i>tazarotene</i> 0.05 % CREAM MO	1	PA,QL(120 per 30 days)
<i>tazarotene</i> 0.05 %, 0.1 % GEL MO	1	PA,QL(200 per 30 days)
<i>tazarotene</i> 0.1 % CREAM MO	1	QL(120 per 30 days)
<i>tazarotene</i> 0.1 % FOAM DL	4	PA,QL(100 per 30 days)
TAZORAC 0.05 %, 0.1 % CREAM MO	3	PA,QL(120 per 30 days)
TAZORAC 0.05 %, 0.1 % GEL MO	3	PA,QL(200 per 30 days)
TEMOVATE 0.05 % OINTMENT MO	3	PA,QL(120 per 28 days)
TEXACORT 2.5 % SOLUTION MO	1	QL(240 per 30 days)
TOPICORT 0.05 % CREAM MO	1	QL(240 per 30 days)
TOPICORT 0.05 % GEL MO	1	QL(240 per 30 days)
TOPICORT 0.05 % OINTMENT MO	3	QL(240 per 30 days)
TOPICORT 0.25 % CREAM MO	1	QL(120 per 30 days)
TOPICORT 0.25 % OINTMENT MO	1	QL(120 per 30 days)
TOPICORT 0.25 % SPRAY, NON-AEROSOL MO	3	QL(100 per 30 days)
<i>tovet emollient</i> 0.05 % FOAM MO	1	QL(100 per 30 days)
<i>tretinoin</i> 0.01 %, 0.025 %, 0.05 % GEL MO	1	PA,QL(45 per 30 days)
<i>tretinoin</i> 0.025 %, 0.05 %, 0.1 % CREAM MO	1	PA,QL(45 per 30 days)
<i>tretinoin microspheres</i> 0.04 %, 0.08 %, 0.1 % GEL WITH PUMP MO	1	PA,QL(50 per 30 days)
<i>tretinoin microspheres</i> 0.04 %, 0.1 % GEL MO	1	PA,QL(45 per 30 days)
TWYNEO 0.1-3 % CREAM MO	3	QL(30 per 30 days)
ULTRAVATE 0.05 % LOTION MO	3	QL(120 per 30 days)
VANOS 0.1 % CREAM MO	3	QL(120 per 28 days)
VECTICAL 3 MCG/GRAM OINTMENT DL	4	ST,QL(800 per 28 days)
VELTIN 1.2-0.025 % GEL MO	3	PA,QL(60 per 30 days)
VERDESO 0.05 % FOAM DL	4	QL(200 per 30 days)
VEREGEN 15 % OINTMENT DL	4	QL(30 per 30 days)
VTAMA 1 % CREAM DL	4	PA,QL(60 per 30 days)
WINLEVI 1 % CREAM MO	3	PA
<i>zenatane</i> 10 mg, 20 mg, 30 mg, 40 mg CAPSULE MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZIANA 1.2-0.025 % GEL MO	3	PA,QL(60 per 30 days)
ZONALON 5 % CREAM MO	3	PA,QL(45 per 30 days)
ZORYVE 0.15 %, 0.3 % CREAM DL	4	PA,QL(120 per 30 days)
ZORYVE 0.3 % FOAM DL	4	PA,QL(120 per 30 days)
ZYCLARA 2.5 %, 3.75 % CREAM, METERED DOSE PUMP DL	4	ST,QL(15 per 30 days)
ZYCLARA 3.75 % CREAM IN PACKET MO	3	ST,QL(28 per 28 days)
ELECTROLYTES/MINERALS/METALS/VITAMINS		
AMINOSYN 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN 7 % WITH ELECTROLYTES 7 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN 8.5 % 8.5 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN 8.5 %-ELECTROLYTES 8.5 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN II 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN II 7 % 7 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN II 8.5 % 8.5 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN II 8.5 %-ELECTROLYTES 8.5 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN M 3.5 % 3.5 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN-RF 5.2 % 5.2 % PARENTERAL SOLUTION MO	3	BvsD
<i>bal-care dha 27-1-430 mg COMBO PACK, DR TAB/DR CAP</i> MD,MO	1	
<i>c-nate dha 28 mg iron-1 mg -200 mg CAPSULE</i> MD,MO	1	
<i>calcium chloride 100 mg/ml (10 %) SOLUTION</i> MO	1	
<i>calcium chloride 100 mg/ml (10 %) SYRINGE</i> MO	1	
<i>calcium gluconate 100 mg/ml (10%) SOLUTION</i> MO	1	
CARBAGLU 200 MG TABLET, DISPERSIBLE DL,MD	4	PA
<i>carglumic acid 200 mg TABLET, DISPERSIBLE</i> DL,MD	4	PA
CARNITOR 100 MG/ML SOLUTION MD,MO	3	
CARNITOR 200 MG/ML SOLUTION MO	3	
CARNITOR 330 MG TABLET MD,MO	3	
CARNITOR (SUGAR-FREE) 100 MG/ML SOLUTION MD,MO	3	
CHEMET 100 MG CAPSULE DL	4	
CITRANATAL B-CALM (FE GLUC) 20 MG IRON-1 MG -25 MG/25 MG TABLET, SEQUENTIAL MD,MO	3	
CLINIMIX 5%/D15W SULFITE FREE 5 % PARENTERAL SOLUTION MO	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLINIMIX 4.25%/D10W SULF FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 4.25%/D5W SULFIT FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 5%-D20W(SULFITE-FREE) 5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 6%-D5W (SULFITE-FREE) 6-5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 8%-D10W(SULFITE-FREE) 8-10 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 8%-D14W(SULFITE-FREE) 8-14 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 2.75%/D5W SULF FREE 2.75 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 4.25%/D10W SUL FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 4.25%/D5W SULF FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 5%/D15W SULFIT FREE 5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 5%/D20W SULFIT FREE 5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 8%-D10W SULFITEFREE 8-10 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 8%-D14W SULFITEFREE 8-14 % PARENTERAL SOLUTION MO	3	BvsD
CLINISOL SF 15 % 15 % PARENTERAL SOLUTION MO	1	BvsD
CLINOLIPID 20 % EMULSION MO	3	BvsD
complete natal dha 29 mg iron- 1 mg-200 mg COMBO PACK MD,MO	1	
CUPRIMINE 250 MG CAPSULE DL,MD	4	PA,QL(600 per 30 days)
CUVRIOR 300 MG TABLET DL,MD	4	PA,QL(300 per 30 days)
d10 %-0.45 % sodium chloride PARENTERAL SOLUTION MO	1	
d2.5 %-0.45 % sodium chloride PARENTERAL SOLUTION MO	1	
d5 % and 0.9 % sodium chloride PARENTERAL SOLUTION MO	1	
d5 %-0.45 % sodium chloride PARENTERAL SOLUTION MO	1	
deferasirox 125 mg, 250 mg, 500 mg TABLET, DISPERSIBLE DL,MD	4	PA
deferasirox 180 mg, 360 mg, 90 mg GRANULES IN PACKET DL,MD	4	PA
deferasirox 180 mg, 360 mg, 90 mg TABLET MD,MO	1	PA
deferiprone 1,000 mg TABLET DL,MD	4	PA,QL(300 per 30 days)
deferiprone 500 mg TABLET DL,MD	4	PA,QL(720 per 30 days)
deferoxamine 2 gram, 500 mg RECON SOLUTION MO	1	BvsD
DEPEN TITRATABS 250 MG TABLET DL,MD	4	PA
DESFERAL 500 MG RECON SOLUTION MO	3	BvsD
dextrose 10 % and 0.2 % nacl PARENTERAL SOLUTION MO	1	
dextrose 10 % in water (d10w) 10 % PARENTERAL SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dextrose 25 % in water (d25w) SYRINGE MO	1	
dextrose 5 % in water (d5w) PARENTERAL SOLUTION MO	1	
dextrose 5 % in water (d5w) 5 % PIGGYBACK MO	1	
dextrose 5 %-lactated ringers PARENTERAL SOLUTION MO	1	
dextrose 5%-0.2 % sod chloride PARENTERAL SOLUTION MO	1	
dextrose 5%-0.3 % sod.chloride PARENTERAL SOLUTION MO	1	
dextrose 50 % in water (d50w) PARENTERAL SOLUTION MO	1	
dextrose 50 % in water (d50w) SYRINGE MO	1	
dextrose 70 % in water (d70w) PARENTERAL SOLUTION MO	1	
DUET DHA WITH OMEGA-3 25 MG IRON-1 MG -400 MG COMBO PACK MD,MO	3	
electrolyte-148 PARENTERAL SOLUTION MO	1	
electrolyte-48 in d5w PARENTERAL SOLUTION MO	1	
electrolyte-a PARENTERAL SOLUTION MO	1	
EXJADE 125 MG, 250 MG, 500 MG TABLET, DISPERSIBLE DL,MD	4	PA
FERRIPROX 1,000 MG TABLET DL,MD	4	PA,QL(300 per 30 days)
FERRIPROX 100 MG/ML SOLUTION DL,MD	4	PA,QL(3600 per 30 days)
FERRIPROX 500 MG TABLET DL,MD	4	PA,QL(720 per 30 days)
FERRIPROX (2 TIMES A DAY) 1,000 MG TABLET, MODIFIED RELEASE DL,MD	4	PA,QL(300 per 30 days)
GLYCOPHOS 1 MMOL/ML SOLUTION MO	1	
INTRALIPID 20 %, 30 % EMULSION MO	3	BvsD
IONOSOL-B IN D5W 5 % PARENTERAL SOLUTION MO	3	
IONOSOL-MB IN D5W 5 % PARENTERAL SOLUTION MO	3	
ISOLYTE S PH 7.4 PARENTERAL SOLUTION MO	3	
ISOLYTE-P IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION MO	3	
ISOLYTE-S PARENTERAL SOLUTION MO	3	
JADENU 180 MG, 360 MG, 90 MG TABLET DL,MD	4	PA
JADENU SPRINKLE 180 MG, 360 MG, 90 MG GRANULES IN PACKET DL,MD	4	PA
JYNARQUE 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM) TABLET, SEQUENTIAL DL,MD	4	PA,QL(56 per 28 days)
JYNARQUE 15 MG, 30 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
KABIVEN 3.31-10.8-3.9 % EMULSION MO	3	BvsD
kionex (with sorbitol) 15-20 gram/60 ml SUSPENSION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>klor-con 20 meq</i> PACKET MD,MO	1	QL(240 per 30 days)
KLOR-CON 10 10 MEQ TABLET ER MD,MO	1	
KLOR-CON 8 8 MEQ TABLET ER MD,MO	1	
<i>klor-con m10 10 meq</i> TABLET, ER PARTICLES/CRYSTALS MD,MO	1	
KLOR-CON M15 15 MEQ TABLET, ER PARTICLES/CRYSTALS MD,MO	1	
<i>klor-con m20 20 meq</i> TABLET, ER PARTICLES/CRYSTALS MD,MO	1	
KOSHER PRENATAL PLUS IRON 30 MG IRON- 1 MG TABLET MD,MO	3	
<i>lactated ringers</i> PARENTERAL SOLUTION MO	1	
<i>levocarnitine 100 mg/ml</i> SOLUTION MD,MO	1	
<i>levocarnitine 200 mg/ml</i> SOLUTION MO	1	
<i>levocarnitine 330 mg</i> TABLET MD,MO	1	
<i>levocarnitine (with sugar) 100 mg/ml</i> SOLUTION MD,MO	1	
LOKELMA 10 GRAM, 5 GRAM POWDER IN PACKET MD,MO	2	QL(30 per 30 days)
<i>m-natal plus 27 mg iron- 1 mg</i> TABLET MD,MO	1	
<i>magnesium sulfate 500 mg/ml (50 %)</i> SOLUTION MO	1	
<i>magnesium sulfate 500 mg/ml (50 %)</i> SYRINGE MO	1	
<i>magnesium sulfate in d5w 1 gram/100 ml</i> PIGGYBACK MO	1	
<i>magnesium sulfate in water 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i> PIGGYBACK MO	1	
<i>magnesium sulfate in water 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i> PARENTERAL SOLUTION MO	1	
NATACHEW (FE BIS-GLYCINATE) 28 MG IRON -1 MG CHEWABLE TABLET MD,MO	3	
NEONATAL COMPLETE 29-1 MG TABLET MD,MO	1	
NEONATAL PLUS VITAMIN 27 MG IRON- 1 MG TABLET MD,MO	1	
NEONATAL-DHA 29-1-200-500 MG COMBO PACK MD,MO	1	
NORMOSOL-M IN 5 % DEXTROSE PARENTERAL SOLUTION MO	3	
NUTRILIPID 20 % EMULSION MO	3	BvsD
OB COMPLETE ONE 40-10-1-300 MG CAPSULE MD,MO	3	
OB COMPLETE PETITE 35 MG IRON-5 MG IRON-1 MG CAPSULE MD,MO	3	
OB COMPLETE PREMIER 30-20-1 MG TABLET MD,MO	3	
OMEGAIVEN 10 % EMULSION DL	4	BvsD
<i>penicillamine 250 mg</i> CAPSULE DL,MD	4	PA,QL(600 per 30 days)
<i>penicillamine 250 mg</i> TABLET DL,MD	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PERIKABIVEN 2.36-7.5-3.5 % EMULSION MO	3	BvsD
PLASMA-LYTE 148 PARENTERAL SOLUTION MO	3	
PLASMA-LYTE A PARENTERAL SOLUTION MO	3	
PLENAMINE 15 % PARENTERAL SOLUTION MO	1	BvsD
<i>prv-dha</i> 27 mg iron-1 mg -300 mg CAPSULE MD,MO	1	
<i>prv-omega</i> 28-1-300 mg CAPSULE MD,MO	1	
potassium acetate 2 meq/ml SOLUTION MO	1	
potassium chlorid-d5-0.45%nacl 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride 10 meq CAPSULE, ER MD,MO	1	
potassium chloride 10 meq, 20 meq TABLET ER MD,MO	1	
potassium chloride 10 meq, 20 meq TABLET, ER PARTICLES/CRYSTALS MD,MO	1	
potassium chloride 15 meq TABLET, ER PARTICLES/CRYSTALS MD,MO	1	
potassium chloride 15 meq, 8 meq TABLET ER MD,MO	1	
potassium chloride 2 meq/ml SOLUTION MO	1	
potassium chloride 20 meq PACKET MD,MO	1	QL(240 per 30 days)
potassium chloride 20 meq/15 ml, 40 meq/15 ml LIQUID MD,MO	1	
potassium chloride 8 meq CAPSULE, ER MD,MO	1	
potassium chloride in 0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride in 5 % dex 10 meq/l, 20 meq/l, 30 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride in lr-d5 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride in water 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml PIGGYBACK MO	1	
potassium chloride-0.45 % nacl 20 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride-d5-0.2%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride-d5-0.3%nacl 20 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride-d5-0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO	1	
potassium citrate 10 meq (1,080 mg), 15 meq, 5 meq (540 mg) TABLET ER MD,MO	1	
<i>pr natal</i> 400 29-1-400 mg COMBO PACK MD,MO	1	
<i>pr natal</i> 400 ec 29-1-400 mg COMBO PACK, DR TAB/DR CAP MD,MO	1	
<i>pr natal</i> 430 29 mg iron-1 mg -430 mg COMBO PACK MD,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>pr natal 430 ec 29-1-430 mg COMBO PACK, DR TAB/DR CAP</i> MD,MO	1	
PREMASOL 10 % 10 % PARENTERAL SOLUTION MO	1	BvsD
PRENATA 29 MG IRON- 1 MG CHEWABLE TABLET MD,MO	1	
PRENATABS FA 29-1 MG TABLET MD,MO	1	
<i>prenatal plus (calcium carb) 27 mg iron- 1 mg</i> TABLET MD,MO	1	
<i>prenatal plus dha 27 mg iron-1 mg -312 mg-250 mg COMBO PACK</i> MD,MO	3	
<i>prenatal plus vitamin-mineral 27 mg iron- 1 mg</i> TABLET MD,MO	1	
<i>prenatal vitamin plus low iron 27 mg iron- 1 mg</i> TABLET MD,MO	1	
<i>prenatal-u 106.5-1 mg</i> CAPSULE MD,MO	1	
PRENATE ELITE 26 MG IRON- 1 MG TABLET MD,MO	1	
PROSOL 20 % PARENTERAL SOLUTION MO	3	BvsD
<i>ringer's</i> PARENTERAL SOLUTION MO	1	
SAMSCA 15 MG, 30 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
<i>se-natal 19 chewable 29 mg iron- 1 mg</i> CHEWABLE TABLET MD,MO	1	
SELECT-OB 29 MG IRON- 1 MG CHEWABLE TABLET MD,MO	3	
SELECT-OB (FOLIC ACID) 29 MG IRON- 1 MG CHEWABLE TABLET MD,MO	3	
SELECT-OB + DHA 29 MG IRON-1 MG -250 MG COMBO PACK MD,MO	3	
SMOFLIPID 20 % EMULSION MO	3	BvsD
<i>sodium bicarbonate 8.4 % (1 meq/ml)</i> SYRINGE MO	1	
<i>sodium chloride 2.5 meq/ml</i> SOLUTION MO	1	
<i>sodium chloride 0.45 % 0.45 %</i> PARENTERAL SOLUTION MO	1	
<i>sodium chloride 0.9 %</i> PARENTERAL SOLUTION MO	1	
<i>sodium chloride 0.9 %</i> PIGGYBACK MO	1	
<i>sodium chloride 0.9 %</i> SOLUTION MO	1	
<i>sodium chloride 3 % hypertonic 3 %</i> PARENTERAL SOLUTION MO	1	
<i>sodium chloride 5 % hypertonic 5 %</i> PARENTERAL SOLUTION MO	1	
<i>sodium phosphate 3 mmol/ml</i> SOLUTION MO	1	
<i>sodium polystyrene sulfonate</i> POWDER MO	1	
SPS (WITH SORBITOL) 15-20 GRAM/60 ML SUSPENSION MO	1	
SPS (WITH SORBITOL) 30-40 GRAM/120 ML ENEMA MO	1	
SYPRINE 250 MG CAPSULE DL,MD	4	PA,QL(240 per 30 days)
THAM 36 MG/ML (0.3 M) SOLUTION MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>tolvaptan 15 mg, 30 mg TABLET</i> DL,MD	4	PA,QL(60 per 30 days)
TPN ELECTROLYTES 35-20-5 MEQ/20 ML SOLUTION MO	3	
TRAVASOL 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD
TRICARE 27 MG IRON- 1 MG TABLET MD,MO	1	
<i>trientine 250 mg CAPSULE</i> DL,MD	4	QL(240 per 30 days)
<i>trientine 500 mg CAPSULE</i> DL,MD	4	QL(120 per 30 days)
<i>trinatal rx 1 60 mg iron-1 mg TABLET</i> MD,MO	1	
TRISTART DHA 31 MG IRON- 1 MG-200 MG CAPSULE MD,MO	3	
TROPHAMINE 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD
UROKIT-K 10 10 MEQ (1,080 MG) TABLET ER MD,MO	3	
UROKIT-K 15 15 MEQ TABLET ER MD,MO	3	
UROKIT-K 5 5 MEQ (540 MG) TABLET ER MD,MO	3	
VAPRISOL IN 5 % DEXTROSE 20 MG/100 ML SOLUTION MO	3	
VELTASSA 16.8 GRAM, 25.2 GRAM, 8.4 GRAM POWDER IN PACKET MD,MO	3	PA,QL(30 per 30 days)
<i>virt-nate dha 28 mg iron-1 mg -200 mg CAPSULE</i> MD,MO	1	
<i>virt-pn dha 27 mg iron-1 mg -300 mg CAPSULE</i> MD,MO	1	
VITAFOL FE PLUS 90 MG IRON- 1 MG-200 MG CAPSULE MD,MO	3	
VITAFOL GUMMIES 3.33 MG IRON- 0.33 MG CHEWABLE TABLET MD,MO	3	
VITAFOL ULTRA 29 MG IRON- 1 MG-200 MG CAPSULE MD,MO	3	
VITAFOL-OB 65-1 MG TABLET MD,MO	3	
VITAFOL-OB+DHA 65-1-250 MG COMBO PACK MD,MO	3	
VITAFOL-ONE 29 MG IRON- 1 MG-200 MG CAPSULE MD,MO	3	
VITAMEDMD ONE RX 30 MG IRON-1MG -200 MG CAPSULE MD,MO	3	
<i>wescap-pn dha 27 mg iron-1 mg -300 mg CAPSULE</i> MD,MO	1	
<i>wesnatal dha complete 29 mg iron- 1 mg-200 mg COMBO PACK</i> MD,MO	1	
<i>wesnate dha 28 mg iron-1 mg -200 mg CAPSULE</i> MD,MO	1	
<i>westab plus 27 mg iron- 1 mg TABLET</i> MD,MO	1	
<i>westgel dha 31 mg iron- 1 mg-200 mg CAPSULE</i> MD,MO	1	
<i>zatean-pn dha 27 mg iron-1 mg -300 mg CAPSULE</i> MD,MO	1	
<i>zatean-pn plus 28-1-300 mg CAPSULE</i> MD,MO	1	
GASTROINTESTINAL AGENTS		
AEMCOLO 194 MG TABLET, DR/EC MO	3	PA,QL(12 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
alosetron 0.5 mg, 1 mg TABLET MO	1	PA,QL(60 per 30 days)
AMITIZA 24 MCG, 8 MCG CAPSULE MD,MO	3	PA,QL(60 per 30 days)
amoxicil-clarithromy-lansopraz 500-500-30 mg COMBO PACK MO	1	ST
atropine 0.1 mg/ml, 0.25 mg/5 ml (0.05 mg/ml) SYRINGE MO	1	
BENTYL 10 MG/ML SOLUTION MO	3	
bismuth subcit k-metronidz-tcn 140-125-125 mg CAPSULE MO	1	ST,QL(120 per 30 days)
CARAFATE 1 GRAM TABLET MD,MO	3	
CARAFATE 100 MG/ML SUSPENSION MD,MO	3	
CHENODAL 250 MG TABLET DL	4	PA
cimetidine 200 mg, 300 mg, 400 mg, 800 mg TABLET MD,MO	1	
cimetidine hcl 300 mg/5 ml SOLUTION MD,MO	1	
CLENPIQ 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML SOLUTION MO	3	ST
constulose 10 gram/15 ml SOLUTION MD,MO	1	
CUVPOSA 1 MG/5 ML (0.2 MG/ML) SOLUTION MD,MO	3	
CYTOTEC 100 MCG, 200 MCG TABLET DL,MD	4	
DARTISLA 1.7 MG TABLET, DISINTEGRATING MO	3	ST,QL(120 per 30 days)
DEXILANT 30 MG, 60 MG CAPSULE, DR, BIPHASIC MD,MO	3	PA,QL(30 per 30 days)
dexlansoprazole 30 mg, 60 mg CAPSULE, DR, BIPHASIC MD,MO	3	QL(30 per 30 days)
dicyclomine 10 mg CAPSULE MD,MO	1	
dicyclomine 10 mg/5 ml SOLUTION MD,MO	1	
dicyclomine 10 mg/ml SOLUTION MO	1	
dicyclomine 20 mg TABLET MD,MO	1	
diphenoxylate-atropine 2.5-0.025 mg TABLET MO	1	
diphenoxylate-atropine 2.5-0.025 mg/5 ml LIQUID MO	1	
ENDARI 5 GRAM POWDER IN PACKET DL,MD	4	PA,QL(180 per 30 days)
enulose 10 gram/15 ml SOLUTION MD,MO	1	
esomeprazole magnesium 10 mg, 20 mg, 40 mg DR GRANULES IN PACKET MD,MO	1	QL(30 per 30 days)
esomeprazole magnesium 20 mg CAPSULE, DR/EC MD,MO	1	QL(60 per 30 days)
esomeprazole magnesium 40 mg CAPSULE, DR/EC MD,MO	1	QL(60 per 30 days)
esomeprazole sodium 20 mg, 40 mg RECON SOLUTION MO	1	
famotidine 10 mg/ml SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
famotidine 20 mg, 40 mg TABLET MD,MO	1	
famotidine 40 mg/5 ml (8 mg/ml) SUSPENSION FOR RECONSTITUTION MD,MO	1	
famotidine (pf) 20 mg/2 ml SOLUTION MO	1	
famotidine (pf)-nacl (iso-os) 20 mg/50 ml PIGGYBACK MO	1	
GATTEX 30-VIAL 5 MG KIT DL,MD	4	PA
GATTEX ONE-VIAL 5 MG KIT DL,MD	4	PA
gavilyte-c 240-22.72-6.72 -5.84 gram RECON SOLUTION MO	1	
gavilyte-g 236-22.74-6.74 -5.86 gram RECON SOLUTION MO	1	
gavilyte-n 420 gram RECON SOLUTION MO	1	
generlac 10 gram/15 ml SOLUTION MD,MO	1	
glutamine (sickle cell) 5 gram POWDER IN PACKET DL,MD	4	PA,QL(180 per 30 days)
GLYCATE 1.5 MG TABLET MD,MO	1	
glycopyrrolate 0.2 mg/ml SOLUTION MO	1	
glycopyrrolate 1 mg, 1.5 mg, 2 mg TABLET MD,MO	1	
glycopyrrolate 1 mg/5 ml (0.2 mg/ml) SOLUTION MD,MO	1	
glycopyrrolate (pf) 0.6 mg/3 ml (0.2 mg/ml) SYRINGE MO	3	
glycopyrrolate (pf) in water 0.2 mg/ml SYRINGE MO	1	
GOLYTELY 236-22.74-6.74 -5.86 GRAM RECON SOLUTION MO	3	ST
IBSRELA 50 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
IQIRVO 80 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
KONVOMEPE 2-84 MG/ML SUSPENSION FOR RECONSTITUTION DL,MD	4	ST,QL(600 per 30 days)
KRISTALOSE 10 GRAM, 20 GRAM PACKET MD,MO	1	
lactulose 10 gram PACKET DL,MD	4	
lactulose 10 gram/15 ml, 10 gram/15 ml (15 ml), 20 gram/30 ml SOLUTION MD,MO	1	
lansoprazole 15 mg, 30 mg CAPSULE, DR/EC MD,MO	1	QL(60 per 30 days)
lansoprazole 15 mg, 30 mg TABLET, DISINTEGRATING DR MD,MO	1	QL(30 per 30 days)
LINZESS 145 MCG, 290 MCG, 72 MCG CAPSULE MD,MO	2	QL(30 per 30 days)
LIVDELZI 10 MG CAPSULE DL,MD	4	PA,QL(30 per 30 days)
LIVMARLI 19 MG/ML SOLUTION DL,MD	4	PA,QL(60 per 30 days)
LIVMARLI 9.5 MG/ML SOLUTION DL,MD	4	PA,QL(90 per 30 days)
LOMOTIL 2.5-0.025 MG TABLET MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>loperamide 2 mg CAPSULE</i> MD,MO	1	
LOTRONEX 0.5 MG, 1 MG TABLET DL	4	PA,QL(60 per 30 days)
<i>lubiprostone 24 mcg, 8 mcg CAPSULE</i> MD,MO	1	QL(60 per 30 days)
<i>methscopolamine 2.5 mg, 5 mg TABLET</i> MO	1	
<i>misoprostol 100 mcg, 200 mcg TABLET</i> MD,MO	1	
MOTEGRITY 1 MG, 2 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
MOTOFEN 1-0.025 MG TABLET MO	3	
MOVANTIK 12.5 MG, 25 MG TABLET MO	2	QL(30 per 30 days)
MOVIPREP 100-7.5-2.691 GRAM POWDER IN PACKET MO	3	ST
MYALEPT 5 MG/ML (FINAL CONC.) RECON SOLUTION DL,MD	4	PA,QL(30 per 30 days)
MYTESI 125 MG TABLET, DR/EC DL	4	PA,QL(60 per 30 days)
NEXIUM 20 MG, 40 MG CAPSULE, DR/EC MD,MO	3	PA,QL(60 per 30 days)
NEXIUM IV 40 MG RECON SOLUTION MO	3	PA
NEXIUM PACKET 10 MG, 2.5 MG, 20 MG, 40 MG, 5 MG DR GRANULES IN PACKET MD,MO	3	QL(30 per 30 days)
<i>nizatidine 150 mg, 300 mg CAPSULE</i> MD,MO	1	
OCALIVA 10 MG, 5 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
OMECLAMOX-PAK 20 MG-500 MG- 500 MG (40) COMBO PACK MO	3	ST
<i>omeprazole 10 mg CAPSULE, DR/EC</i> MD,MO	1	QL(60 per 30 days)
<i>omeprazole 20 mg, 40 mg CAPSULE, DR/EC</i> MD,MO	1	QL(60 per 30 days)
<i>omeprazole-sodium bicarbonate 20-1,680 mg, 40-1,680 mg PACKET</i> DL,MD	4	ST,QL(30 per 30 days)
<i>omeprazole-sodium bicarbonate 20-1.1 mg-gram, 40-1.1 mg-gram CAPSULE</i> MD,MO	1	QL(30 per 30 days)
<i>opium tincture 10 mg/ml (morphine) TINCTURE</i> MO	3	QL(180 per 30 days)
OSMOPREP 1.5 GRAM TABLET MO	3	ST
<i>pantoprazole 20 mg, 40 mg TABLET, DR/EC</i> MD,MO	1	QL(60 per 30 days)
<i>pantoprazole 40 mg DR GRANULES IN PACKET</i> MD,MO	1	QL(30 per 30 days)
<i>pantoprazole 40 mg RECON SOLUTION</i> MO	1	
<i>pantoprazole in 0.9% sod chlor 40 mg/100 ml (0.4 mg/ml), 80 mg/100 ml (0.8 mg/ml) PIGGYBACK</i> MO	3	
<i>peg 3350-electrolytes 236-22.74-6.74 -5.86 gram RECON SOLUTION</i> MO	1	
<i>peg-electrolyte soln 420 gram RECON SOLUTION</i> MO	1	
<i>peg-prep 5-210 mg-gram KIT</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>peg3350-sod sul-nacl-kcl-asb-c 100-7.5-2.691 gram POWDER IN PACKET</i> MO	1	ST
<i>pepcid 20 mg, 40 mg TABLET</i> MD,MO	3	PA
PLENVU 140-9-5.2 GRAM POWDER IN PACKET, SEQUENTIAL MO	3	ST
PREVACID 30 MG CAPSULE, DR/EC MD,MO	3	PA,QL(60 per 30 days)
PREVACID SOLUTAB 15 MG, 30 MG TABLET, DISINTEGRATING DR MD,MO	3	QL(30 per 30 days)
PRILOSEC 10 MG, 2.5 MG SUSPENSION, DR FOR RECON MD,MO	3	
PROTONIX 20 MG, 40 MG TABLET, DR/EC MD,MO	3	PA,QL(60 per 30 days)
PROTONIX 40 MG DR GRANULES IN PACKET MD,MO	3	QL(30 per 30 days)
PROTONIX 40 MG RECON SOLUTION MO	3	PA
PYLERA 140-125-125 MG CAPSULE MO	3	ST,QL(120 per 30 days)
<i>rabeprazole 20 mg TABLET, DR/EC</i> MD,MO	1	QL(60 per 30 days)
REBYOTA 150 ML ENEMA DL	4	PA
RELISTOR 12 MG/0.6 ML SOLUTION DL	4	PA,QL(36 per 30 days)
RELISTOR 12 MG/0.6 ML SYRINGE DL	4	PA,QL(36 per 28 days)
RELISTOR 150 MG TABLET DL	4	PA,QL(90 per 30 days)
RELISTOR 8 MG/0.4 ML SYRINGE DL	4	PA,QL(12 per 30 days)
RELTONE 200 MG CAPSULE DL,MD	4	PA,QL(150 per 30 days)
RELTONE 400 MG CAPSULE DL,MD	4	PA,QL(60 per 30 days)
ROBINUL 1 MG TABLET MD,MO	3	PA
ROBINUL FORTE 2 MG TABLET MD,MO	3	PA
<i>sodium,potassium,mag sulfates 17.5-3.13-1.6 gram RECON SOLUTION</i> MO	1	
<i>sucralfate 1 gram TABLET</i> MD,MO	1	
<i>sucralfate 100 mg/ml SUSPENSION</i> MD,MO	1	
SUFLAVE 178.7-7.3-0.5 GRAM RECON SOLUTION MO	3	
SUPREP BOWEL PREP KIT 17.5-3.13-1.6 GRAM RECON SOLUTION MO	3	ST
SUTAB 1.479-0.188- 0.225 GRAM TABLET MO	2	
SYMPROIC 0.2 MG TABLET MO	3	PA,QL(30 per 30 days)
TALICIA 10-250-12.5 MG CAPSULE, IR/DR, BIPHASIC MO	3	
TRULANCE 3 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
URSO 250 250 MG TABLET MD,MO	3	PA
URSO FORTE 500 MG TABLET MD,MO	3	PA
<i>ursodiol 200 mg CAPSULE</i> DL,MD	4	PA,QL(150 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ursodiol 250 mg, 500 mg TABLET MD,MO	1	
ursodiol 300 mg CAPSULE MD,MO	1	
ursodiol 400 mg CAPSULE DL,MD	4	PA,QL(60 per 30 days)
VIBERZI 100 MG, 75 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
VOQUEZNA 10 MG TABLET MO	3	PA,QL(30 per 30 days)
VOQUEZNA 20 MG TABLET MO	3	PA,QL(60 per 30 days)
VOQUEZNA DUAL PAK 20 MG (28)- 500 MG (84) COMBO PACK MO	3	ST,QL(112 per 30 days)
VOQUEZNA TRIPLE PAK 20-500-500 MG COMBO PACK MO	3	ST,QL(112 per 30 days)
VOWST CAPSULE DL	4	PA
XERMELO 250 MG TABLET DL	4	PA,QL(84 per 28 days)
XIFAXAN 200 MG TABLET MO	3	PA,QL(9 per 30 days)
XIFAXAN 550 MG TABLET DL,MD	4	PA,QL(84 per 28 days)
ZEGERID 20-1,680 MG, 40-1,680 MG PACKET DL,MD	4	ST,QL(30 per 30 days)
ZEGERID 20-1.1 MG-GRAM, 40-1.1 MG-GRAM CAPSULE DL,MD	4	PA,QL(30 per 30 days)
ZINPLAVA 25 MG/ML SOLUTION DL	4	PA
GENETIC/ENZYME/PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT		
ALDURAZYME 2.9 MG/5 ML SOLUTION DL	4	PA
AMVUTTRA 25 MG/0.5 ML SYRINGE DL,MD	4	PA,QL(0.5 per 90 days)
ARALAST NP 1,000 MG, 500 MG RECON SOLUTION DL,MD	4	PA
betaine 1 gram/scoop POWDER DL,MD	4	
BUPHENYL 0.94 GRAM/GRAM POWDER DL,MD	4	PA
BUPHENYL 500 MG TABLET DL,MD	4	PA
CERDELGA 84 MG CAPSULE DL,MD	4	PA
CEREZYME 400 UNIT RECON SOLUTION DL,MD	4	PA
CHOLBAM 250 MG, 50 MG CAPSULE DL,MD	4	PA,QL(120 per 30 days)
CREON 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT CAPSULE, DR/EC MD,MO	2	
CRYSVITA 10 MG/ML, 20 MG/ML SOLUTION DL,MD	4	PA,QL(2 per 28 days)
CRYSVITA 30 MG/ML SOLUTION DL,MD	4	PA,QL(6 per 28 days)
CYSTADANE 1 GRAM/SCOOP POWDER DL,MD	4	PA
CYSTAGON 150 MG, 50 MG CAPSULE MD,MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DAYBUE 200 MG/ML SOLUTION DL,MD	4	PA,QL(3600 per 30 days)
<i>dichlorphenamide 50 mg TABLET</i> DL,MD	4	PA,QL(120 per 30 days)
DOJOLVI 8.3 KCAL/ML LIQUID DL,MD	4	PA
DUVYZAT 8.86 MG/ML SUSPENSION DL,MD	4	PA,QL(360 per 30 days)
ELAPRASE 6 MG/3 ML SOLUTION DL,MD	4	PA
ELELYSO 200 UNIT RECON SOLUTION DL,MD	4	PA
ELEVIDYS 1.33 X 10EXP13 VG/ML SUSPENSION DL	4	PA
ELFABRIO 2 MG/ML SOLUTION DL,MD	4	PA
EVRYSDI 0.75 MG/ML RECON SOLUTION DL,MD	4	PA,QL(240 per 30 days)
FABRAZYME 35 MG, 5 MG RECON SOLUTION DL,MD	4	PA
GALAFOLD 123 MG CAPSULE DL,MD	4	PA,QL(14 per 28 days)
GLASSIA 1 GRAM/50 ML (2 %) SOLUTION DL,MD	4	PA
<i>javygtor 100 mg TABLET, SOLUBLE</i> DL,MD	4	PA
<i>javygtor 100 mg, 500 mg POWDER IN PACKET</i> DL,MD	4	PA
JOENJA 70 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
KANUMA 2 MG/ML SOLUTION DL,MD	4	PA
KEYEYIS 50 MG TABLET DL,MD	4	PA,QL(120 per 30 days)
KUVAN 100 MG TABLET, SOLUBLE DL,MD	4	PA
KUVAN 100 MG, 500 MG POWDER IN PACKET DL,MD	4	PA
LAMZEDE 10 MG RECON SOLUTION DL,MD	4	PA
LUMIZYME 50 MG RECON SOLUTION DL,MD	4	PA
MEPSEVII 2 MG/ML SOLUTION DL,MD	4	PA
<i>miglustat 100 mg CAPSULE</i> DL,MD	4	PA,QL(90 per 30 days)
NAGLAZYME 5 MG/5 ML SOLUTION DL,MD	4	PA
NEXVIAZYME 100 MG RECON SOLUTION DL,MD	4	PA
<i>nitisinone 10 mg, 2 mg, 20 mg, 5 mg CAPSULE</i> DL,MD	4	
NITYR 10 MG, 2 MG, 5 MG TABLET DL,MD	4	
NULIBRY 9.5 MG RECON SOLUTION DL,MD	4	PA
OLPRUVA 2 GRAM, 3 GRAM, 4 GRAM, 5 GRAM, 6 GRAM, 6.67 GRAM PELLETS IN PACKET DL,MD	4	PA
ONPATTRO 2 MG/ML SOLUTION DL,MD	4	PA
OPFOLDA 65 MG CAPSULE MD,MO	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ORFADIN 10 MG, 2 MG, 20 MG, 5 MG CAPSULE DL,MD	4	
ORFADIN 4 MG/ML SUSPENSION DL,MD	4	
<i>ormalvi</i> 50 mg TABLET DL,MD	4	PA,QL(120 per 30 days)
OXBRYTA 300 MG TABLET DL,MD	4	PA,QL(240 per 30 days)
OXBRYTA 300 MG TABLET FOR SUSPENSION DL,MD	4	PA,QL(150 per 30 days)
OXBRYTA 500 MG TABLET DL,MD	4	PA,QL(90 per 30 days)
PALYNZIQ 10 MG/0.5 ML SYRINGE DL,MD	4	PA,QL(15 per 30 days)
PALYNZIQ 2.5 MG/0.5 ML SYRINGE DL	4	PA,QL(4 per 28 days)
PALYNZIQ 20 MG/ML SYRINGE DL,MD	4	PA,QL(90 per 30 days)
PANCREAZE 10,500-35,500- 61,500 UNIT, 4,200-14,200- 24,600 UNIT CAPSULE, DR/EC MD,MO	3	ST
PANCREAZE 16,800-56,800- 98,400 UNIT, 2,600-8,800- 15,200 UNIT, 21,000-54,700- 83,900 UNIT, 37,000-97,300- 149,900 UNIT CAPSULE, DR/EC DL,MD	4	ST
PERTZYE 16,000-57,500- 60,500 UNIT, 24,000-86,250- 90,750 UNIT, 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT CAPSULE, DR/EC DL,MD	4	ST
PHEBURANE 483 MG/GRAM GRANULES DL,MD	4	PA
POMBILITI 105 MG RECON SOLUTION DL,MD	4	PA
PROCYSBI 25 MG CAPSULE, DR SPRINKLE DL,MD	4	PA,QL(120 per 30 days)
PROCYSBI 300 MG DR GRANULES IN PACKET DL,MD	4	PA,QL(210 per 30 days)
PROCYSBI 75 MG CAPSULE, DR SPRINKLE DL,MD	4	PA,QL(780 per 30 days)
PROCYSBI 75 MG DR GRANULES IN PACKET DL,MD	4	PA,QL(780 per 30 days)
PROLASTIN-C 1,000 MG (+/-)/20 ML SOLUTION DL,MD	4	PA
PYRUKYND 20 MG (7)- 5 MG (7), 50 MG (7)- 20 MG (7) TABLET, DOSE PACK DL	4	PA,QL(14 per 14 days)
PYRUKYND 20 MG, 5 MG, 50 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
RAVICTI 1.1 GRAM/ML LIQUID DL,MD	4	PA,QL(525 per 30 days)
REVCovi 2.4 MG/1.5 ML (1.6 MG/ML) SOLUTION DL,MD	4	
<i>sapropterin</i> 100 mg TABLET, SOLUBLE DL,MD	4	PA
<i>sapropterin</i> 100 mg, 500 mg POWDER IN PACKET DL,MD	4	PA
<i>sodium phenylbutyrate</i> 0.94 gram/gram POWDER DL,MD	4	
<i>sodium phenylbutyrate</i> 500 mg TABLET DL,MD	4	
STRENSIQ 18 MG/0.45 ML, 28 MG/0.7 ML, 80 MG/0.8 ML SOLUTION DL,MD	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
STRENSIQ 40 MG/ML SOLUTION DL,MD	4	PA
SUCRAID 8,500 UNIT/ML SOLUTION DL,MD	4	PA
TEGSEDI 284 MG/1.5 ML SYRINGE DL,MD	4	PA,QL(6 per 28 days)
VIJOICE 125 MG, 50 MG TABLET DL,MD	4	PA,QL(28 per 28 days)
VIJOICE 250 MG/DAY (200 MG X1-50 MG X1) TABLET DL,MD	4	PA,QL(56 per 28 days)
VIJOICE 50 MG GRANULES IN PACKET DL,MD	4	PA,QL(28 per 28 days)
VIOKACE 10,440-39,150- 39,150 UNIT, 20,880-78,300- 78,300 UNIT TABLET DL,MD	4	ST
VOXZOGO 0.4 MG, 0.56 MG, 1.2 MG RECON SOLUTION DL,MD	4	PA,QL(30 per 30 days)
VPRIV 400 UNIT RECON SOLUTION DL,MD	4	PA
VYNDAMAX 61 MG CAPSULE DL,MD	4	PA,QL(30 per 30 days)
VYNDAQEL 20 MG CAPSULE DL,MD	4	PA,QL(120 per 30 days)
WAINUA 45 MG/0.8 ML AUTO-INJECTOR DL,MD	4	PA,QL(0.8 per 28 days)
WELIREG 40 MG TABLET DL,MD	4	PA,QL(90 per 30 days)
XENPOZYME 20 MG, 4 MG RECON SOLUTION DL,MD	4	PA
<i>yargesa</i> 100 mg CAPSULE DL,MD	4	PA,QL(90 per 30 days)
ZAVESCA 100 MG CAPSULE DL,MD	4	PA,QL(90 per 30 days)
ZEMAIRA 1,000 MG RECON SOLUTION DL,MD	4	PA
ZEMAIRA 4,000 MG, 5,000 MG RECON SOLUTION DL,MD	4	PA
ZENPEP 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT CAPSULE, DR/EC MD,MO	3	
GENITOURINARY AGENTS		
<i>alfuzosin</i> 10 mg TABLET, ER 24 HR. MD,MO	1	
<i>bethanechol chloride</i> 10 mg, 25 mg, 5 mg, 50 mg TABLET MD,MO	1	
CIALIS 2.5 MG, 5 MG TABLET MD,MO	3	PA
<i>darifenacin</i> 15 mg, 7.5 mg TABLET, ER 24 HR. MD,MO	1	QL(30 per 30 days)
DETROL 1 MG, 2 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
DETROL LA 2 MG, 4 MG CAPSULE, ER 24 HR. MD,MO	3	PA,QL(30 per 30 days)
DITROPAN XL 10 MG, 5 MG TABLET, ER 24 HR. MD,MO	3	PA,QL(60 per 30 days)
<i>dutasteride</i> 0.5 mg CAPSULE MD,MO	1	QL(30 per 30 days)
<i>dutasteride-tamsulosin</i> 0.5-0.4 mg CAPSULE ER MULTIPHASE 24 HR. MD,MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ELMIRON 100 MG CAPSULE MO	3	QL(90 per 30 days)
fesoterodine 4 mg, 8 mg TABLET, ER 24 HR. MD,MO	1	QL(30 per 30 days)
finasteride 5 mg TABLET MD,MO	1	QL(30 per 30 days)
flavoxate 100 mg TABLET MD,MO	1	
FLOMAX 0.4 MG CAPSULE MD,MO	3	
GELNIQUE 10 % (100 MG/GRAM) GEL IN PACKET MD,MO	3	ST,QL(30 per 30 days)
GEMTESA 75 MG TABLET MD,MO	3	QL(30 per 30 days)
JALYN 0.5-0.4 MG CAPSULE ER MULTIPHASE 24 HR. MD,MO	3	PA,QL(30 per 30 days)
MYRBETRIQ 25 MG, 50 MG TABLET, ER 24 HR. MD,MO	2	QL(30 per 30 days)
MYRBETRIQ 8 MG/ML SUSPENSION, ER, RECON MD,MO	2	QL(300 per 30 days)
oxybutynin chloride 10 mg TABLET, ER 24 HR. MD,MO	1	QL(60 per 30 days)
oxybutynin chloride 15 mg, 5 mg TABLET, ER 24 HR. MD,MO	1	QL(60 per 30 days)
oxybutynin chloride 2.5 mg TABLET MD,MO	1	QL(90 per 30 days)
oxybutynin chloride 5 mg TABLET MD,MO	1	
oxybutynin chloride 5 mg/5 ml SYRUP MD,MO	1	
OXYTROL 3.9 MG/24 HR PATCH, SEMIWEEKLY MD,MO	3	ST,QL(8 per 28 days)
PROSCAR 5 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
RAPAFLO 4 MG, 8 MG CAPSULE MD,MO	3	PA,QL(30 per 30 days)
silodosin 4 mg, 8 mg CAPSULE MD,MO	1	QL(30 per 30 days)
solifenacin 10 mg, 5 mg TABLET MD,MO	1	QL(30 per 30 days)
tadalafil 2.5 mg, 5 mg TABLET MD,MO	1	PA
tamsulosin 0.4 mg CAPSULE MD,MO	1	
THIOLA 100 MG TABLET DL,MD	4	
THIOLA EC 100 MG, 300 MG TABLET, DR/EC DL,MD	4	
tiopronin 100 mg TABLET DL,MD	4	
tiopronin 100 mg, 300 mg TABLET, DR/EC DL,MD	4	
tolterodine 1 mg, 2 mg TABLET MD,MO	1	QL(60 per 30 days)
tolterodine 2 mg, 4 mg CAPSULE, ER 24 HR. MD,MO	1	QL(30 per 30 days)
TOVIAZ 4 MG, 8 MG TABLET, ER 24 HR. MD,MO	3	PA,QL(30 per 30 days)
tropium 20 mg TABLET MD,MO	1	
tropium 60 mg CAPSULE, ER 24 HR. MD,MO	1	QL(30 per 30 days)
UROXATRAL 10 MG TABLET, ER 24 HR. MD,MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VESICARE 10 MG, 5 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
VESICARE LS 1 MG/ML SUSPENSION MD,MO	3	PA,QL(300 per 30 days)
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (ADRENAL)		
ACTHAR 80 UNIT/ML GEL DL	4	PA,QL(30 per 30 days)
ACTHAR SELFJECT 40 UNIT/0.5 ML, 80 UNIT/ML PEN INJECTOR DL	4	PA,QL(45 per 30 days)
AGAMREE 40 MG/ML SUSPENSION DL,MD	4	PA,QL(225 per 30 days)
ALKINDI SPRINKLE 0.5 MG, 1 MG, 2 MG, 5 MG CAPSULE, SPRINKLE DL,MD	4	PA
<i>betamethasone acet,sod phos 6 mg/ml SUSPENSION</i> MO	1	
CELESTONE SOLUSPAN 6 MG/ML SUSPENSION MO	3	
CORTROPHIN GEL 80 UNIT/ML GEL DL	4	PA,QL(30 per 30 days)
<i>deflazacort 18 mg, 30 mg, 36 mg, 6 mg TABLET</i> DL,MD	4	PA
<i>deflazacort 22.75 mg/ml SUSPENSION</i> DL,MD	4	PA
DEPO-MEDROL 20 MG/ML, 40 MG/ML, 80 MG/ML SUSPENSION MO	3	
<i>dexabliss 1.5 mg (39 tabs) TABLET, DOSE PACK</i> MO	1	
<i>dexamethasone 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg TABLET</i> MO	1	
<i>dexamethasone 0.5 mg/5 ml ELIXIR</i> MO	1	
<i>dexamethasone 0.5 mg/5 ml SOLUTION</i> MO	1	
<i>dexamethasone 1.5 mg (21 tabs), 1.5 mg (35 tabs), 1.5 mg (51 tabs) TABLET, DOSE PACK</i> MO	1	
<i>dexamethasone intensol 1 mg/ml DROPS</i> MO	1	
<i>dexamethasone sodium phos (pf) 10 mg/ml SOLUTION</i> MO	1	
<i>dexamethasone sodium phos (pf) 10 mg/ml SYRINGE</i> MO	1	
<i>dexamethasone sodium phosphate 10 mg/ml, 4 mg/ml SOLUTION</i> MO	1	
<i>dexamethasone sodium phosphate 4 mg/ml SYRINGE</i> MO	1	
EMFLAZA 18 MG, 30 MG, 36 MG, 6 MG TABLET DL,MD	4	PA
EMFLAZA 22.75 MG/ML SUSPENSION DL,MD	4	PA
<i>fludrocortisone 0.1 mg TABLET</i> MD,MO	1	
HEMADY 20 MG TABLET MO	3	PA,QL(24 per 28 days)
KENALOG 0.147 MG/GRAM AEROSOL MO	3	QL(200 per 30 days)
KENALOG 10 MG/ML, 40 MG/ML SUSPENSION MO	3	
KENALOG-80 80 MG/ML SUSPENSION MO	3	
MEDROL 16 MG, 2 MG, 32 MG, 4 MG, 8 MG TABLET MO	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MEDROL (PAK) 4 MG TABLET, DOSE PACK MO	3	
methylprednisolone 16 mg, 32 mg, 4 mg, 8 mg TABLET MO	1	BvsD
methylprednisolone 4 mg TABLET, DOSE PACK MO	1	
methylprednisolone acetate 40 mg/ml, 80 mg/ml SUSPENSION MO	1	
methylprednisolone sodium succ 1,000 mg, 125 mg, 40 mg, 500 mg RECON SOLUTION MO	1	
millipred 5 mg TABLET MO	1	BvsD
millipred dp 5 mg (21 tabs), 5 mg (48 tabs) TABLET, DOSE PACK MO	1	
ORAPRED ODT 10 MG, 15 MG, 30 MG TABLET, DISINTEGRATING MO	3	
PEDIAPRED 5 MG BASE/5 ML (6.7 MG/5 ML) SOLUTION MO	3	
prednisolone 15 mg/5 ml SOLUTION MO	1	
prednisolone 5 mg TABLET MO	1	BvsD
prednisolone sodium phosphate 10 mg, 15 mg, 30 mg TABLET, DISINTEGRATING MO	1	
prednisolone sodium phosphate 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml) SOLUTION MO	1	
prednisone 1 mg, 2.5 mg, 50 mg TABLET MO	1	BvsD
prednisone 10 mg, 20 mg, 5 mg TABLET MO	1	BvsD
prednisone 10 mg, 5 mg TABLET, DOSE PACK MO	1	
prednisone 5 mg/5 ml SOLUTION MO	1	BvsD
prednisone intensol 5 mg/ml CONCENTRATE MO	1	BvsD
RAYOS 1 MG, 2 MG, 5 MG TABLET, DR/EC DL	4	PA
SOLU-CORTEF 100 MG RECON SOLUTION MO	3	
SOLU-CORTEF ACT-O-VIAL (PF) 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML RECON SOLUTION MO	3	
SOLU-MEDROL 1,000 MG, 2 GRAM, 500 MG RECON SOLUTION MO	3	
SOLU-MEDROL (PF) 1,000 MG/8 ML, 125 MG/2 ML, 40 MG/ML, 500 MG/4 ML RECON SOLUTION MO	3	
taperdex 1.5 mg (21 tabs), 1.5 mg (27 tabs), 1.5 mg (49 tabs) TABLET, DOSE PACK MO	1	
triamcinolone acetonide 0.025 %, 0.05 %, 0.1 %, 0.5 % OINTMENT MO	1	
triamcinolone acetonide 0.025 %, 0.1 % LOTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
triamcinolone acetonide 0.025 %, 0.5 % CREAM MO	1	
triamcinolone acetonide 0.1 % CREAM MO	1	
triamcinolone acetonide 0.147 mg/gram AEROSOL MO	1	QL(200 per 30 days)
triamcinolone acetonide 40 mg/ml SUSPENSION MO	1	
trianex 0.05 % OINTMENT MO	1	
triderm 0.1 %, 0.5 % CREAM MO	1	
tritocin 0.05 % OINTMENT MO	1	
VERIPRED 20 20 MG/5 ML (4 MG/ML) SOLUTION MO	1	
ZCORT 1.5 MG (25 TABS) TABLET, DOSE PACK MO	1	
ZILRETTA 32 MG SUSPENSION, ER, RECON MO	3	PA
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PITUITARY)		
CHORIONIC GONADOTROPIN, HUMAN 10,000 UNIT RECON SOLUTION MO	3	PA
DDAVP 0.1 MG TABLET MD,MO	3	PA
DDAVP 0.2 MG TABLET DL,MD	4	PA
DDAVP 4 MCG/ML SOLUTION MO	3	PA
desmopressin 0.1 mg, 0.2 mg TABLET MD,MO	1	
desmopressin 10 mcg/spray (0.1 ml) SPRAY WITH PUMP MD,MO	1	PA,QL(25 per 30 days)
desmopressin 10 mcg/spray (0.1 ml) SPRAY, NON-AEROSOL MD,MO	1	PA,QL(25 per 30 days)
desmopressin 4 mcg/ml SOLUTION DL	4	
EGRIFTA SV 2 MG RECON SOLUTION DL,MD	4	PA,QL(30 per 30 days)
GENOTROPIN 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML) CARTRIDGE DL,MD	4	PA
GENOTROPIN MINIQUICK 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML SYRINGE DL,MD	4	PA
HUMATROPE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT) CARTRIDGE DL,MD	4	PA
HUMATROPE 5 (15 UNIT) MG RECON SOLUTION DL,MD	4	PA
INCRELEX 10 MG/ML SOLUTION DL	4	PA
ISTURISA 1 MG TABLET DL,MD	4	PA,QL(240 per 30 days)
ISTURISA 10 MG TABLET DL,MD	4	PA,QL(180 per 30 days)
ISTURISA 5 MG TABLET DL,MD	4	PA,QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NGENLA 24 MG/1.2 ML (20 MG/ML), 60 MG/1.2 ML (50 MG/ML) PEN INJECTOR DL,MD	4	PA
NOCDURNA (MEN) 55.3 MCG TABLET, DISINTEGRATING MD,MO	3	PA,QL(30 per 30 days)
NOCDURNA (WOMEN) 27.7 MCG TABLET, DISINTEGRATING MD,MO	3	PA,QL(30 per 30 days)
NORDITROPIN FLEXPPO 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR DL,MD	4	PA
NOVAREL 5,000 UNIT RECON SOLUTION MO	3	PA
NUTROPIN AQ NUSPIN 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML) PEN INJECTOR DL,MD	4	PA
OMNITROPE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) CARTRIDGE DL,MD	4	PA
OMNITROPE 5.8 MG RECON SOLUTION DL,MD	4	PA
PREGNYL 10,000 UNIT RECON SOLUTION MO	3	PA
SAIZEN 5 MG RECON SOLUTION DL,MD	4	PA,QL(28 per 28 days)
SAIZEN 8.8 MG RECON SOLUTION DL,MD	4	PA
SAIZEN SAIZENPREP 8.8 MG/1.51 ML (FINAL CONC.) CARTRIDGE DL,MD	4	PA
SEROSTIM 4 MG, 5 MG, 6 MG RECON SOLUTION DL,MD	4	PA,QL(28 per 28 days)
SKYTROFA 11 MG, 7.6 MG, 9.1 MG CARTRIDGE DL,MD	4	PA,QL(8 per 28 days)
SKYTROFA 13.3 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG CARTRIDGE DL,MD	4	PA,QL(4 per 28 days)
SOGROYA 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR DL,MD	4	PA,QL(6 per 28 days)
ZOMACTON 10 MG RECON SOLUTION DL,MD	4	PA
ZOMACTON 5 MG RECON SOLUTION DL,MD	4	PA,QL(28 per 28 days)
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PROSTAGLANDINS)		
<i>carboprost tromethamine 250 mcg/ml SOLUTION</i> MO	1	
<i>carboprost tromethamine 250 mcg/ml SYRINGE</i> MO	1	
HEMABATE 250 MCG/ML SOLUTION MO	3	
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (SEX HORMONES/MODIFIERS)		
ACTIVELLA 1-0.5 MG TABLET MD,MO	3	
<i>afirmelle 0.1-20 mg-mcg TABLET</i> MD,MO	1	
<i>altavera (28) 0.15-0.03 mg TABLET</i> MD,MO	1	
<i>alyacen 1/35 (28) 1-35 mg-mcg TABLET</i> MD,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD - Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
alyacen 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MD,MO	1	
amabelz 0.5-0.1 mg, 1-0.5 mg TABLET MD,MO	1	
amethia 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MD,MO	3	QL(91 per 90 days)
amethyst (28) 90-20 mcg (28) TABLET MD,MO	1	
ANDRODERM 2 MG/24 HOUR PATCH, 24 HR. MD,MO	3	PA,QL(90 per 30 days)
ANDRODERM 4 MG/24 HR PATCH, 24 HR. MD,MO	3	PA,QL(30 per 30 days)
ANDROGEL 1 % (25 MG/2.5GRAM), 1 % (50 MG/5 GRAM) GEL IN PACKET MD,MO	3	PA,QL(300 per 30 days)
ANDROGEL 1.62 % (20.25 MG/1.25 GRAM) GEL IN PACKET DL,MD	4	PA,QL(37.5 per 30 days)
ANDROGEL 1.62 % (40.5 MG/2.5 GRAM) GEL IN PACKET DL,MD	4	PA,QL(150 per 30 days)
ANDROGEL 20.25 MG/1.25 GRAM (1.62 %) GEL IN METERED DOSE PUMP DL,MD	4	PA,QL(150 per 30 days)
ANGELIQ 0.25-0.5 MG, 0.5-1 MG TABLET MD,MO	3	
ANNOVERA 0.15-0.013 MG/24 HOUR RING MD,MO	3	QL(1 per 365 days)
apri 0.15-0.03 mg TABLET MD,MO	1	
aranelle (28) 0.5/1/0.5-35 mg-mcg TABLET MD,MO	1	
ashlyna 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MD,MO	1	QL(91 per 90 days)
aubra 0.1-20 mg-mcg TABLET MD,MO	1	
aubra eq 0.1-20 mg-mcg TABLET MD,MO	1	
aurovela 1.5/30 (21) 1.5-30 mg-mcg TABLET MD,MO	1	
aurovela 1/20 (21) 1-20 mg-mcg TABLET MD,MO	1	
aurovela 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MD,MO	1	
aurovela fe 1-20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MD,MO	1	
aurovela fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MD,MO	1	
AVEED 750 MG/3 ML (250 MG/ML) SOLUTION DL,MD	4	PA
aviane 0.1-20 mg-mcg TABLET MD,MO	1	
AYGESTIN 5 MG TABLET MD,MO	1	
ayuna 0.15-0.03 mg TABLET MD,MO	1	
azurette (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MD,MO	1	
BALCOLTRA 0.1 MG-0.02 MG (21)/IRON (7) TABLET MD,MO	3	
balziva (28) 0.4-35 mg-mcg TABLET MD,MO	1	
BEYAZ 3-0.02-0.451 MG (24) (4) TABLET MD,MO	3	
BIJUVA 0.5-100 MG, 1-100 MG CAPSULE MD,MO	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
blisovi 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MD,MO	1	
blisovi fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MD,MO	1	
blisovi fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MD,MO	1	
briellyn 0.4-35 mg-mcg TABLET MD,MO	1	
camila 0.35 mg TABLET MD,MO	1	
camrese 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MD,MO	3	QL(91 per 90 days)
camrese lo 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MD,MO	1	QL(91 per 90 days)
charlotte 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MD,MO	1	
chateal eq (28) 0.15-0.03 mg TABLET MD,MO	1	
CLIMARA 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.06 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, WEEKLY MD,MO	3	QL(4 per 28 days)
CLIMARA PRO 0.045-0.015 MG/24 HR PATCH, WEEKLY MD,MO	3	QL(4 per 28 days)
COMBIPATCH 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR PATCH, SEMIWEEKLY MD,MO	3	QL(8 per 28 days)
CRINONE 4 %, 8 % GEL MO	3	
cryselle (28) 0.3-30 mg-mcg TABLET MD,MO	1	
cyred 0.15-0.03 mg TABLET MD,MO	1	
cyred eq 0.15-0.03 mg TABLET MD,MO	1	
danazol 100 mg, 200 mg, 50 mg CAPSULE MO	1	
dasetta 1/35 (28) 1-35 mg-mcg TABLET MD,MO	1	
dasetta 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MD,MO	1	
daysee 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MD,MO	1	QL(91 per 90 days)
deblitane 0.35 mg TABLET MD,MO	1	
DELESTROGEN 10 MG/ML, 20 MG/ML, 40 MG/ML OIL MO	3	
DEPO-ESTRADIOL 5 MG/ML OIL MO	1	QL(5 per 30 days)
DEPO-PROVERA 150 MG/ML SUSPENSION MD,MO	3	QL(1 per 90 days)
DEPO-PROVERA 150 MG/ML SYRINGE MD,MO	3	QL(1 per 90 days)
DEPO-SUBQ PROVERA 104 104 MG/0.65 ML SYRINGE MD,MO	2	QL(0.65 per 90 days)
DEPO-TESTOSTERONE 100 MG/ML, 200 MG/ML OIL MD,MO	1	PA
desog-e.estradiol/e.estradiol 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MD,MO	1	
desogestrel-ethinyl estradiol 0.15-0.03 mg TABLET MD,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DIVIGEL 0.25 MG/0.25 GRAM (0.1 %), 0.5 MG/0.5 GRAM (0.1 %), 0.75 MG/0.75 GRAM (0.1%), 1 MG/GRAM (0.1 %), 1.25 MG/1.25 GRAM (0.1 %) GEL IN PACKET MD,MO	3	
dolishale 90-20 mcg (28) TABLET MD,MO	1	
dotti 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY MD,MO	1	QL(8 per 28 days)
drospirenone-e.estradiol-lm.fa 3-0.02-0.451 mg (24) (4), 3-0.03-0.451 mg (21) (7) TABLET MD,MO	1	
drospirenone-ethinyl estradiol 3-0.02 mg, 3-0.03 mg TABLET MD,MO	1	
DUAVEE 0.45-20 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
ELESTRIN 0.87 GRAM/ACTUATION GEL IN METERED DOSE PUMP MD,MO	3	QL(52 per 30 days)
elinest 0.3-30 mg-mcg TABLET MD,MO	1	
eluryng 0.12-0.015 mg/24 hr RING MD,MO	1	QL(1 per 28 days)
emzahh 0.35 mg TABLET MD,MO	1	
ENDOMETRIN 100 MG INSERT MO	3	
enilloring 0.12-0.015 mg/24 hr RING MD,MO	1	QL(1 per 28 days)
enpresse 50-30 (6)/75-40 (5)/125-30(10) TABLET MD,MO	1	
enskyce 0.15-0.03 mg TABLET MD,MO	1	
errin 0.35 mg TABLET MD,MO	1	
estarylla 0.25-35 mg-mcg TABLET MD,MO	1	
ESTRACE 0.01 % (0.1 MG/GRAM) CREAM MD,MO	3	PA
ESTRACE 0.5 MG, 1 MG, 2 MG TABLET MD,MO	1	
estradiol 0.01 % (0.1 mg/gram) CREAM MD,MO	1	
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, WEEKLY MD,MO	1	QL(4 per 28 days)
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY MD,MO	1	QL(8 per 28 days)
estradiol 0.25 mg/0.25 gram (0.1 %), 0.5 mg/0.5 gram (0.1 %), 0.75 mg/0.75 gram (0.1%), 1 mg/gram (0.1 %), 1.25 mg/1.25 gram (0.1 %) GEL IN PACKET MD,MO	1	
estradiol 0.5 mg, 1 mg, 10 mcg, 2 mg TABLET MD,MO	1	
estradiol 1.25 gram/actuation GEL IN METERED DOSE PUMP MD,MO	1	
estradiol valerate 10 mg/ml, 20 mg/ml, 40 mg/ml OIL MO	1	
estradiol-norethindrone acet 0.5-0.1 mg, 1-0.5 mg TABLET MD,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ESTRING 2 MG (7.5 MCG /24 HOUR) RING MD,MO	3	QL(1 per 90 days)
<i>ethynodiol diac-eth estradiol 1-35 mg-mcg, 1-50 mg-mcg</i> TABLET MD,MO	1	
<i>etonogestrel-ethinyl estradiol 0.12-0.015 mg/24 hr</i> RING MD,MO	1	QL(1 per 28 days)
EVAMIST 1.53 MG/SPRAY (1.7%) SPRAY, NON-AEROSOL MD,MO	3	
EVISTA 60 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
<i>falmina (28) 0.1-20 mg-mcg</i> TABLET MD,MO	1	
FEMLYV 1 MG- 20 MCG TABLET, DISINTEGRATING MD,MO	3	
FEMRING 0.05 MG/24 HR, 0.1 MG/24 HR RING MD,MO	3	QL(1 per 90 days)
<i>femynor 0.25-35 mg-mcg</i> TABLET MD,MO	1	
<i>finzala 1 mg-20 mcg(24) /75 mg (4)</i> CHEWABLE TABLET MD,MO	1	
FORTESTA 10 MG/0.5 GRAM /ACTUATION GEL IN METERED DOSE PUMP MD,MO	3	PA,QL(120 per 30 days)
<i>fyavolv 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> TABLET MD,MO	1	
<i>gallifrey 5 mg</i> TABLET MD,MO	1	
<i>gemmily 1 mg-20 mcg (24)/75 mg (4)</i> CAPSULE MD,MO	1	
GENERESS FE 0.8MG-25MCG(24) AND 75 MG (4) CHEWABLE TABLET MD,MO	3	
<i>hailey 1.5-30 mg-mcg</i> TABLET MD,MO	1	
<i>hailey 24 fe 1 mg-20 mcg (24)/75 mg (4)</i> TABLET MD,MO	1	
<i>hailey fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7)</i> TABLET MD,MO	1	
<i>hailey fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7)</i> TABLET MD,MO	1	
<i>haloette 0.12-0.015 mg/24 hr</i> RING MD,MO	1	QL(1 per 28 days)
<i>heather 0.35 mg</i> TABLET MD,MO	1	
<i>iclevia 0.15 mg-30 mcg (91)</i> TABLET, DOSE PACK, 3 MONTH MD,MO	1	QL(91 per 90 days)
IMVEXXY MAINTENANCE PACK 10 MCG, 4 MCG INSERT MD,MO	3	PA,QL(8 per 28 days)
IMVEXXY STARTER PACK 10 MCG, 4 MCG INSERT, DOSE PACK MO	3	PA,QL(18 per 28 days)
<i>incassia 0.35 mg</i> TABLET MD,MO	1	
INTRAROSA 6.5 MG INSERT MO	3	PA
<i>isibloom 0.15-0.03 mg</i> TABLET MD,MO	1	
<i>jaimiess 0.15 mg-30 mcg (84)/10 mcg (7)</i> TABLET, DOSE PACK, 3 MONTH MD,MO	1	QL(91 per 90 days)
<i>jasmiel (28) 3-0.02 mg</i> TABLET MD,MO	1	
JATENZO 158 MG, 198 MG CAPSULE MD,MO	3	PA,QL(120 per 30 days)
JATENZO 237 MG CAPSULE MD,MO	3	PA,QL(60 per 30 days)
<i>jencycla 0.35 mg</i> TABLET MD,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
jinteli 1-5 mg-mcg TABLET MD,MO	1	
jolessa 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MD,MO	1	QL(91 per 90 days)
joyeaux 0.1 mg-0.02 mg (21)/iron (7) TABLET MD,MO	1	
juleber 0.15-0.03 mg TABLET MD,MO	1	
junel 1.5/30 (21) 1.5-30 mg-mcg TABLET MD,MO	1	
junel 1/20 (21) 1-20 mg-mcg TABLET MD,MO	1	
junel fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MD,MO	1	
junel fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MD,MO	1	
junel fe 24 1 mg-20 mcg (24)/75 mg (4) TABLET MD,MO	1	
kaitlib fe 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET MD,MO	1	
kalliga 0.15-0.03 mg TABLET MD,MO	1	
kariva (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MD,MO	1	
kelnor 1/35 (28) 1-35 mg-mcg TABLET MD,MO	1	
kelnor 1/50 (28) 1-50 mg-mcg TABLET MD,MO	1	
kurvelo (28) 0.15-0.03 mg TABLET MD,MO	1	
l norgest/e.estradiol-e.estrad 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-20 mcg/ 0.15 mg-25 mcg, 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MD,MO	1	QL(91 per 90 days)
larin 1.5/30 (21) 1.5-30 mg-mcg TABLET MD,MO	1	
larin 1/20 (21) 1-20 mg-mcg TABLET MD,MO	1	
larin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MD,MO	1	
larin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MD,MO	1	
larin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MD,MO	1	
LAYOLIS FE 0.8MG-25MCG(24) AND 75 MG (4) CHEWABLE TABLET MD,MO	3	
leena 28 0.5/1/0.5-35 mg-mcg TABLET MD,MO	1	
lessina 0.1-20 mg-mcg TABLET MD,MO	1	
levonest (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET MD,MO	1	
levonorg-eth estrad triphasic 50-30 (6)/75-40 (5)/125-30(10) TABLET MD,MO	1	
levonorgest-eth.estradiol-iron 0.1 mg-0.02 mg (21)/iron (7) TABLET MD,MO	3	
levonorgestrel-ethinyl estrad 0.1-20 mg-mcg, 0.15-0.03 mg, 90-20 mcg (28) TABLET MD,MO	1	
levonorgestrel-ethinyl estrad 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MD,MO	1	QL(91 per 90 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
levora-28 0.15-0.03 mg TABLET MD,MO	1	
LO LOESTRIN FE 1 MG-10 MCG (24)/10 MCG (2) TABLET MD,MO	3	
lo-zumandimine (28) 3-0.02 mg TABLET MD,MO	1	
LOESTRIN 1.5/30 (21) 1.5-30 MG-MCG TABLET MD,MO	1	
LOESTRIN 1/20 (21) 1-20 MG-MCG TABLET MD,MO	1	
LOESTRIN FE 1.5/30 (28-DAY) 1.5 MG-30 MCG (21)/75 MG (7) TABLET MD,MO	1	
LOESTRIN FE 1/20 (28-DAY) 1 MG-20 MCG (21)/75 MG (7) TABLET MD,MO	1	
lojaimiess 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MD,MO	1	QL(91 per 90 days)
loryna (28) 3-0.02 mg TABLET MD,MO	1	
low-ogestrel (28) 0.3-30 mg-mcg TABLET MD,MO	1	
lutera (28) 0.1-20 mg-mcg TABLET MD,MO	1	
lyleq 0.35 mg TABLET MD,MO	1	
lyllana 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY MD,MO	1	QL(8 per 28 days)
lyza 0.35 mg TABLET MD,MO	1	
marlissa (28) 0.15-0.03 mg TABLET MD,MO	1	
medroxyprogesterone 10 mg, 2.5 mg, 5 mg TABLET MD,MO	1	
medroxyprogesterone 150 mg/ml SUSPENSION MD,MO	1	QL(1 per 90 days)
medroxyprogesterone 150 mg/ml SYRINGE MD,MO	1	QL(1 per 90 days)
megestrol 20 mg, 40 mg TABLET MO	1	
megestrol 400 mg/10 ml (10 ml), 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml) SUSPENSION MD,MO	1	
MENEST 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG TABLET MD,MO	1	
MENOSTAR 14 MCG/24 HR PATCH, WEEKLY MD,MO	3	QL(8 per 28 days)
merzee 1 mg-20 mcg (24)/75 mg (4) CAPSULE MD,MO	1	
METHITEST 10 MG TABLET DL,MD	4	
methyltestosterone 10 mg CAPSULE DL,MD	4	
mibelas 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MD,MO	1	
microgestin 1.5/30 (21) 1.5-30 mg-mcg TABLET MD,MO	1	
microgestin 1/20 (21) 1-20 mg-mcg TABLET MD,MO	1	
microgestin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MD,MO	1	
microgestin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MD,MO	1	
microgestin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MD,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
mili 0.25-35 mg-mcg TABLET MD,MO	1	
mimvey 1-0.5 mg TABLET MD,MO	1	
MINASTRIN 24 FE 1 MG-20 MCG(24) /75 MG (4) CHEWABLE TABLET MD,MO	3	
MINIVELLE 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY MD,MO	3	QL(8 per 28 days)
mono-lynyah 0.25-35 mg-mcg TABLET MD,MO	1	
NATAZIA 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG TABLET MD,MO	3	
necon 0.5/35 (28) 0.5-35 mg-mcg TABLET MD,MO	1	
NEXPLANON 68 MG IMPLANT DL	2	
NEXTSTELLIS 3 MG- 14.2 MG (28) TABLET MD,MO	3	
nikki (28) 3-0.02 mg TABLET MD,MO	1	
NORA-BE 0.35 MG TABLET MD,MO	1	
nora-be 0.35 mg TABLET MD,MO	1	
norelgestromin-ethin.estradiol 150-35 mcg/24 hr PATCH, WEEKLY MD,MO	1	QL(3 per 28 days)
noreth-ethinyl estradiol-iron 0.4mg-35mcg(21) and 75 mg (7), 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET MD,MO	1	
norethindrone (contraceptive) 0.35 mg TABLET MD,MO	1	
norethindrone ac-eth estradiol 0.5-2.5 mg-mcg, 1-20 mg-mcg, 1-5 mg-mcg, 1.5-30 mg-mcg TABLET MD,MO	1	
norethindrone acetate 5 mg TABLET MD,MO	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg (21)/75 mg (7), 1-20(5)/1-30(7) /1mg-35mcg (9), 1.5 mg-30 mcg (21)/75 mg (7) TABLET MD,MO	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg (24)/75 mg (4) CAPSULE MD,MO	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MD,MO	1	
norgestimate-ethinyl estradiol 0.18/0.215/0.25 mg-25 mcg, 0.18/0.215/0.25 mg-35 mcg (28), 0.25-35 mg-mcg TABLET MD,MO	1	
nortrel 0.5/35 (28) 0.5-35 mg-mcg TABLET MD,MO	1	
nortrel 1/35 (21) 1-35 mg-mcg (21) TABLET MD,MO	1	
nortrel 1/35 (28) 1-35 mg-mcg TABLET MD,MO	1	
nortrel 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MD,MO	1	
NUVARING 0.12-0.015 MG/24 HR RING MD,MO	3	QL(1 per 28 days)
nylia 1/35 (28) 1-35 mg-mcg TABLET MD,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>nylia</i> 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MD,MO	1	
<i>nymyo</i> 0.25-35 mg-mcg TABLET MD,MO	1	
<i>ocella</i> 3-0.03 mg TABLET MD,MO	1	
OSPHENA 60 MG TABLET MD,MO	2	PA
<i>oxandrolone</i> 10 mg TABLET MD,MO	1	PA,QL(60 per 30 days)
<i>oxandrolone</i> 2.5 mg TABLET MD,MO	1	PA,QL(120 per 30 days)
<i>philith</i> 0.4-35 mg-mcg TABLET MD,MO	1	
<i>pimtrea</i> (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MD,MO	1	
<i>portia</i> 28 0.15-0.03 mg TABLET MD,MO	1	
PREFEST 1 MG (15)/1 MG- 0.09 MG (15) TABLET MD,MO	1	
PREMARIN 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG TABLET MD,MO	3	
PREMARIN 0.625 MG/GRAM CREAM MD,MO	2	
PREMARIN 25 MG RECON SOLUTION MO	3	
PREMPHASE 0.625 MG (14)/ 0.625MG-5MG(14) TABLET MD,MO	3	
PREMPRO 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG TABLET MD,MO	3	
<i>progesterone</i> 50 mg/ml OIL MO	1	
<i>progesterone</i> micronized 100 mg, 200 mg CAPSULE MD,MO	1	
PROMETRIUM 100 MG, 200 MG CAPSULE MD,MO	3	
PROVERA 10 MG, 2.5 MG, 5 MG TABLET MD,MO	3	
QUARTETTE 0.15 MG-20 MCG/ 0.15 MG-25 MCG TABLET, DOSE PACK, 3 MONTH MD,MO	3	QL(91 per 90 days)
<i>raloxifene</i> 60 mg TABLET MD,MO	1	QL(30 per 30 days)
<i>reclipsen</i> (28) 0.15-0.03 mg TABLET MD,MO	1	
<i>rivalsa</i> 0.15 mg-20 mcg/ 0.15 mg-25 mcg TABLET, DOSE PACK, 3 MONTH MD,MO	1	QL(91 per 90 days)
SAFYRAL 3-0.03-0.451 MG (21) (7) TABLET MD,MO	3	
SEASONIQUE 0.15 MG-30 MCG (84)/10 MCG (7) TABLET, DOSE PACK, 3 MONTH MD,MO	3	QL(91 per 90 days)
<i>setlakin</i> 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MD,MO	1	QL(91 per 90 days)
<i>sharobel</i> 0.35 mg TABLET MD,MO	1	
<i>simliya</i> (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MD,MO	1	
<i>simpesse</i> 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MD,MO	1	QL(91 per 90 days)
<i>sprintec</i> (28) 0.25-35 mg-mcg TABLET MD,MO	1	
<i>sronyx</i> 0.1-20 mg-mcg TABLET MD,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
syeda 3-0.03 mg TABLET MD,MO	1	
tarina 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MD,MO	1	
tarina fe 1-20 eq (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MD,MO	1	
tarina fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MD,MO	1	
taysofy 1 mg-20 mcg (24)/75 mg (4) CAPSULE MD,MO	1	
TAYTULLA 1 MG-20 MCG (24)/75 MG (4) CAPSULE MD,MO	3	
TESTIM 50 MG/5 GRAM (1 %) GEL MD,MO	3	PA,QL(300 per 30 days)
testosterone 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram) GEL IN PACKET MD,MO	1	PA,QL(300 per 30 days)
testosterone 1.62 % (20.25 mg/1.25 gram) GEL IN PACKET MD,MO	1	PA,QL(37.5 per 30 days)
testosterone 1.62 % (40.5 mg/2.5 gram) GEL IN PACKET MD,MO	1	PA,QL(150 per 30 days)
testosterone 10 mg/0.5 gram /actuation GEL IN METERED DOSE PUMP MD,MO	1	PA,QL(120 per 30 days)
testosterone 12.5 mg/ 1.25 gram (1 %) GEL IN METERED DOSE PUMP MD,MO	1	PA,QL(300 per 30 days)
testosterone 20.25 mg/1.25 gram (1.62 %) GEL IN METERED DOSE PUMP MD,MO	1	PA,QL(150 per 30 days)
testosterone 30 mg/actuation (1.5 ml) SOLUTION IN METERED DOSE PUMP MD,MO	3	PA,QL(180 per 30 days)
testosterone 50 mg/5 gram (1 %) GEL MD,MO	3	PA,QL(300 per 30 days)
testosterone cypionate 100 mg/ml, 200 mg/ml OIL MD,MO	1	PA
testosterone enanthate 200 mg/ml OIL MO	1	PA,QL(25 per 90 days)
tilia fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET MD,MO	1	
TLANDO 112.5 MG CAPSULE MD,MO	3	PA,QL(120 per 30 days)
tri-estarylla 0.18/0.215/0.25 mg-35 mcg (28) TABLET MD,MO	1	
tri-legest fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET MD,MO	1	
tri-linyah 0.18/0.215/0.25 mg-35 mcg (28) TABLET MD,MO	1	
tri-lo-estarylla 0.18/0.215/0.25 mg-25 mcg TABLET MD,MO	1	
tri-lo-marzia 0.18/0.215/0.25 mg-25 mcg TABLET MD,MO	1	
tri-lo-mili 0.18/0.215/0.25 mg-25 mcg TABLET MD,MO	1	
tri-lo-sprintec 0.18/0.215/0.25 mg-25 mcg TABLET MD,MO	1	
tri-mili 0.18/0.215/0.25 mg-35 mcg (28) TABLET MD,MO	1	
tri-nymyo 0.18/0.215/0.25 mg-35 mcg (28) TABLET MD,MO	1	
tri-sprintec (28) 0.18/0.215/0.25 mg-35 mcg (28) TABLET MD,MO	1	
tri-vylibra 0.18/0.215/0.25 mg-35 mcg (28) TABLET MD,MO	1	
tri-vylibra lo 0.18/0.215/0.25 mg-25 mcg TABLET MD,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>trivora</i> (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET MD,MO	1	
<i>tulana</i> 0.35 mg TABLET MD,MO	1	
<i>turqoz</i> (28) 0.3-30 mg-mcg TABLET MD,MO	1	
<i>tydemy</i> 3-0.03-0.451 mg (21) (7) TABLET MD,MO	1	
VAGIFEM 10 MCG TABLET MD,MO	3	PA
<i>velivet triphasic regimen</i> (28) 0.1/.125/.15-25 mg-mcg TABLET MD,MO	1	
<i>vestura</i> (28) 3-0.02 mg TABLET MD,MO	1	
<i>vienva</i> 0.1-20 mg-mcg TABLET MD,MO	1	
<i>viorele</i> (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MD,MO	1	
VIVELLE-DOT 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY MD,MO	3	QL(8 per 28 days)
VOGELXO 1 % (50 MG/5 GRAM) GEL IN PACKET MD,MO	3	PA,QL(300 per 30 days)
VOGELXO 12.5 MG/ 1.25 GRAM (1 %) GEL IN METERED DOSE PUMP MD,MO	3	PA,QL(300 per 30 days)
VOGELXO 50 MG/5 GRAM (1 %) GEL MD,MO	3	PA,QL(300 per 30 days)
<i>volnea</i> (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MD,MO	1	
<i>vyfemla</i> (28) 0.4-35 mg-mcg TABLET MD,MO	1	
<i>vylibra</i> 0.25-35 mg-mcg TABLET MD,MO	1	
<i>wera</i> (28) 0.5-35 mg-mcg TABLET MD,MO	1	
<i>wymzya fe</i> 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET MD,MO	1	
<i>xulane</i> 150-35 mcg/24 hr PATCH, WEEKLY MD,MO	1	QL(3 per 28 days)
XYOSTED 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML AUTO-INJECTOR MD,MO	3	PA,QL(2 per 28 days)
YASMIN (28) 3-0.03 MG TABLET MD,MO	3	
YAZ (28) 3-0.02 MG TABLET MD,MO	3	
<i>yuvafem</i> 10 mcg TABLET MD,MO	1	
<i>zafemy</i> 150-35 mcg/24 hr PATCH, WEEKLY MD,MO	1	QL(3 per 28 days)
<i>zarah</i> 3-0.03 mg TABLET MD,MO	1	
<i>zovia</i> 1-35 (28) 1-35 mg-mcg TABLET MD,MO	1	
<i>zumandimine</i> (28) 3-0.03 mg TABLET MD,MO	1	
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (THYROID)		
ARMOUR THYROID 120 MG, 15 MG, 180 MG, 240 MG, 30 MG, 300 MG, 60 MG, 90 MG TABLET MD,MO	2	
CYTOMEL 25 MCG, 5 MCG, 50 MCG TABLET MD,MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ERMEZA 30 MCG/ML SOLUTION MD,MO	3	
EUTHYROX 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MD,MO	1	
LEVO-T 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MD,MO	2	
levothyroxine 100 mcg RECON SOLUTION MO	1	
levothyroxine 100 mcg, 112 mcg, 125 mcg, 13 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg CAPSULE MD,MO	1	
levothyroxine 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg TABLET MD,MO	1	
levothyroxine 100 mcg/ml, 20 mcg/ml, 40 mcg/ml SOLUTION MO	1	
levothyroxine 175 mcg, 200 mcg, 300 mcg TABLET MD,MO	1	
levothyroxine 200 mcg, 500 mcg RECON SOLUTION DL	4	
LEVOXYL 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MD,MO	1	
liothyronine 10 mcg/ml SOLUTION MO	1	
liothyronine 25 mcg, 5 mcg, 50 mcg TABLET MD,MO	1	
np thyroid 120 mg, 15 mg, 30 mg, 60 mg, 90 mg TABLET MD,MO	2	
SYNTHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MD,MO	2	
THYQUIDITY 20 MCG/ML SOLUTION MD,MO	3	
TIROSINT 100 MCG, 112 MCG, 125 MCG, 13 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 37.5 MCG, 44 MCG, 50 MCG, 62.5 MCG, 75 MCG, 88 MCG CAPSULE MD,MO	3	
TIROSINT-SOL 100 MCG/ML, 112 MCG/ML, 125 MCG/ML, 13 MCG/ML, 137 MCG/ML, 150 MCG/ML, 175 MCG/ML, 200 MCG/ML, 25 MCG/ML, 37.5 MCG/ML, 44 MCG/ML, 50 MCG/ML, 62.5 MCG/ML, 75 MCG/ML, 88 MCG/ML SOLUTION MD,MO	3	
TRIOSTAT 10 MCG/ML SOLUTION MO	3	
UNITHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MD,MO	2	
HORMONAL AGENTS, SUPPRESSANT (ADRENAL OR PITUITARY)		
cabergoline 0.5 mg TABLET MD,MO	1	
ELIGARD 7.5 MG (1 MONTH) SYRINGE MD,MO	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ELIGARD (3 MONTH) 22.5 MG SYRINGE MD,MO	3	PA
ELIGARD (4 MONTH) 30 MG SYRINGE MD,MO	3	PA
ELIGARD (6 MONTH) 45 MG SYRINGE MD,MO	3	PA
FENSOLVI 45 MG SYRINGE MD	4	PA,QL(1 per 180 days)
FIRMAGON 120 MG RECON SOLUTION DL	4	PA
FIRMAGON KIT W DILUENT SYRINGE 120 MG RECON SOLUTION DL	4	PA
FIRMAGON KIT W DILUENT SYRINGE 80 MG RECON SOLUTION MD,MO	3	PA
lanreotide 120 mg/0.5 ml SYRINGE DL,MD	4	PA,QL(0.5 per 28 days)
lanreotide 60 mg/0.2 ml SYRINGE DL,MD	4	PA,QL(0.2 per 28 days)
lanreotide 90 mg/0.3 ml SYRINGE DL,MD	4	PA,QL(0.3 per 28 days)
leuprolide 1 mg/0.2 ml KIT MD,MO	1	
leuprolide (3 month) 22.5 mg SUSPENSION FOR RECONSTITUTION MO	3	PA,QL(1 per 90 days)
LUPRON DEPOT 3.75 MG SYRINGE KIT MO	3	PA,QL(1 per 30 days)
LUPRON DEPOT 7.5 MG SYRINGE KIT DL,MD	4	PA,QL(1 per 30 days)
LUPRON DEPOT (3 MONTH) 11.25 MG SYRINGE KIT MO	3	PA,QL(1 per 90 days)
LUPRON DEPOT (3 MONTH) 22.5 MG SYRINGE KIT MD,MO	3	PA,QL(1 per 90 days)
LUPRON DEPOT (4 MONTH) 30 MG SYRINGE KIT MD,MO	3	PA,QL(1 per 112 days)
LUPRON DEPOT (6 MONTH) 45 MG SYRINGE KIT MD	4	PA,QL(1 per 168 days)
LUPRON DEPOT-PED 11.25 MG, 15 MG, 7.5 MG (PED) KIT DL,MD	4	PA,QL(1 per 28 days)
LUPRON DEPOT-PED 45 MG SYRINGE KIT MD	4	PA,QL(1 per 168 days)
LUPRON DEPOT-PED (3 MONTH) 11.25 MG, 30 MG SYRINGE KIT MD	4	PA,QL(1 per 90 days)
MYCAPSSA 20 MG CAPSULE, DR/EC DL,MD	4	PA,QL(112 per 28 days)
MYFEMBREE 40-1-0.5 MG TABLET DL,MD	4	PA,QL(28 per 28 days)
octreotide acetate 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml SOLUTION MD,MO	1	PA
octreotide acetate 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml) SYRINGE MD,MO	1	PA
ORIAHNN 300-1-0.5MG(AM) /300 MG(PM) CAPSULE, SEQUENTIAL DL,MD	4	PA,QL(56 per 28 days)
ORILISSA 150 MG TABLET DL,MD	4	PA,QL(28 per 28 days)
ORILISSA 200 MG TABLET DL	4	PA,QL(56 per 28 days)
RECORLEV 150 MG TABLET DL,MD	4	PA,QL(240 per 30 days)
SANDOSTATIN 100 MCG/ML, 50 MCG/ML, 500 MCG/ML SOLUTION DL,MD	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SANDOSTATIN LAR DEPOT 10 MG, 20 MG, 30 MG SUSPENSION, ER, RECON DL,MD	4	PA
SIGNIFOR 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) SOLUTION DL,MD	4	PA,QL(60 per 30 days)
SIGNIFOR LAR 10 MG, 20 MG, 30 MG, 40 MG, 60 MG SUSPENSION FOR RECONSTITUTION DL,MD	4	PA,QL(1 per 28 days)
SOMATULINE DEPOT 120 MG/0.5 ML SYRINGE DL,MD	4	PA,QL(0.5 per 28 days)
SOMATULINE DEPOT 60 MG/0.2 ML SYRINGE DL,MD	4	PA,QL(0.2 per 28 days)
SOMATULINE DEPOT 90 MG/0.3 ML SYRINGE DL,MD	4	PA,QL(0.3 per 28 days)
SOMAVERT 10 MG, 15 MG, 20 MG RECON SOLUTION DL,MD	4	PA,QL(60 per 30 days)
SOMAVERT 25 MG, 30 MG RECON SOLUTION DL,MD	4	PA,QL(30 per 30 days)
SYNAREL 2 MG/ML SPRAY, NON-AEROSOL DL	4	
TRELSTAR 11.25 MG SUSPENSION FOR RECONSTITUTION MO	3	PA
TRELSTAR 22.5 MG, 3.75 MG SUSPENSION FOR RECONSTITUTION MD,MO	3	PA
TRIPTODUR 22.5 MG SUSPENSION FOR RECONSTITUTION MD	4	PA,QL(1 per 168 days)
ZOLADEX 10.8 MG IMPLANT MO	3	PA,QL(1 per 84 days)
ZOLADEX 3.6 MG IMPLANT MO	3	PA,QL(1 per 28 days)
HORMONAL AGENTS, SUPPRESSANT (THYROID)		
<i>methimazole 10 mg, 5 mg TABLET</i> MD,MO	1	
<i>propylthiouracil 50 mg TABLET</i> MD,MO	1	
IMMUNOLOGICAL AGENTS		
ABRILADA(CF) 20 MG/0.4 ML SYRINGE KIT DL,MD	4	PA,QL(2 per 28 days)
ABRILADA(CF) 40 MG/0.8 ML SYRINGE KIT DL,MD	4	PA,QL(6 per 28 days)
ABRILADA(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
ABRYSVO (PF) 120 MCG/0.5 ML RECON SOLUTION AV,DL	1	
ACTEMRA 162 MG/0.9 ML SYRINGE DL,MD	4	PA,QL(3.6 per 28 days)
ACTEMRA ACTPEN 162 MG/0.9 ML PEN INJECTOR DL,MD	4	PA,QL(3.6 per 28 days)
ACTHIB (PF) 10 MCG/0.5 ML RECON SOLUTION DL	1	
ACTIMMUNE 100 MCG/0.5 ML SOLUTION DL	4	PA
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SUSPENSION AV,DL	1	
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SYRINGE AV,DL	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ADALIMUMAB-AACF 40 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
ADALIMUMAB-AACF 40 MG/0.8 ML SYRINGE KIT DL,MD	4	PA,QL(6 per 28 days)
ADALIMUMAB-AACF(CF) PEN CROHNS 40 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
ADALIMUMAB-AACF(CF) PEN PS-UV 40 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
ADALIMUMAB-AATY 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT DL,MD	4	PA,QL(6 per 28 days)
ADALIMUMAB-AATY 40 MG/0.4 ML, 80 MG/0.8 ML AUTO-INJECTOR, KIT DL,MD	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADAZ 40 MG/0.4 ML PEN INJECTOR DL,MD	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADAZ 40 MG/0.4 ML SYRINGE DL,MD	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADB1 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT DL,MD	4	PA,QL(2 per 28 days)
ADALIMUMAB-ADB1 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADB1 40 MG/0.4 ML, 40 MG/0.8 ML SYRINGE KIT DL,MD	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADB1(CF) PEN CROHNS 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADB1(CF) PEN PS-UV 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
ADALIMUMAB-FKJP 20 MG/0.4 ML SYRINGE KIT DL,MD	4	PA,QL(2 per 28 days)
ADALIMUMAB-FKJP 40 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
ADALIMUMAB-FKJP 40 MG/0.8 ML SYRINGE KIT DL,MD	4	PA,QL(6 per 28 days)
ADALIMUMAB-RYVK 40 MG/0.4 ML AUTO-INJECTOR, KIT DL,MD	4	PA,QL(6 per 28 days)
ADALIMUMAB-RYVK 40 MG/0.4 ML SYRINGE KIT DL,MD	4	PA,QL(6 per 28 days)
ALYGLO 10 % SOLUTION DL,MD	4	PA
AMJEVITA(CF) 10 MG/0.2 ML, 20 MG/0.2 ML SYRINGE DL,MD	4	PA,QL(1.2 per 28 days)
AMJEVITA(CF) 20 MG/0.4 ML, 40 MG/0.4 ML SYRINGE DL,MD	4	PA,QL(2.4 per 28 days)
AMJEVITA(CF) 40 MG/0.8 ML SYRINGE DL,MD	4	PA,QL(4.8 per 28 days)
AMJEVITA(CF) AUTOINJECTOR 40 MG/0.4 ML AUTO-INJECTOR DL,MD	4	PA,QL(2.4 per 28 days)
AMJEVITA(CF) AUTOINJECTOR 40 MG/0.8 ML, 80 MG/0.8 ML AUTO-INJECTOR DL,MD	4	PA,QL(4.8 per 28 days)
ARAVA 10 MG, 20 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
ARCALYST 220 MG RECON SOLUTION DL,MD	4	PA
AREXVY (PF) 120 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION AV,DL	1	
ASCENIV 10 % SOLUTION DL,MD	4	PA
ASTAGRAF XL 0.5 MG, 1 MG, 5 MG CAPSULE, ER 24 HR. MD,MO	3	BvsD
ATGAM 50 MG/ML SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AVSOLA 100 MG RECON SOLUTION DL,MD	4	PA
AZASAN 100 MG, 75 MG TABLET MD,MO	1	BvsD
azathioprine 100 mg, 50 mg, 75 mg TABLET MD,MO	1	BvsD
azathioprine sodium 100 mg RECON SOLUTION MO	1	BvsD
BCG VACCINE, LIVE (PF) 50 MG SUSPENSION FOR RECONSTITUTION AV,DL	1	
BENLYSTA 120 MG RECON SOLUTION DL,MD	4	PA,QL(20 per 28 days)
BENLYSTA 200 MG/ML AUTO-INJECTOR DL,MD	4	PA,QL(8 per 28 days)
BENLYSTA 200 MG/ML SYRINGE DL,MD	4	PA,QL(8 per 28 days)
BENLYSTA 400 MG RECON SOLUTION DL,MD	4	PA,QL(6 per 28 days)
BERINERT 500 UNIT (10 ML) KIT DL,MD	4	PA,QL(15 per 30 days)
BERINERT 500 UNIT (10 ML) RECON SOLUTION DL,MD	4	PA,QL(15 per 30 days)
BESREMI 500 MCG/ML SYRINGE DL,MD	4	PA,QL(2 per 28 days)
BEXSERO 50-50-50-25 MCG/0.5 ML SYRINGE AV,DL	1	
BIMZELX 160 MG/ML SYRINGE DL,MD	4	PA,QL(2 per 28 days)
BIMZELX AUTOINJECTOR 160 MG/ML AUTO-INJECTOR DL,MD	4	PA,QL(2 per 28 days)
BIVIGAM 10 % SOLUTION DL,MD	4	PA
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SUSPENSION AV,DL	1	
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SYRINGE AV,DL	1	
CELLCEPT 200 MG/ML SUSPENSION FOR RECONSTITUTION DL,MD	4	BvsD
CELLCEPT 250 MG CAPSULE DL,MD	4	BvsD
CELLCEPT 500 MG TABLET DL,MD	4	BvsD
CELLCEPT INTRAVENOUS 500 MG RECON SOLUTION MO	3	BvsD
CIBINQO 100 MG, 200 MG, 50 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
CIMZIA 200 MG/ML SYRINGE KIT DL,MD	4	PA,QL(6 per 30 days)
CIMZIA 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT DL,MD	4	PA,QL(3 per 30 days)
CIMZIA POWDER FOR RECONST 400 MG (200 MG X 2 VIALS) KIT DL,MD	4	PA,QL(3 per 30 days)
CIMZIA STARTER KIT 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT DL,MD	4	PA,QL(3 per 30 days)
CINRYZE 500 UNIT (5 ML) RECON SOLUTION DL,MD	4	PA,QL(20 per 30 days)
COSENTYX 150 MG/ML SYRINGE DL,MD	4	PA,QL(8 per 28 days)
COSENTYX 25 MG/ML SOLUTION DL,MD	4	PA
COSENTYX 75 MG/0.5 ML SYRINGE DL,MD	4	PA,QL(2 per 28 days)
COSENTYX (2 SYRINGES) 150 MG/ML SYRINGE DL,MD	4	PA,QL(8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
COSENTYX PEN 150 MG/ML PEN INJECTOR DL,MD	4	PA,QL(8 per 28 days)
COSENTYX PEN (2 PENS) 150 MG/ML PEN INJECTOR DL,MD	4	PA,QL(8 per 28 days)
COSENTYX UNOREADY PEN 300 MG/2 ML (150 MG/ML) PEN INJECTOR DL,MD	4	PA,QL(8 per 28 days)
CUTAQUIG 16.5 % SOLUTION DL,MD	4	PA
<i>cyclosporine 100 mg, 25 mg CAPSULE</i> MD,MO	1	BvsD
<i>cyclosporine modified 100 mg, 25 mg, 50 mg CAPSULE</i> MD,MO	1	BvsD
<i>cyclosporine modified 100 mg/ml SOLUTION</i> MD,MO	1	BvsD
CYLTEZO(CF) 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT DL,MD	4	PA,QL(2 per 28 days)
CYLTEZO(CF) 40 MG/0.4 ML, 40 MG/0.8 ML SYRINGE KIT DL,MD	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN CROHN'S-UC-HS 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN PSORIASIS-UV 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
CYTOGAM 50 MG/ML SOLUTION DL	4	PA
DAPTACEL (DTAP PEDIATRIC) (PF) 15-10-5 LF-MCG-LF/0.5ML SUSPENSION DL	1	
DENGVAXIA (PF) 10EXP4.5-6 CCID50/0.5 ML SUSPENSION FOR RECONSTITUTION DL	1	
DUPIXENT PEN 200 MG/1.14 ML PEN INJECTOR DL,MD	4	PA,QL(3.42 per 28 days)
DUPIXENT PEN 300 MG/2 ML PEN INJECTOR DL,MD	4	PA,QL(8 per 28 days)
DUPIXENT SYRINGE 100 MG/0.67 ML SYRINGE DL,MD	4	PA,QL(1.34 per 28 days)
DUPIXENT SYRINGE 200 MG/1.14 ML SYRINGE DL,MD	4	PA,QL(3.42 per 28 days)
DUPIXENT SYRINGE 300 MG/2 ML SYRINGE DL,MD	4	PA,QL(8 per 28 days)
ENBREL 25 MG (1 ML) RECON SOLUTION DL,MD	4	PA,QL(8 per 28 days)
ENBREL 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) SYRINGE DL,MD	4	PA,QL(8 per 28 days)
ENBREL 25 MG/0.5 ML SOLUTION DL,MD	4	PA,QL(8 per 28 days)
ENBREL MINI 50 MG/ML (1 ML) CARTRIDGE DL,MD	4	PA,QL(8 per 28 days)
ENBREL SURECLICK 50 MG/ML (1 ML) PEN INJECTOR DL,MD	4	PA,QL(8 per 28 days)
ENGERIX-B (PF) 20 MCG/ML SUSPENSION AV,DL	1	BvsD
ENGERIX-B (PF) 20 MCG/ML SYRINGE AV,DL	1	BvsD
ENGERIX-B PEDIATRIC (PF) 10 MCG/0.5 ML SYRINGE AV,DL	1	BvsD
ENJAYMO 50 MG/ML SOLUTION DL,MD	4	PA
ENTYVIO 300 MG RECON SOLUTION MD	4	PA,QL(8 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ENTYVIO PEN 108 MG/0.68 ML PEN INJECTOR DL,MD	4	PA,QL(1.36 per 28 days)
ENVARUSUS XR 0.75 MG, 1 MG TABLET, ER 24 HR. MD,MO	3	PA
ENVARUSUS XR 4 MG TABLET, ER 24 HR. DL,MD	3	PA
<i>everolimus (immunosuppressive) 0.25 mg TABLET</i> MD,MO	1	BvsD,QL(60 per 30 days)
<i>everolimus (immunosuppressive) 0.5 mg TABLET</i> DL,MD	4	BvsD,QL(120 per 30 days)
<i>everolimus (immunosuppressive) 0.75 mg, 1 mg TABLET</i> DL,MD	4	BvsD,QL(60 per 30 days)
FABHALTA 200 MG CAPSULE DL,MD	4	PA,QL(60 per 30 days)
FIRAZYR 30 MG/3 ML SYRINGE DL	4	PA,QL(18 per 30 days)
FLEBOGAMMA DIF 10 %, 5 % SOLUTION DL,MD	4	PA
GAMASTAN 15-18 % RANGE SOLUTION MO	3	PA
GAMIFANT 5 MG/ML SOLUTION DL,MD	4	PA
GAMMAGARD LIQUID 10 % SOLUTION DL,MD	4	PA
GAMMAGARD S-D (IGA < 1 MCG/ML) 10 GRAM, 5 GRAM RECON SOLUTION DL,MD	4	PA
GAMMAKED 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION DL,MD	4	PA
GAMMAPLEX 10 % SOLUTION DL,MD	4	PA
GAMMAPLEX (WITH SORBITOL) 5 % SOLUTION DL,MD	4	PA
GAMUNEX-C 1 GRAM/10 ML (10 %) SOLUTION DL,MD	4	PA
GAMUNEX-C 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION DL,MD	4	PA
GARDASIL 9 (PF) 0.5 ML SUSPENSION AV,DL	1	
GARDASIL 9 (PF) 0.5 ML SYRINGE AV,DL	1	
<i>gengraf 100 mg, 25 mg CAPSULE</i> MD,MO	1	BvsD
<i>gengraf 100 mg/ml SOLUTION</i> MD,MO	1	BvsD
HADLIMA 40 MG/0.8 ML SYRINGE DL,MD	4	PA,QL(4.8 per 28 days)
HADLIMA PUSH TOUCH 40 MG/0.8 ML AUTO-INJECTOR DL,MD	4	PA,QL(4.8 per 28 days)
HADLIMA(CF) 40 MG/0.4 ML SYRINGE DL,MD	4	PA,QL(2.4 per 28 days)
HADLIMA(CF) PUSH TOUCH 40 MG/0.4 ML AUTO-INJECTOR DL,MD	4	PA,QL(2.4 per 28 days)
HAEGARDA 2,000 UNIT, 3,000 UNIT RECON SOLUTION DL,MD	4	PA,QL(24 per 28 days)
HAVRIX (PF) 1,440 ELISA UNIT/ML SYRINGE AV,DL	1	
HAVRIX (PF) 720 ELISA UNIT/0.5 ML SYRINGE DL	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HEPLISAV-B (PF) 20 MCG/0.5 ML SYRINGE AV,DL	1	BvsD
HIBERIX (PF) 10 MCG/0.5 ML RECON SOLUTION DL	1	
HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION DL,MD	4	PA
HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SYRINGE DL,MD	4	PA
HULIO(CF) 20 MG/0.4 ML SYRINGE KIT DL,MD	4	PA,QL(2 per 28 days)
HULIO(CF) 40 MG/0.8 ML SYRINGE KIT DL,MD	4	PA,QL(6 per 28 days)
HULIO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
HUMIRA 40 MG/0.8 ML SYRINGE KIT DL,MD	4	PA,QL(6 per 28 days)
HUMIRA PEN 40 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
HUMIRA PEN CROHNS-UC-HS START 40 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
HUMIRA PEN PSOR-UVEITS-ADOL HS 40 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
HUMIRA(CF) 10 MG/0.1 ML SYRINGE KIT DL,MD	4	PA,QL(2 per 28 days)
HUMIRA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT DL,MD	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEDI CROHNS STARTER 80 MG/0.8 ML SYRINGE KIT DL,MD	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEDI CROHNS STARTER 80 MG/0.8 ML-40 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN 40 MG/0.4 ML, 80 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN CROHNS-UC-HS 80 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PEDIATRIC UC 80 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PSOR-UV-ADOL HS 80 MG/0.8 ML-40 MG/0.4 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HYPERRAB (PF) 300 UNIT/ML SOLUTION DL	4	BvsD
HYPERTET (PF) 250 UNIT/ML SYRINGE DL	3	BvsD
HYRIMOZ 40 MG/0.8 ML SYRINGE DL,MD	4	PA,QL(4.8 per 28 days)
HYRIMOZ PEN 40 MG/0.8 ML PEN INJECTOR DL,MD	4	PA,QL(4.8 per 28 days)
HYRIMOZ PEN CROHN'S-UC STARTER 80 MG/0.8 ML PEN INJECTOR DL,MD	4	PA,QL(4.8 per 28 days)
HYRIMOZ PEN PSORIASIS STARTER 80MG/0.8ML(X1)- 40 MG/0.4ML(X2) PEN INJECTOR DL	4	PA,QL(3.2 per 28 days)
HYRIMOZ(CF) 10 MG/0.1 ML SYRINGE DL,MD	4	PA,QL(0.2 per 28 days)
HYRIMOZ(CF) 20 MG/0.2 ML SYRINGE DL,MD	4	PA,QL(1.2 per 28 days)
HYRIMOZ(CF) 40 MG/0.4 ML SYRINGE DL,MD	4	PA,QL(2.4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML SYRINGE DL,MD	4	PA,QL(4.8 per 28 days)
HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML- 40 MG/0.4 ML SYRINGE DL	4	PA,QL(3.6 per 28 days)
HYRIMOZ(CF) PEN 40 MG/0.4 ML PEN INJECTOR DL,MD	4	PA,QL(2.4 per 28 days)
HYRIMOZ(CF) PEN 80 MG/0.8 ML PEN INJECTOR DL,MD	4	PA,QL(4.8 per 28 days)
<i>icatibant 30 mg/3 ml SYRINGE</i> DL	4	PA,QL(18 per 30 days)
IDACIO(CF) 40 MG/0.8 ML SYRINGE KIT DL,MD	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN CROHN-UC STARTR 40 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN PSORIASIS START 40 MG/0.8 ML PEN INJECTOR KIT DL,MD	4	PA,QL(6 per 28 days)
ILUMYA 100 MG/ML SYRINGE MD	4	PA,QL(6 per 365 days)
IMOGAM RABIES-HT (PF) 150 UNIT/ML SOLUTION DL	3	BvsD
IMOVAX RABIES VACCINE (PF) 2.5 UNIT RECON SOLUTION AV,DL	1	BvsD
IMURAN 50 MG TABLET MD,MO	3	PA
INFANRIX (DTAP) (PF) 25-58-10 LF-MCG-LF/0.5ML SYRINGE DL	1	
INFLECTRA 100 MG RECON SOLUTION DL,MD	4	PA
INFLIXIMAB 100 MG RECON SOLUTION DL,MD	4	PA
INTRON A 10 MILLION UNIT (1 ML) RECON SOLUTION MO	3	PA
IPOL 40-8-32 UNIT/0.5 ML SUSPENSION AV,DL	1	
IXCHIQ (PF) 1,000 TCID50/0.5 ML RECON SOLUTION AV,DL	1	
IXIARO (PF) 6 MCG/0.5 ML SYRINGE AV,DL	1	
JYLAMVO 2 MG/ML SOLUTION DL,MD	3	PA
JYNNEOS (PF) 0.5X TO 3.95X 10EXP8 UNIT/0.5 SUSPENSION AV,DL	1	
KEDRAB (PF) 150 UNIT/ML SOLUTION DL	4	BvsD
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML PEN INJECTOR DL,MD	4	PA,QL(2.28 per 28 days)
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML SYRINGE DL,MD	4	PA,QL(2.28 per 28 days)
KINERET 100 MG/0.67 ML SYRINGE DL,MD	4	PA,QL(20.1 per 30 days)
KINRIX (PF) 25 LF-58 MCG-10 LF/0.5 ML SYRINGE DL	1	
<i>leflunomide 10 mg, 20 mg TABLET</i> MD,MO	1	QL(30 per 30 days)
LITFULO 50 MG CAPSULE DL,MD	4	PA,QL(28 per 28 days)
LUPKYNIS 7.9 MG CAPSULE DL,MD	4	PA,QL(180 per 30 days)
M-M-R II (PF) 1,000-12,500 TCID50/0.5 ML RECON SOLUTION AV,DL	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MENACTRA (PF) 4 MCG/0.5 ML SOLUTION AV,DL	1	
MENQUADFI (PF) 10 MCG/0.5 ML SOLUTION AV,DL	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML KIT AV,DL	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML SOLUTION AV,DL	1	
methotrexate sodium 2.5 mg TABLET MD,MO	1	BvsD
methotrexate sodium 25 mg/ml SOLUTION MO	1	
methotrexate sodium (pf) 1 gram RECON SOLUTION MO	1	
methotrexate sodium (pf) 25 mg/ml SOLUTION MO	1	
MONJUVI 200 MG RECON SOLUTION DL,MD	4	PA
MRESVIA (PF) 50 MCG/0.5 ML SYRINGE AV,DL	1	
mycophenolate mofetil 200 mg/ml SUSPENSION FOR RECONSTITUTION MD,MO	1	BvsD
mycophenolate mofetil 250 mg CAPSULE MD,MO	1	BvsD
mycophenolate mofetil 500 mg TABLET MD,MO	1	BvsD
mycophenolate mofetil (hcl) 500 mg RECON SOLUTION MO	1	BvsD
mycophenolate sodium 180 mg, 360 mg TABLET, DR/EC MD,MO	1	BvsD
MYFORTIC 180 MG TABLET, DR/EC MD,MO	3	BvsD
MYFORTIC 360 MG TABLET, DR/EC DL,MD	4	BvsD
MYHIBBIN 200 MG/ML SUSPENSION DL,MD	4	BvsD
NEMLUVIO 30 MG PEN INJECTOR DL,MD	4	PA,QL(2 per 28 days)
NEORAL 100 MG, 25 MG CAPSULE MD,MO	3	BvsD
NEORAL 100 MG/ML SOLUTION MD,MO	3	BvsD
OCTAGAM 10 %, 5 % SOLUTION DL,MD	4	PA
OLUMIANT 1 MG, 2 MG, 4 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
OMVOH 100 MG/ML SYRINGE DL,MD	4	PA,QL(2 per 28 days)
OMVOH 300 MG/15 ML (20 MG/ML) SOLUTION DL	4	PA
OMVOH PEN 100 MG/ML PEN INJECTOR DL,MD	4	PA,QL(2 per 28 days)
ORENCIA 125 MG/ML SYRINGE DL,MD	4	PA,QL(4 per 28 days)
ORENCIA 50 MG/0.4 ML SYRINGE DL,MD	4	PA,QL(1.6 per 28 days)
ORENCIA 87.5 MG/0.7 ML SYRINGE DL,MD	4	PA,QL(2.8 per 28 days)
ORENCIA CLICKJECT 125 MG/ML AUTO-INJECTOR DL,MD	4	PA,QL(4 per 28 days)
ORLADEYO 110 MG, 150 MG CAPSULE DL,MD	4	PA,QL(28 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OTREXUP (PF) 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML AUTO-INJECTOR MD,MO	3	PA,QL(1.6 per 28 days)
PANZYGA 10 % SOLUTION DL,MD	4	PA
PEDIARIX (PF) 10 MCG-25LF-25 MCG-10LF/0.5 ML SYRINGE DL	1	
PEDVAX HIB (PF) 7.5 MCG/0.5 ML SOLUTION DL	1	
PEGASYS 180 MCG/0.5 ML SYRINGE DL	4	PA,QL(2 per 28 days)
PEGASYS 180 MCG/ML SOLUTION DL	4	PA,QL(4 per 28 days)
PENBRAYA (PF) 5-120 MCG/0.5 ML KIT AV,DL	1	
PENTACEL (PF) 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML KIT DL	1	
PIASKY 340 MG/2 ML SOLUTION DL	4	PA
PREHEVBRIO (PF) 10 MCG/ML SUSPENSION AV,DL	1	BvsD
PRIORIX (PF) 10EXP3.4-4.2- 3.3CCID50/0.5ML SUSPENSION FOR RECONSTITUTION AV,DL	1	
PRIVIGEN 10 % SOLUTION DL,MD	4	PA
PROGRAF 0.2 MG, 1 MG GRANULES IN PACKET MD,MO	3	BvsD
PROGRAF 0.5 MG, 1 MG, 5 MG CAPSULE MD,MO	3	BvsD
PROQUAD (PF) 10EXP3-4.3-3- 3.99 TCID50/0.5 SUSPENSION FOR RECONSTITUTION DL	1	
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SUSPENSION DL	1	
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SYRINGE DL	1	
RABAVERT (PF) 2.5 UNIT SUSPENSION FOR RECONSTITUTION AV,DL	1	BvsD
RAPAMUNE 0.5 MG, 1 MG, 2 MG TABLET DL,MD	4	BvsD
RAPAMUNE 1 MG/ML SOLUTION DL,MD	4	BvsD
RASUVO (PF) 10 MG/0.2 ML AUTO-INJECTOR MD,MO	3	PA,QL(0.8 per 28 days)
RASUVO (PF) 12.5 MG/0.25 ML AUTO-INJECTOR MD,MO	3	PA,QL(1 per 28 days)
RASUVO (PF) 15 MG/0.3 ML AUTO-INJECTOR MD,MO	3	PA,QL(1.2 per 28 days)
RASUVO (PF) 17.5 MG/0.35 ML AUTO-INJECTOR MD,MO	3	PA,QL(1.4 per 28 days)
RASUVO (PF) 20 MG/0.4 ML AUTO-INJECTOR MD,MO	3	PA,QL(1.6 per 28 days)
RASUVO (PF) 22.5 MG/0.45 ML AUTO-INJECTOR MD,MO	3	PA,QL(1.8 per 28 days)
RASUVO (PF) 25 MG/0.5 ML AUTO-INJECTOR MD,MO	3	PA,QL(2 per 28 days)
RASUVO (PF) 30 MG/0.6 ML AUTO-INJECTOR MD,MO	3	PA,QL(2.4 per 28 days)
RASUVO (PF) 7.5 MG/0.15 ML AUTO-INJECTOR MD,MO	3	PA,QL(0.6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RECOMBIVAX HB (PF) 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML SUSPENSION AV,DL	1	BvsD
RECOMBIVAX HB (PF) 10 MCG/ML, 5 MCG/0.5 ML SYRINGE AV,DL	1	BvsD
REDITREX (PF) 10 MG/0.4 ML SYRINGE MD,MO	3	PA,QL(1.6 per 28 days)
REDITREX (PF) 12.5 MG/0.5 ML SYRINGE MD,MO	3	PA,QL(2 per 28 days)
REDITREX (PF) 15 MG/0.6 ML SYRINGE MD,MO	3	PA,QL(2.4 per 28 days)
REDITREX (PF) 17.5 MG/0.7 ML SYRINGE MD,MO	3	PA,QL(2.8 per 28 days)
REDITREX (PF) 20 MG/0.8 ML SYRINGE MD,MO	3	PA,QL(3.2 per 28 days)
REDITREX (PF) 22.5 MG/0.9 ML SYRINGE MD,MO	3	PA,QL(3.6 per 28 days)
REDITREX (PF) 25 MG/ML SYRINGE MD,MO	3	PA,QL(4 per 28 days)
REDITREX (PF) 7.5 MG/0.3 ML SYRINGE MD,MO	3	PA,QL(1.2 per 28 days)
REMICADE 100 MG RECON SOLUTION DL,MD	4	PA
RENFLIXIS 100 MG RECON SOLUTION DL,MD	4	PA
REZUROCK 200 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
RHOPHYLAC 1,500 UNIT (300 MCG)/2 ML SYRINGE MO	3	
RIDAURA 3 MG CAPSULE DL,MD	4	PA
RINVOQ 15 MG, 30 MG TABLET, ER 24 HR. DL,MD	4	PA,QL(30 per 30 days)
RINVOQ 45 MG TABLET, ER 24 HR. DL,MD	4	PA,QL(168 per 365 days)
RINVOQ LQ 1 MG/ML SOLUTION DL,MD	4	PA,QL(360 per 30 days)
ROTARIX 10EXP6 CCID50 /1.5 ML SUSPENSION DL	1	
ROTARIX 10EXP6 CCID50/ML SUSPENSION FOR RECONSTITUTION DL	1	
ROTATEQ VACCINE 2 ML SOLUTION DL	1	
RUCONEST 2,100 UNIT RECON SOLUTION DL	4	PA,QL(8 per 28 days)
RYSTIGGO 140 MG/ML SOLUTION DL,MD	4	PA
<i>sajazir 30 mg/3 ml SYRINGE</i> DL	4	PA,QL(18 per 30 days)
SANDIMMUNE 100 MG, 25 MG CAPSULE MD,MO	3	BvsD
SANDIMMUNE 100 MG/ML SOLUTION MD,MO	3	BvsD
SAPHNELO 300 MG/2 ML (150 MG/ML) SOLUTION DL,MD	4	PA,QL(2 per 28 days)
SHINGRIX (PF) 50 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION AV,DL	1	
SILIQ 210 MG/1.5 ML SYRINGE DL,MD	4	PA,QL(6 per 28 days)
SIMLANDI(CF) AUTOINJECTOR 40 MG/0.4 ML AUTO-INJECTOR, KIT DL,MD	4	PA,QL(6 per 28 days)
SIMPONI 100 MG/ML PEN INJECTOR DL,MD	4	PA,QL(3 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SIMPONI 100 MG/ML SYRINGE DL,MD	4	PA,QL(3 per 28 days)
SIMPONI 50 MG/0.5 ML PEN INJECTOR DL,MD	4	PA,QL(0.5 per 30 days)
SIMPONI 50 MG/0.5 ML SYRINGE DL,MD	4	PA,QL(0.5 per 30 days)
SIMPONI ARIA 12.5 MG/ML SOLUTION DL,MD	4	PA,QL(20 per 28 days)
SIMULECT 10 MG, 20 MG RECON SOLUTION DL	4	BvsD
<i>sirolimus</i> 0.5 mg, 1 mg, 2 mg TABLET MD,MO	1	BvsD
<i>sirolimus</i> 1 mg/ml SOLUTION MD,MO	1	BvsD
SKYRIZI 150 MG/ML PEN INJECTOR MD	4	PA,QL(2 per 84 days)
SKYRIZI 150 MG/ML SYRINGE MD	4	PA,QL(2 per 84 days)
SKYRIZI 180 MG/1.2 ML (150 MG/ML) WEARABLE INJECTOR DL,MD	4	PA,QL(8.4 per 365 days)
SKYRIZI 360 MG/2.4 ML (150 MG/ML) WEARABLE INJECTOR DL,MD	4	PA,QL(16.8 per 365 days)
SKYRIZI 60 MG/ML SOLUTION DL	4	PA,QL(30 per 365 days)
SOLIRIS 300 MG/30 ML SOLUTION DL,MD	4	PA
SOTYKTU 6 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
SPEVIGO 150 MG/ML SYRINGE DL,MD	4	PA,QL(4 per 28 days)
SPEVIGO 60 MG/ML SOLUTION DL	4	PA,QL(30 per 84 days)
STELARA 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
STELARA 45 MG/0.5 ML SOLUTION DL,MD	4	PA,QL(1.5 per 84 days)
STELARA 45 MG/0.5 ML SYRINGE DL,MD	4	PA,QL(1.5 per 84 days)
STELARA 90 MG/ML SYRINGE DL,MD	4	PA,QL(3 per 84 days)
SYLVANT 100 MG, 400 MG RECON SOLUTION DL,MD	4	PA
<i>tacrolimus</i> 0.5 mg, 1 mg, 5 mg CAPSULE MD,MO	1	BvsD
<i>tacrolimus</i> 0.5 mg, 1 mg, 5 mg CAPSULE, ER 24 HR. MD,MO	1	BvsD
TAKHZYRO 150 MG/ML SYRINGE DL,MD	4	PA,QL(2 per 28 days)
TAKHZYRO 300 MG/2 ML (150 MG/ML) SOLUTION DL,MD	4	PA,QL(4 per 28 days)
TAKHZYRO 300 MG/2 ML (150 MG/ML) SYRINGE DL,MD	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR 80 MG/ML AUTO-INJECTOR DL,MD	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (2 PACK) 80 MG/ML AUTO-INJECTOR DL,MD	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (3 PACK) 80 MG/ML AUTO-INJECTOR DL,MD	4	PA,QL(4 per 28 days)
TALTZ SYRINGE 20 MG/0.25 ML SYRINGE DL,MD	4	PA,QL(0.25 per 28 days)
TALTZ SYRINGE 40 MG/0.5 ML SYRINGE DL,MD	4	PA,QL(0.5 per 28 days)
TALTZ SYRINGE 80 MG/ML SYRINGE DL,MD	4	PA,QL(4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TAVNEOS 10 MG CAPSULE DL,MD	4	PA,QL(180 per 30 days)
TDVAX 2-2 LF UNIT/0.5 ML SUSPENSION AV,DL	1	
TENIVAC (PF) 5 LF UNIT- 2 LF UNIT/0.5ML SUSPENSION AV,DL	1	
TENIVAC (PF) 5-2 LF UNIT/0.5 ML SYRINGE AV,DL	1	
TETANUS,DIPHThERIA TOX PED(PF) 5-25 LF UNIT/0.5 ML SUSPENSION DL	1	
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) PEN INJECTOR DL,MD	4	PA,QL(1.91 per 28 days)
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) SYRINGE DL,MD	4	PA,QL(1.91 per 28 days)
THYMOGLOBULIN 25 MG RECON SOLUTION MO	3	PA
TICOVAC 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML SYRINGE AV,DL	1	
TREMFYA 100 MG/ML AUTO-INJECTOR MD	4	PA,QL(3 per 84 days)
TREMFYA 100 MG/ML SYRINGE MD	4	PA,QL(3 per 84 days)
TREMFYA 200 MG/2 ML SYRINGE DL,MD	4	PA,QL(2 per 28 days)
TREMFYA 200 MG/20 ML (10 MG/ML) SOLUTION DL	4	PA,QL(120 per 365 days)
TREMFYA PEN 200 MG/2 ML PEN INJECTOR DL,MD	4	PA,QL(2 per 28 days)
TREXALL 10 MG, 15 MG, 5 MG, 7.5 MG TABLET MD,MO	1	BvsD
TRUMENBA 120 MCG/0.5 ML SYRINGE AV,DL	1	
TWINRIX (PF) 720 ELISA UNIT- 20 MCG/ML SYRINGE AV,DL	1	
TYENNE 162 MG/0.9 ML SYRINGE DL,MD	4	PA,QL(3.6 per 28 days)
TYENNE AUTOINJECTOR 162 MG/0.9 ML PEN INJECTOR DL,MD	4	PA,QL(3.6 per 28 days)
TYPHIM VI 25 MCG/0.5 ML SOLUTION AV,DL	1	
TYPHIM VI 25 MCG/0.5 ML SYRINGE AV,DL	1	
ULTOMIRIS 100 MG/ML SOLUTION MD	4	PA
UPLIZNA 10 MG/ML SOLUTION DL,MD	4	PA,QL(120 per 365 days)
VAQTA (PF) 25 UNIT/0.5 ML SUSPENSION DL	1	
VAQTA (PF) 25 UNIT/0.5 ML SYRINGE DL	1	
VAQTA (PF) 50 UNIT/ML SUSPENSION AV,DL	1	
VAQTA (PF) 50 UNIT/ML SYRINGE AV,DL	1	
VARIVAX (PF) 1,350 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION AV,DL	1	
VARIZIG 125 UNIT/1.2 ML SOLUTION DL	4	PA,QL(12 per 30 days)
VAXCHORA VACCINE 4X10EXP8 TO 2X 10EXP9 CF UNIT SUSPENSION FOR RECONSTITUTION MO	1	
VELSIPITY 2 MG TABLET DL,MD	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VEOPOZ 200 MG/ML SOLUTION DL,MD	4	PA
VOYDEYA 100 MG, 150 MG (50 MG X 1-100 MG X 1) TABLET DL,MD	4	PA,QL(180 per 30 days)
XATMEP 2.5 MG/ML SOLUTION MD,MO	3	PA
XELJANZ 1 MG/ML SOLUTION DL,MD	4	PA,QL(300 per 30 days)
XELJANZ 10 MG, 5 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
XELJANZ XR 11 MG, 22 MG TABLET, ER 24 HR. DL,MD	4	PA,QL(30 per 30 days)
XEMBIFY 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION DL,MD	4	PA
XOLAIR 150 MG RECON SOLUTION DL,MD	4	PA,QL(8 per 28 days)
XOLAIR 150 MG/ML, 300 MG/2 ML AUTO-INJECTOR DL,LA,MD	4	PA,QL(8 per 28 days)
XOLAIR 150 MG/ML, 300 MG/2 ML SYRINGE DL,LA,MD	4	PA,QL(8 per 28 days)
XOLAIR 75 MG/0.5 ML AUTO-INJECTOR DL,LA,MD	4	PA,QL(4 per 28 days)
XOLAIR 75 MG/0.5 ML SYRINGE DL,LA,MD	4	PA,QL(4 per 28 days)
YF-VAX (PF) 10 EXP4.74 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION AV,DL	1	
YUFLYMA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT DL,MD	4	PA,QL(6 per 28 days)
YUFLYMA(CF) AI CROHN'S-UC-HS 80 MG/0.8 ML AUTO-INJECTOR, KIT DL,MD	4	PA,QL(6 per 28 days)
YUFLYMA(CF) AUTOINJECTOR 40 MG/0.4 ML, 80 MG/0.8 ML AUTO-INJECTOR, KIT DL,MD	4	PA,QL(6 per 28 days)
YUSIMRY(CF) PEN 40 MG/0.8 ML PEN INJECTOR DL,MD	4	PA,QL(4.8 per 28 days)
ZILBRYSQ 16.6 MG/0.416 ML, 23 MG/0.574 ML, 32.4 MG/0.81 ML SYRINGE DL,MD	4	PA
ZORTRESS 0.25 MG, 0.75 MG, 1 MG TABLET DL,MD	4	BvsD,QL(60 per 30 days)
ZORTRESS 0.5 MG TABLET DL,MD	4	BvsD,QL(120 per 30 days)
ZYMFENTRA 120 MG/ML PEN INJECTOR KIT DL,MD	4	PA,QL(2 per 28 days)
ZYMFENTRA 120 MG/ML SYRINGE KIT DL,MD	4	PA,QL(2 per 28 days)
INFLAMMATORY BOWEL DISEASE AGENTS		
APRISO 0.375 GRAM CAPSULE, ER 24 HR. MD,MO	3	ST,QL(120 per 30 days)
ASACOL HD 800 MG TABLET, DR/EC MD,MO	3	ST,QL(180 per 30 days)
AZULFIDINE 500 MG TABLET MD,MO	3	
AZULFIDINE EN-TABS 500 MG TABLET, DR/EC MD,MO	3	
<i>balsalazide 750 mg CAPSULE</i> MO	1	
<i>budesonide 2 mg/actuation FOAM</i> MO	1	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>budesonide 3 mg CAPSULE, DR/EC</i> MO	1	
<i>budesonide 9 mg TABLET, DR/ER</i> DL	4	PA,QL(30 per 30 days)
CANASA 1,000 MG SUPPOSITORY DL,MD	4	ST,QL(30 per 30 days)
COLAZAL 750 MG CAPSULE DL	4	PA
CORTENEMA 100 MG/60 ML ENEMA MO	3	
CORTIFOAM 10 % (80 MG) FOAM MO	3	
DELZICOL 400 MG CAPSULE (WITH DR TABLETS) MD,MO	3	ST,QL(180 per 30 days)
DIPENTUM 250 MG CAPSULE DL,MD	4	ST,QL(120 per 30 days)
<i>hydrocortisone 100 mg/60 ml ENEMA</i> MO	1	
LIALDA 1.2 GRAM TABLET, DR/EC MD,MO	3	ST,QL(120 per 30 days)
<i>mesalamine 0.375 gram CAPSULE, ER 24 HR.</i> MD,MO	1	QL(120 per 30 days)
<i>mesalamine 1,000 mg SUPPOSITORY</i> MD,MO	1	ST,QL(30 per 30 days)
<i>mesalamine 1.2 gram TABLET, DR/EC</i> MD,MO	1	ST,QL(120 per 30 days)
<i>mesalamine 4 gram/60 ml ENEMA</i> MD,MO	1	QL(1800 per 30 days)
<i>mesalamine 400 mg CAPSULE (WITH DR TABLETS)</i> MD,MO	1	ST,QL(180 per 30 days)
<i>mesalamine 500 mg CAPSULE, ER</i> MD,MO	1	ST,QL(300 per 30 days)
<i>mesalamine 800 mg TABLET, DR/EC</i> MD,MO	1	ST,QL(180 per 30 days)
ORTIKOS 6 MG, 9 MG CAPSULE, ER DL	4	PA,QL(30 per 30 days)
PENTASA 250 MG CAPSULE, ER MD,MO	3	ST,QL(150 per 30 days)
PENTASA 500 MG CAPSULE, ER DL,MD	4	ST,QL(300 per 30 days)
PROCTOFOAM HC 1-1 % FOAM MO	1	
ROWASA 4 GRAM/60 ML ENEMA MD,MO	3	QL(1800 per 30 days)
SFROWASA 4 GRAM/60 ML ENEMA MD,MO	3	QL(1800 per 30 days)
<i>sulfasalazine 500 mg TABLET</i> MD,MO	1	
<i>sulfasalazine 500 mg TABLET, DR/EC</i> MD,MO	1	
TARPEYO 4 MG CAPSULE, DR/EC DL	4	PA,QL(120 per 30 days)
UCERIS 2 MG/ACTUATION FOAM MO	3	PA
UCERIS 9 MG TABLET, DR/ER MO	3	PA,QL(30 per 30 days)
METABOLIC BONE DISEASE AGENTS		
ACTONEL 150 MG TABLET MD,MO	3	PA,QL(1 per 30 days)
ACTONEL 35 MG TABLET MD,MO	3	PA,QL(4 per 28 days)
<i>alendronate 10 mg, 5 mg TABLET</i> MD,MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
alendronate 35 mg TABLET MD,MO	1	QL(4 per 28 days)
alendronate 70 mg TABLET MD,MO	1	QL(4 per 28 days)
alendronate 70 mg/75 ml SOLUTION MD,MO	1	QL(300 per 28 days)
ATELVIA 35 MG TABLET, DR/EC MD,MO	3	PA,QL(4 per 28 days)
BINOSTO 70 MG TABLET, EFFERVESCENT MD,MO	3	ST,QL(4 per 28 days)
BONIVA 150 MG TABLET MD,MO	3	PA,QL(1 per 28 days)
calcitonin (salmon) 200 unit/actuation SPRAY, NON-AEROSOL MD,MO	1	QL(3.7 per 28 days)
calcitonin (salmon) 200 unit/ml SOLUTION DL	4	
calcitriol 0.25 mcg, 0.5 mcg CAPSULE MD,MO	1	
calcitriol 1 mcg/ml SOLUTION MO	1	
calcitriol 1 mcg/ml SOLUTION MD,MO	1	
cinacalcet 30 mg, 60 mg TABLET MD,MO	1	QL(60 per 30 days)
cinacalcet 90 mg TABLET MD,MO	1	QL(120 per 30 days)
doxercalciferol 0.5 mcg, 1 mcg, 2.5 mcg CAPSULE MD,MO	1	
doxercalciferol 4 mcg/2 ml SOLUTION MD,MO	1	
EVENITY 105 MG/1.17 ML, 210MG/2.34ML (105MG/1.17MLX2) SYRINGE DL	4	PA,QL(2.34 per 30 days)
FORTEO 20 MCG/DOSE (600MCG/2.4ML) PEN INJECTOR DL,MD	4	PA,QL(2.4 per 28 days)
FOSAMAX 70 MG TABLET MD,MO	3	PA,QL(4 per 28 days)
FOSAMAX PLUS D 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT TABLET MD,MO	3	ST,QL(4 per 28 days)
HECTOROL 4 MCG/2 ML SOLUTION MD,MO	3	
ibandronate 150 mg TABLET MD,MO	1	QL(1 per 28 days)
ibandronate 3 mg/3 ml SOLUTION MD,MO	1	PA,QL(3 per 90 days)
ibandronate 3 mg/3 ml SYRINGE MD,MO	1	PA,QL(3 per 90 days)
MIACALCIN 200 UNIT/ML SOLUTION DL	4	
NATPARA 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE CARTRIDGE DL,LA,MD	4	PA,QL(2 per 28 days)
pamidronate 30 mg/10 ml (3 mg/ml) SOLUTION MO	1	QL(30 per 21 days)
pamidronate 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml) SOLUTION MO	1	QL(10 per 21 days)
paricalcitol 1 mcg, 2 mcg, 4 mcg CAPSULE MD,MO	1	
paricalcitol 2 mcg/ml SOLUTION MD,MO	1	QL(24 per 30 days)
paricalcitol 5 mcg/ml SOLUTION MD,MO	1	QL(48 per 28 days)
PROLIA 60 MG/ML SYRINGE MD,MO	3	QL(1 per 180 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RAYALDEE 30 MCG CAPSULE, ER 24 HR. DL,MD	4	QL(60 per 30 days)
RECLAST 5 MG/100 ML PIGGYBACK MO	3	PA,QL(100 per 365 days)
risedronate 150 mg TABLET MD,MO	1	QL(1 per 30 days)
risedronate 30 mg TABLET MO	1	QL(30 per 30 days)
risedronate 35 mg TABLET MD,MO	1	QL(4 per 28 days)
risedronate 35 mg TABLET, DR/EC MD,MO	1	QL(4 per 28 days)
risedronate 5 mg TABLET MD,MO	1	QL(30 per 30 days)
ROCALTROL 0.25 MCG, 0.5 MCG CAPSULE MD,MO	3	
ROCALTROL 1 MCG/ML SOLUTION MD,MO	3	
SENSIPAR 30 MG TABLET MD,MO	3	QL(60 per 30 days)
SENSIPAR 60 MG TABLET DL,MD	4	QL(60 per 30 days)
SENSIPAR 90 MG TABLET DL,MD	4	QL(120 per 30 days)
TYMLOS 80 MCG (3,120 MCG/1.56 ML) PEN INJECTOR DL,MD	4	PA,QL(1.56 per 30 days)
XGEVA 120 MG/1.7 ML (70 MG/ML) SOLUTION DL	4	PA,QL(1.7 per 28 days)
YORVIPATH 168 MCG/0.56 ML PEN INJECTOR DL,MD	4	PA,QL(1.12 per 28 days)
YORVIPATH 294 MCG/0.98 ML PEN INJECTOR DL,MD	4	PA,QL(1.96 per 28 days)
YORVIPATH 420 MCG/1.4 ML PEN INJECTOR DL,MD	4	PA,QL(2.8 per 28 days)
ZEMPLAR 1 MCG, 2 MCG CAPSULE MD,MO	3	
ZEMPLAR 2 MCG/ML SOLUTION DL,MD	4	QL(24 per 30 days)
ZEMPLAR 5 MCG/ML SOLUTION DL,MD	4	QL(48 per 28 days)
zoledronic ac-mannitol-0.9nacl 4 mg/100 ml PIGGYBACK MD,MO	1	QL(300 per 21 days)
zoledronic acid 4 mg RECON SOLUTION MD,MO	1	
zoledronic acid 4 mg/5 ml SOLUTION MD,MO	1	QL(15 per 21 days)
zoledronic acid-mannitol-water 4 mg/100 ml PIGGYBACK MD,MO	1	QL(300 per 21 days)
zoledronic acid-mannitol-water 5 mg/100 ml PIGGYBACK MO	1	PA,QL(100 per 365 days)
MISCELLANEOUS THERAPEUTIC AGENTS		
ACETADOTE 200 MG/ML (20 %) SOLUTION MO	3	
acetaminophen 1,000 mg/100 ml (10 mg/ml), 500 mg/50 ml (10 mg/ml) SOLUTION MO	1	
acetic acid 0.25 % SOLUTION MO	1	
acetylcysteine 200 mg/ml (20 %) SOLUTION MO	1	
ADAKVEO 10 MG/ML SOLUTION DL,MD	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ADSTILADRIN 3X10EXP11 VP/ML SUSPENSION MD	4	PA
ALCOHOL PADS PADS, MEDICATED MO	1	
ALCOHOL PREP PADS PADS, MEDICATED MO	1	
ALCOHOL SWABS PADS, MEDICATED MO	1	
ALCOHOL WIPES PADS, MEDICATED MO	1	
ALLZITAL 25-325 MG TABLET MO	1	QL(360 per 30 days)
AMMONUL 10-10 % SOLUTION DL	4	
AUTOJECT 2 INJECTION DEVICE INSULIN PEN MD,MO	1	
AUTOPEN 1 TO 21 UNITS INSULIN PEN MD,MO	1	
AUTOPEN 2 TO 42 UNITS INSULIN PEN MD,MO	1	
BAND-AID GAUZE PADS 2 X 2 " BANDAGE MO	1	
BD ALCOHOL SWABS PADS, MEDICATED MO	1	
BD AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" NEEDLE MD,PDS,MO	1	
BD ECLIPSE LUER-LOK 1 ML 30 GAUGE X 1/2" SYRINGE MD,PDS,MO	1	
BD INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.5 ML 29 GAUGE X 1/2", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" SYRINGE MD,PDS,MO	1	
BD INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16" SYRINGE MD,PDS,MO	1	
BD INSULIN SYRINGE MICRO-FINE 1 ML 28 GAUGE X 1/2" SYRINGE MD,PDS,MO	1	
BD INSULIN SYRINGE U-500 1/2 ML 31 GAUGE X 15/64" SYRINGE PDS,MO	1	
BD INSULIN SYRINGE ULTRA-FINE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16 SYRINGE MD,PDS,MO	1	
BD LO-DOSE MICRO-FINE IV 1/2 ML 28 GAUGE X 1/2" SYRINGE MD,PDS,MO	1	
BD NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE MD,PDS,MO	1	
BD SAFETYGLIDE INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64" SYRINGE MD,PDS,MO	1	
BD SAFETYGLIDE SYRINGE 1 ML 27 GAUGE X 5/8" SYRINGE MD,PDS,MO	1	
BD ULTRA-FINE MICRO PEN NEEDLE 32 GAUGE X 1/4" NEEDLE MD,PDS,MO	1	
BD ULTRA-FINE MINI PEN NEEDLE 31 GAUGE X 3/16" NEEDLE MD,PDS,MO	1	
BD ULTRA-FINE NANO PEN NEEDLE 32 GAUGE X 5/32" NEEDLE MD,PDS,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BD ULTRA-FINE ORIG PEN NEEDLE 29 GAUGE X 1/2" NEEDLE MD,PDS,MO	1	
BD ULTRA-FINE SHORT PEN NEEDLE 31 GAUGE X 5/16" NEEDLE MD,PDS,MO	1	
BD VEO INSULIN SYR (HALF UNIT) 0.3 ML 31 GAUGE X 15/64" SYRINGE MD,PDS,MO	1	
BD VEO INSULIN SYRINGE UF 0.3 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64" SYRINGE MD,PDS,MO	1	
BEYFORTUS 100 MG/ML, 50 MG/0.5 ML SYRINGE DL	4	
BORDERED GAUZE 2 X 2 " BANDAGE MO	1	
<i>bupap 50-300 mg TABLET</i> MO	1	QL(180 per 30 days)
<i>butalbital-acetaminop-caf-cod 50-300-40-30 mg CAPSULE</i> DL	1	QL(180 per 30 days)
<i>butalbital-acetaminop-caf-cod 50-325-40-30 mg CAPSULE</i> DL	1	QL(360 per 30 days)
<i>butalbital-acetaminophen 50-300 mg CAPSULE</i> MO	1	QL(180 per 30 days)
<i>butalbital-acetaminophen 50-300 mg, 50-325 mg TABLET</i> MO	1	QL(180 per 30 days)
<i>butalbital-acetaminophen-caff 50-300-40 mg, 50-325-40 mg CAPSULE</i> MO	1	QL(180 per 30 days)
<i>butalbital-acetaminophen-caff 50-325-40 mg TABLET</i> MO	1	QL(180 per 30 days)
<i>butalbital-aspirin-caffeine 50-325-40 mg CAPSULE</i> MO	1	QL(180 per 30 days)
<i>butalbital-aspirin-caffeine 50-325-40 mg TABLET</i> MO	1	QL(180 per 30 days)
BYLVAY 1,200 MCG CAPSULE DL,MD	4	PA,QL(150 per 30 days)
BYLVAY 200 MCG PELLETT DL,MD	4	PA,QL(360 per 30 days)
BYLVAY 400 MCG CAPSULE DL,MD	4	PA,QL(420 per 30 days)
BYLVAY 600 MCG PELLETT DL,MD	4	PA,QL(120 per 30 days)
CAFCIT 60 MG/3 ML (20 MG/ML) SOLUTION MO	3	
<i>caffeine citrate 60 mg/3 ml (20 mg/ml) SOLUTION</i> MO	1	
<i>calcium disodium versenate 200 mg/ml SOLUTION</i> MO	1	
CARETOUCH ALCOHOL PREP PAD PADS, MEDICATED MO	1	
CEQR SIMPLICITY 2 UNIT DEVICE MD,MO	2	
CEQR SIMPLICITY INSERTER MISCELLANEOUS MO	2	
CERVIDIL 10 MG INSERT, ER MO	3	
CLARINEX-D 12 HOUR 2.5-120 MG TABLET, ER 12 HR., MULTIPHASE MO	3	ST,QL(60 per 30 days)
COMBOGESIC IV 300-1,000 MG/100 ML SOLUTION MO	3	
CURITY ALCOHOL SWABS PADS, MEDICATED MO	1	
CURITY GAUZE 2 X 2 " BANDAGE MO	1	
DEFITELIO 80 MG/ML SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DERMACEA 2 X 2 " BANDAGE MO	1	
DROPLET INSULIN SYR(HALF UNIT) 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16", 0.5ML 30 GAUGE X 15/64" SYRINGE MD,PDS,MO	1	
DROPLET INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 15/64", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 15/64", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16 SYRINGE MD,PDS,MO	1	
DROPLET MICRON PEN NEEDLE 34 GAUGE X 9/64" NEEDLE MD,PDS,MO	1	
DROPLET PEN NEEDLE 29 GAUGE X 1/2", 29 GAUGE X 3/8", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE MD,PDS,MO	1	
DROPSAFE ALCOHOL PREP PADS PADS, MEDICATED MO	1	
DROPSAFE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16" NEEDLE MD,PDS,MO	1	
DROXIA 200 MG, 300 MG, 400 MG CAPSULE MD,MO	3	
EASY COMFORT ALCOHOL PAD PADS, MEDICATED MO	1	
EASY TOUCH ALCOHOL PREP PADS PADS, MEDICATED MO	1	
<i>edetate calcium disodium</i> 200 mg/ml SOLUTION DL	4	
ELYXYB 120 MG/4.8 ML (25 MG/ML) SOLUTION DL	4	ST,QL(43.2 per 30 days)
EMPAVELI 1,080 MG/20 ML SOLUTION DL,MD	4	PA,QL(160 per 28 days)
EOHILIA 2 MG/10 ML SUSPENSION IN PACKET DL	4	PA
ESGIC 50-325-40 MG CAPSULE MO	1	QL(180 per 30 days)
ESGIC 50-325-40 MG TABLET MO	1	QL(180 per 30 days)
FILSPARI 200 MG, 400 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
FILSUVEZ 10 % GEL DL,MD	4	PA
<i>fioricet</i> 50-300-40 mg CAPSULE MO	1	QL(180 per 30 days)
FIORICET WITH CODEINE 50-300-40-30 MG CAPSULE DL	3	QL(180 per 30 days)
<i>flumazenil</i> 0.1 mg/ml SOLUTION MO	1	
<i>fomepizole</i> 1 gram/ml SOLUTION MO	1	
GAUZE BANDAGE 2 X 2 " BANDAGE MO	1	
GAUZE PAD 2 X 2 " BANDAGE MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GIVLAARI 189 MG/ML SOLUTION DL,MD	4	PA
IGALMI 120 MCG, 180 MCG FILM MO	3	PA
INCONTROL ALCOHOL PADS PADS, MEDICATED MO	1	
INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2" SYRINGE MD,PDS,MO	1	
INSULIN SYRINGE MICROFINE 1 ML 27 GAUGE X 5/8", 1/2 ML 28 GAUGE X 1/2" SYRINGE MD,PDS,MO	1	
INSULIN SYRINGE-NEEDLE U-100 1 ML 28 GAUGE X 1/2" SYRINGE MD,PDS,MO	1	
IV PREP WIPES PADS, MEDICATED MO	1	
KORLYM 300 MG TABLET DL,MD	4	PA,QL(120 per 30 days)
<i>lactated ringers</i> SOLUTION MO	1	
LITHOSTAT 250 MG TABLET MO	3	
<i>methylergonovine 0.2 mg</i> TABLET DL	4	
<i>methylergonovine 0.2 mg/ml (1 ml)</i> SOLUTION MO	1	
<i>mifepristone 300 mg</i> TABLET DL,MD	4	PA,QL(120 per 30 days)
MIRENA 21 MCG/24HR (UP TO 8 YRS) 52 MG IUD MD,MO	2	
<i>neomycin-polymyxin b gu 40 mg-200,000 unit/ml</i> SOLUTION MO	1	
<i>nitroglycerin 0.4 % (w/w)</i> OINTMENT MO	1	QL(30 per 30 days)
NOVOPEN ECHO INSULIN PEN MD,MO	1	
OMNIPOD 5 (G6/LIBRE 2 PLUS) CARTRIDGE MD,MO	2	
OMNIPOD 5 G6 INTRO KIT (GEN 5) CARTRIDGE MO	2	
OMNIPOD 5 G6 PODS (GEN 5) CARTRIDGE MD,MO	2	
OMNIPOD 5 G6-G7 INTRO KT(GEN5) CARTRIDGE MO	2	
OMNIPOD 5 G6-G7 PODS (GEN 5) CARTRIDGE MD,MO	2	
OMNIPOD 5 INTRO(G6/LIBRE2PLUS) CARTRIDGE MO	2	
OMNIPOD CLASSIC PODS (GEN 3) CARTRIDGE MD,MO	2	
OMNIPOD DASH INTRO KIT (GEN 4) CARTRIDGE MO	2	
OMNIPOD DASH PODS (GEN 4) CARTRIDGE MD,MO	2	
OMNIPOD GO PODS CARTRIDGE MD,MO	2	
OMNIPOD GO PODS 10 UNITS/DAY CARTRIDGE MD,MO	2	
OMNIPOD GO PODS 15 UNITS/DAY CARTRIDGE MD,MO	2	
OMNIPOD GO PODS 20 UNITS/DAY CARTRIDGE MD,MO	2	
OMNIPOD GO PODS 25 UNITS/DAY CARTRIDGE MD,MO	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OMNIPOD GO PODS 30 UNITS/DAY CARTRIDGE MD,MO	2	
OMNIPOD GO PODS 40 UNITS/DAY CARTRIDGE MD,MO	2	
orlistat 120 mg CAPSULE MD,MO	3	PA
OXLUMO 94.5 MG/0.5 ML SOLUTION MD	4	PA
oxytocin 10 unit/ml SOLUTION MO	1	
PALFORZIA (LEVEL 1) 3 MG (1 MG X 3) CAPSULE, SPRINKLE MD,MO	3	PA
PALFORZIA (LEVEL 2) 6 MG (1 MG X 6) CAPSULE, SPRINKLE MD,MO	3	PA
PALFORZIA (LEVEL 3) 12 MG (1 MG X 2, 10 MG X 1) CAPSULE, SPRINKLE MD,MO	3	PA
PALFORZIA (LEVEL 4) 20 MG CAPSULE, SPRINKLE MD,MO	3	PA
PALFORZIA (LEVEL 5) 40 MG (20 MG X 2) CAPSULE, SPRINKLE MD,MO	3	PA
PALFORZIA (LEVEL 6) 80 MG (20 MG X 4) CAPSULE, SPRINKLE MD,MO	3	PA
PALFORZIA (LEVEL 7) 120 MG (20 MG X 1, 100 MG X 1) CAPSULE, SPRINKLE MD,MO	3	PA
PALFORZIA (LEVEL 8) 160 MG (20 MG X 3, 100 MG X1) CAPSULE, SPRINKLE MD,MO	3	PA
PALFORZIA (LEVEL 9) 200 MG (100 MG X 2) CAPSULE, SPRINKLE MD,MO	3	PA
PALFORZIA (LEVEL 10) 240 MG (20 MG X 2, 100 MG X 2) CAPSULE, SPRINKLE MD,MO	3	PA
PALFORZIA (LEVEL 11 UP-DOSE) 300 MG POWDER IN PACKET MD,MO	3	PA
PALFORZIA INITIAL DOSE 0.5/1/1.5/3/6 MG CAPSULE, SPRINKLE MO	3	PA
PALFORZIA LEVEL 11 MAINTENANCE 300 MG POWDER IN PACKET MD,MO	3	PA
PEN NEEDLE, DIABETIC 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE MD,PDS,MO	1	
phenazopyridine 100 mg, 200 mg TABLET MO	1	
PHEXXI 1.8-1-0.4 % GEL MO	3	QL(60 per 30 days)
PHYSIOLYTE 140-5-3-98 MEQ/L SOLUTION MO	1	
PHYSIOSOL IRRIGATION 140-5-3-98 MEQ/L SOLUTION MO	1	
PITOCIN 10 UNIT/ML SOLUTION MO	3	
PREVDUO 0.6 MG-3 MG/3ML (0.2 MG-1MG/ML) SYRINGE MO	3	
PRIALT 100 MCG/ML, 25 MCG/ML SOLUTION DL	4	PA
PRO COMFORT ALCOHOL PADS PADS, MEDICATED MO	1	
promethazine vc 6.25-5 mg/5 ml SYRUP MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>promethazine-phenylephrine 6.25-5 mg/5 ml SYRUP</i> MO	1	
<i>protamine 10 mg/ml SOLUTION</i> MO	1	
PURE COMFORT ALCOHOL PADS PADS, MEDICATED MO	1	
PYRIDIUM 100 MG, 200 MG TABLET MO	3	
QUTENZA 8 % KIT DL	4	PA
RECTIV 0.4 % (W/W) OINTMENT MO	3	QL(30 per 30 days)
RENACIDIN 1980.6 MG-59.4 MG-980.4MG/30ML SOLUTION MO	3	
REZDIFFRA 100 MG, 60 MG, 80 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
<i>ribavirin 6 gram RECON SOLUTION</i> DL	4	BvsD
RIMSO-50 50 % SOLUTION DL	4	
<i>ringer's SOLUTION</i> MO	1	
RIVFLOZA 128 MG/0.8 ML, 160 MG/ML SYRINGE DL,MD	4	PA
RIVFLOZA 80 MG/0.5 ML (160 MG/ML) SOLUTION DL,MD	4	PA
SIKLOS 1,000 MG, 100 MG TABLET MD,MO	3	PA
<i>sodium benzoate-sod phenylacet 10-10 % SOLUTION</i> DL	4	
<i>sodium chloride 0.9 % SOLUTION</i> MO	1	
SOHONOS 1 MG, 1.5 MG, 10 MG, 2.5 MG, 5 MG CAPSULE DL,MD	4	PA
SURE COMFORT ALCOHOL PREP PADS PADS, MEDICATED MO	1	
SURE-PREP ALCOHOL PREP PADS PADS, MEDICATED MO	1	
SYNAGIS 100 MG/ML, 50 MG/0.5 ML SOLUTION DL	4	PA
<i>tencon 50-325 mg TABLET</i> MO	1	QL(180 per 30 days)
TEPEZZA 500 MG RECON SOLUTION DL	4	PA
TRUE COMFORT ALCOHOL PADS PADS, MEDICATED MO	1	
TRUE COMFORT PRO ALCOHOL PADS PADS, MEDICATED MO	1	
ULTILET ALCOHOL SWAB PADS, MEDICATED MO	1	
V-GO 20 DEVICE MD,MO	3	PA
V-GO 30 DEVICE MD,MO	3	PA
V-GO 40 DEVICE MD,MO	3	PA
VIRAZOLE 6 GRAM RECON SOLUTION DL	4	BvsD
<i>vtol lq 50-325-40 mg/15 ml SOLUTION</i> DL	4	QL(450 per 30 days)
VYJUVEK 5 X 10EXP9 PFU/2.5 ML GEL DL,MD	4	PA,QL(10 per 28 days)
<i>water for irrigation, sterile SOLUTION</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
WEBCOL PADS, MEDICATED MO	1	
WEGOVY 0.25 MG/0.5 ML, 0.5 MG/0.5 ML, 1 MG/0.5 ML PEN INJECTOR DL	4	PA
WEGOVY 1.7 MG/0.75 ML, 2.4 MG/0.75 ML PEN INJECTOR DL,MD	4	PA
XDEMVI 0.25 % DROPS MO	3	PA,QL(10 per 42 days)
XENICAL 120 MG CAPSULE MD,MO	3	PA
YCANTH 0.7 % SOLUTION W/APPLICATOR DL	4	PA
ZEBUTAL 50-325-40 MG CAPSULE MO	1	QL(180 per 30 days)
ZEVALIN (Y-90) 3.2 MG/2 ML KIT DL	4	PA
zingiber 1.2 mg-40 mg- 124.1 mg-100 mg TABLET MD,MO	1	
ZYNRELEF 200 MG-6 MG /7 ML, 400 MG-12 MG /14 ML ER SOLUTION MO	3	
OPHTHALMIC AGENTS		
ACULAR 0.5 % DROPS MO	3	ST,QL(10 per 30 days)
ACULAR LS 0.4 % DROPS MO	3	ST,QL(10 per 30 days)
ACUVAIL (PF) 0.45 % DROPPERETTE MO	3	ST
ak-poly-bac 500-10,000 unit/gram OINTMENT MO	1	
ALCAINE 0.5 % DROPS MO	1	
ALOCRI 2 % DROPS MO	3	
ALOMIDE 0.1 % DROPS MO	3	
ALPHAGAN P 0.1 %, 0.15 % DROPS MD,MO	3	ST
ALREX 0.2 % DROPS, SUSPENSION MO	3	ST
apraclonidine 0.5 % DROPS MO	1	
atropine 1 % DROPS MD,MO	1	
ATROPINE SULFATE (PF) 1 % DROPPERETTE MD,MO	1	
AZASITE 1 % DROPS MO	3	ST,QL(2.5 per 25 days)
azelastine 0.05 % DROPS MO	1	
AZOPT 1 % DROPS, SUSPENSION MD,MO	3	ST,QL(10 per 28 days)
bacitracin 500 unit/gram OINTMENT MO	1	
bacitracin-polymyxin b 500-10,000 unit/gram OINTMENT MO	1	
balanced salt SOLUTION MO	1	
bepotastine besilate 1.5 % DROPS MO	1	ST,QL(5 per 25 days)
BEPREVE 1.5 % DROPS MO	3	ST,QL(5 per 25 days)
BESIVANCE 0.6 % DROPS, SUSPENSION MO	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BETADINE OPHTHALMIC PREP 5 % SOLUTION MO	3	
<i>betaxolol 0.5 % DROPS</i> MD,MO	1	
BETIMOL 0.25 %, 0.5 % DROPS MD,MO	3	ST
BETOPTIC S 0.25 % DROPS, SUSPENSION MD,MO	3	ST
<i>bimatoprost 0.03 % DROPS</i> MD,MO	1	QL(2.5 per 25 days)
<i>brimonidine 0.1 %, 0.15 % DROPS</i> MD,MO	1	ST
<i>brimonidine 0.2 % DROPS</i> MD,MO	1	
<i>brinzolamide 1 % DROPS, SUSPENSION</i> MD,MO	1	ST,QL(10 per 28 days)
<i>bromfenac 0.07 % DROPS</i> MO	1	ST,QL(3 per 30 days)
<i>bromfenac 0.075 % DROPS</i> MO	1	ST,QL(5 per 30 days)
<i>bromfenac 0.09 % DROPS</i> MO	1	QL(1.7 per 30 days)
BROMSITE 0.075 % DROPS MO	3	ST,QL(5 per 30 days)
BSS SOLUTION MO	3	
BSS PLUS SOLUTION MO	3	
<i>carteolol 1 % DROPS</i> MD,MO	1	
CEQUA 0.09 % DROPPERETTE MD,MO	3	PA,QL(60 per 30 days)
CILOXAN 0.3 % OINTMENT MO	3	
<i>ciprofloxacin hcl 0.3 % DROPS</i> MO	1	
COMBIGAN 0.2-0.5 % DROPS MD,MO	2	QL(5 per 25 days)
COSOPT 22.3-6.8 MG/ML DROPS MD,MO	3	ST
COSOPT (PF) 2-0.5 % DROPPERETTE MD,MO	3	ST,QL(60 per 30 days)
<i>cromolyn 4 % DROPS</i> MO	1	
<i>cyclosporine 0.05 % DROPPERETTE</i> MD,MO	1	QL(60 per 30 days)
CYSTADROPS 0.37 % DROPS DL,MD	4	PA,QL(20 per 28 days)
CYSTARAN 0.44 % DROPS DL,MD	4	PA,QL(60 per 28 days)
<i>dexamethasone sodium phosphate 0.1 % DROPS</i> MO	1	
DEXTENZA 0.4 MG INSERT MO	3	QL(1 per 30 days)
<i>diclofenac sodium 0.1 % DROPS</i> MO	1	
<i>difluprednate 0.05 % DROPS</i> MO	1	ST
<i>dorzolamide 2 % DROPS</i> MD,MO	1	
<i>dorzolamide-timolol 22.3-6.8 mg/ml DROPS</i> MD,MO	1	
<i>dorzolamide-timolol (pf) 2-0.5 % DROPPERETTE</i> MD,MO	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DUREZOL 0.05 % DROPS MO	3	ST
DURYSTA 10 MCG IMPLANT DL	4	PA
ENSPRYNG 120 MG/ML SYRINGE DL,MD	4	PA,QL(2 per 28 days)
epinastine 0.05 % DROPS MO	1	ST,QL(5 per 25 days)
erythromycin 5 mg/gram (0.5 %) OINTMENT MO	1	QL(3.5 per 28 days)
EYSUVIS 0.25 % DROPS, SUSPENSION MO	2	QL(16.6 per 30 days)
fluorometholone 0.1 % DROPS, SUSPENSION MO	1	
flurbiprofen sodium 0.03 % DROPS MO	1	
FML FORTE 0.25 % DROPS, SUSPENSION MO	3	ST
FML LIQUIFILM 0.1 % DROPS, SUSPENSION MO	3	ST
gatifloxacin 0.5 % DROPS MO	1	QL(2.5 per 25 days)
gentak 0.3 % (3 mg/gram) OINTMENT MO	1	
gentamicin 0.3 % DROPS MO	1	
ILEVRO 0.3 % DROPS, SUSPENSION MO	2	QL(3 per 30 days)
INVELTYS 1 % DROPS, SUSPENSION MO	3	ST
IOPIDINE 1 % DROPPERETTE MO	3	
ISTALOL 0.5 % DROPS, ONCE DAILY MD,MO	3	
IYUZEH (PF) 0.005 % DROPPERETTE MD,MO	3	ST,QL(30 per 30 days)
ketorolac 0.4 %, 0.5 % DROPS MO	1	QL(10 per 30 days)
LACRISERT 5 MG INSERT MO	3	
latanoprost 0.005 % DROPS MD,MO	1	QL(5 per 25 days)
levobunolol 0.5 % DROPS MD,MO	1	
levofloxacin 0.5 %, 1.5 % DROPS MO	1	
LOTEMAX 0.5 % DROPS, GEL MO	3	ST
LOTEMAX 0.5 % DROPS, SUSPENSION MO	3	ST
LOTEMAX 0.5 % OINTMENT MO	3	ST
LOTEMAX SM 0.38 % DROPS, GEL MO	3	
loteprednol etabonate 0.2 %, 0.5 % DROPS, SUSPENSION MO	1	ST
loteprednol etabonate 0.5 % DROPS, GEL MO	1	ST
LUMIGAN 0.01 % DROPS MD,MO	2	QL(2.5 per 25 days)
MAXIDEX 0.1 % DROPS, SUSPENSION MO	3	ST
MAXITROL 3.5 MG/G-10,000 UNIT/G-0.1 % OINTMENT MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MAXITROL 3.5MG/ML-10,000 UNIT/ML-0.1 % DROPS, SUSPENSION MO	1	
methazolamide 25 mg, 50 mg TABLET MD,MO	1	
MIEBO (PF) 100 % DROPS MO	3	PA,QL(3 per 30 days)
MIOSTAT 0.01 % SOLUTION MO	3	
moxifloxacin 0.5 % DROPS MO	1	
moxifloxacin 0.5 % DROPS, VISCOUS MO	1	ST
neo-polycin 3.5-400-10,000 mg-unit-unit/g OINTMENT MO	1	
neo-polycin hc 3.5-400-10,000 mg-unit/g-1% OINTMENT MO	1	
neomycin-bacitracin-poly-hc 3.5-400-10,000 mg-unit/g-1% OINTMENT MO	1	
neomycin-bacitracin-polymyxin 3.5-400-10,000 mg-unit-unit/g OINTMENT MO	1	
neomycin-polymyxin b-dexameth 3.5 mg/g-10,000 unit/g-0.1 % OINTMENT MO	1	
neomycin-polymyxin b-dexameth 3.5mg/ml-10,000 unit/ml-0.1 % DROPS, SUSPENSION MO	1	
neomycin-polymyxin-gramicidin 1.75 mg-10,000 unit-0.025mg/ml DROPS MO	1	
neomycin-polymyxin-hc 3.5-10,000-10 mg-unit-mg/ml DROPS, SUSPENSION MO	1	
NEVANAC 0.1 % DROPS, SUSPENSION MO	3	ST
OCUFLOX 0.3 % DROPS MO	3	
ofloxacin 0.3 % DROPS MO	1	
olopatadine 0.1 %, 0.2 % DROPS MO	1	
OXERVATE 0.002 % DROPS DL	4	PA,QL(112 per 365 days)
PHOSPHOLINE IODIDE 0.125 % DROPS MD,MO	3	
pilocarpine hcl 1 %, 2 %, 4 % DROPS MD,MO	1	
polycin 500-10,000 unit/gram OINTMENT MO	1	
polymyxin b sulf-trimethoprim 10,000 unit- 1 mg/ml DROPS MO	1	
PRED FORTE 1 % DROPS, SUSPENSION MO	3	ST
PRED MILD 0.12 % DROPS, SUSPENSION MO	3	ST
PRED-G 0.3-1 % DROPS, SUSPENSION MO	3	
prednisolone acetate 1 % DROPS, SUSPENSION MO	1	
prednisolone sodium phosphate 1 % DROPS MO	1	
PROLENSA 0.07 % DROPS MO	3	ST,QL(3 per 30 days)
proparacaine 0.5 % DROPS MO	1	
RESTASIS 0.05 % DROPPERETTE MD,MO	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RESTASIS MULTIDOSE 0.05 % DROPS MD,MO	3	PA,QL(5.5 per 25 days)
RHOPRESSA 0.02 % DROPS MD,MO	2	ST,QL(2.5 per 25 days)
ROCKLATAN 0.02-0.005 % DROPS MD,MO	2	ST,QL(2.5 per 25 days)
SIMBRINZA 1-0.2 % DROPS, SUSPENSION MD,MO	3	QL(16 per 30 days)
sulfacetamide sodium 10 % DROPS MO	1	
sulfacetamide-prednisolone 10 %-0.23 % (0.25 %) DROPS MO	1	
tafluprost (pf) 0.0015 % DROPPERETTE MD,MO	3	ST,QL(30 per 30 days)
timolol maleate 0.25 % DROPS MD,MO	1	
timolol maleate 0.25 %, 0.5 % GEL FORMING SOLUTION MD,MO	1	
timolol maleate 0.5 % DROPS MD,MO	1	
timolol maleate 0.5 % DROPS, ONCE DAILY MD,MO	1	
timolol maleate (pf) 0.25 %, 0.5 % DROPPERETTE MD,MO	1	
TIMOPTIC 0.25 %, 0.5 % DROPS MD,MO	3	ST
TIMOPTIC OCUDOSE (PF) 0.25 %, 0.5 % DROPPERETTE MD,MO	3	ST
TIMOPTIC-XE 0.25 %, 0.5 % GEL FORMING SOLUTION MD,MO	3	PA
TOBRADEX 0.3-0.1 % DROPS, SUSPENSION MO	3	
TOBRADEX 0.3-0.1 % OINTMENT MO	3	
tobramycin 0.3 % DROPS MO	1	
tobramycin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION MO	1	
TOBREX 0.3 % OINTMENT MO	3	
TRAVATAN Z 0.004 % DROPS MD,MO	3	ST,QL(2.5 per 25 days)
travoprost 0.004 % DROPS MD,MO	1	QL(2.5 per 25 days)
trifluridine 1 % DROPS MO	1	
TRUSOPT 2 % DROPS MD,MO	3	
TYRVAYA 0.03 MG/SPRAY SPRAY, METERED, NON-AEROSOL MD,MO	3	PA,QL(8.4 per 30 days)
VEVYE 0.1 % DROPS MD,MO	3	PA,QL(2 per 30 days)
VIGAMOX 0.5 % DROPS MO	3	PA
VUITY 1.25 % DROPS MD,MO	3	
VYZULTA 0.024 % DROPS MD,MO	3	QL(2.5 per 25 days)
XALATAN 0.005 % DROPS MD,MO	3	PA,QL(5 per 25 days)
XELPROS 0.005 % DROPS, EMULSION MD,MO	3	ST,QL(2.5 per 25 days)
XIIDRA 5 % DROPPERETTE MD,MO	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZIOPTAN (PF) 0.0015 % DROPPERETTE MD,MO	3	ST,QL(30 per 30 days)
ZYLET 0.3-0.5 % DROPS, SUSPENSION MO	3	
ZYMAXID 0.5 % DROPS MO	3	ST,QL(2.5 per 25 days)
OTIC AGENTS		
CIPRO HC 0.2-1 % DROPS, SUSPENSION MO	3	
CIPRODEX 0.3-0.1 % DROPS, SUSPENSION MO	3	QL(7.5 per 30 days)
<i>ciprofloxacin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION</i> MO	3	QL(7.5 per 30 days)
CORTISPORIN-TC 3.3-3-10-0.5 MG/ML DROPS, SUSPENSION MO	3	
DERMOTIC OIL 0.01 % DROPS MO	3	
<i>flac otic oil 0.01 % DROPS</i> MO	1	
<i>fluocinolone acetonide oil 0.01 % DROPS</i> MO	1	
<i>hydrocortisone-acetic acid 1-2 % DROPS</i> MO	1	
<i>neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% DROPS, SUSPENSION</i> MO	1	
<i>neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% SOLUTION</i> MO	1	
<i>ofloxacin 0.3 % DROPS</i> MO	1	
RESPIRATORY TRACT/PULMONARY AGENTS		
ACCOLATE 10 MG, 20 MG TABLET MD,MO	3	PA,QL(60 per 30 days)
<i>acetylcysteine 100 mg/ml (10 %), 200 mg/ml (20 %) SOLUTION</i> MO	1	BvsD
ADCIRCA 20 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
ADEMPAS 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG TABLET DL,LA,MD	4	PA,QL(90 per 30 days)
ADRENALIN 1 MG/ML, 1 MG/ML (1 ML) SOLUTION MO	3	
ADVAIR DISKUS 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE BLISTER WITH DEVICE MD,MO	3	PA,QL(60 per 30 days)
ADVAIR HFA 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION HFA AEROSOL INHALER MD,MO	2	QL(12 per 30 days)
AIRDUO DIGIHALER 113 MCG-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MD,MO	3	ST,QL(1 per 30 days)
AIRDUO RESPICLICK 113-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MD,MO	3	ST,QL(1 per 30 days)
AIRSUPRA 90-80 MCG/ACTUATION HFA AEROSOL INHALER DL,MD	4	PA,QL(32.1 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
albuterol sulfate 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg/0.5 ml, 5 mg/ml SOLUTION FOR NEBULIZATION MD,MO	1	BvsD
albuterol sulfate 2 mg, 4 mg TABLET MD,MO	1	
albuterol sulfate 2 mg/5 ml SYRUP MD,MO	1	
albuterol sulfate 2.5 mg /3 ml (0.083 %) SOLUTION FOR NEBULIZATION MD,MO	1	BvsD
albuterol sulfate 4 mg, 8 mg TABLET, ER 12 HR. MD,MO	1	
albuterol sulfate 90 mcg/actuation HFA AEROSOL INHALER MD,MO	1	QL(36 per 30 days)
ALVESCO 160 MCG/ACTUATION, 80 MCG/ACTUATION HFA AEROSOL INHALER MD,MO	3	ST,QL(18.3 per 28 days)
alyq 20 mg TABLET MD,MO	1	PA,QL(60 per 30 days)
ambrisentan 10 mg, 5 mg TABLET DL,MD	4	PA,QL(30 per 30 days)
aminophylline 250 mg/10 ml, 500 mg/20 ml SOLUTION MO	1	
ANORO ELLIPTA 62.5-25 MCG/ACTUATION BLISTER WITH DEVICE MD,MO	3	PA,QL(60 per 30 days)
arformoterol 15 mcg/2 ml SOLUTION FOR NEBULIZATION MD,MO	1	BvsD,QL(120 per 30 days)
ARMONAIR DIGIHALER 113 MCG/ACTUATION, 232 MCG/ACTUATION, 55 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MD,MO	3	ST,QL(1 per 30 days)
ARNUITY ELLIPTA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION BLISTER WITH DEVICE MD,MO	2	QL(30 per 30 days)
ASMANEX HFA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION HFA AEROSOL INHALER MD,MO	3	ST,QL(13 per 30 days)
ASMANEX TWISTHALER 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) AEROSOL POWDER BREATH ACTIV. MD,MO	3	ST,QL(1 per 28 days)
ATROVENT HFA 17 MCG/ACTUATION HFA AEROSOL INHALER MD,MO	3	PA,QL(25.8 per 30 days)
AUVI-Q 0.1 MG/0.1 ML, 0.15 MG/0.15 ML, 0.3 MG/0.3 ML AUTO-INJECTOR MO	2	QL(4 per 30 days)
azelastine 137 mcg (0.1 %) SPRAY, NON-AEROSOL MD,MO	1	QL(30 per 25 days)
azelastine 205.5 mcg (0.15 %) SPRAY, NON-AEROSOL MD,MO	1	QL(30 per 25 days)
azelastine-fluticasone 137-50 mcg/spray SPRAY, NON-AEROSOL MO	1	ST,QL(23 per 28 days)
BECONASE AQ 42 MCG (0.042 %) SPRAY, NON-AEROSOL MD,MO	3	ST,QL(50 per 30 days)
BEVESPI AEROSPHERE 9-4.8 MCG HFA AEROSOL INHALER MD,MO	3	PA,QL(10.7 per 30 days)
bosentan 125 mg, 62.5 mg TABLET DL,MD	4	PA,QL(60 per 30 days)
BREO ELLIPTA 100-25 MCG/DOSE, 200-25 MCG/DOSE, 50-25 MCG/DOSE BLISTER WITH DEVICE MD,MO	2	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BREZTRI AEROSPHERE 160-9-4.8 MCG/ACTUATION HFA AEROSOL INHALER MD,MO	2	QL(10.7 per 30 days)
BRONCHITOL 40 MG CAPSULE, W/INHALATION DEVICE DL,MD	4	PA,QL(560 per 28 days)
BROVANA 15 MCG/2 ML SOLUTION FOR NEBULIZATION DL,MD	4	BvsD,QL(120 per 30 days)
budesonide 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml SUSPENSION FOR NEBULIZATION MD,MO	1	BvsD
carbinoxamine maleate 4 mg TABLET MO	1	
carbinoxamine maleate 4 mg/5 ml LIQUID MO	1	
carbinoxamine maleate 6 mg TABLET DL	4	QL(120 per 30 days)
CAYSTON 75 MG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(84 per 28 days)
cetirizine 1 mg/ml SOLUTION MO	1	QL(300 per 30 days)
CINQAIR 10 MG/ML SOLUTION DL,MD	4	PA
CLARINEX 5 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
clemastine 0.5 mg/5 ml SYRUP DL	4	PA,QL(1800 per 30 days)
clemastine 2.68 mg TABLET MO	1	
COMBIVENT RESPIMAT 20-100 MCG/ACTUATION MIST MD,MO	3	QL(4 per 20 days)
cromolyn 100 mg/5 ml CONCENTRATE MO	1	
cromolyn 20 mg/2 ml SOLUTION FOR NEBULIZATION MD,MO	1	BvsD
cyproheptadine 2 mg/5 ml SYRUP MO	1	
cyproheptadine 4 mg TABLET MO	1	
DALIRESP 250 MCG TABLET MD,MO	3	PA,QL(28 per 365 days)
DALIRESP 500 MCG TABLET MD,MO	3	PA,QL(30 per 30 days)
desloratadine 2.5 mg, 5 mg TABLET, DISINTEGRATING MD,MO	1	ST,QL(30 per 30 days)
desloratadine 5 mg TABLET MD,MO	1	QL(30 per 30 days)
dexchlorpheniramine maleate 2 mg/5 ml SOLUTION MO	1	PA
DIPHEN 12.5 MG/5 ML ELIXIR MO	1	
diphen 12.5 mg/5 ml ELIXIR MO	1	
diphenhydramine hcl 12.5 mg/5 ml ELIXIR MO	1	
diphenhydramine hcl 50 mg/ml SOLUTION MO	1	
diphenhydramine hcl 50 mg/ml SYRINGE MO	1	
DOPRAM 20 MG/ML SOLUTION MO	3	
DUAKLIR PRESSAIR 400-12 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MD,MO	3	PA,QL(1 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DULERA 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION, 50-5 MCG/ACTUATION HFA AEROSOL INHALER MD,MO	3	ST,QL(13 per 30 days)
DYMISTA 137-50 MCG/SPRAY SPRAY, NON-AEROSOL MO	3	ST,QL(23 per 28 days)
ELIXOPHYLLIN 80 MG/15 ML ELIXIR MD,MO	1	
epinephrine 0.15 mg/0.15 ml, 0.15 mg/0.3 ml, 0.3 mg/0.3 ml AUTO-INJECTOR MO	1	QL(4 per 30 days)
EPIPEN 0.3 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(4 per 30 days)
EPIPEN 2-PAK 0.3 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(4 per 30 days)
EPIPEN JR 0.15 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(4 per 30 days)
EPIPEN JR 2-PAK 0.15 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(4 per 30 days)
epoprostenol 0.5 mg, 1.5 mg RECON SOLUTION DL,MD	4	PA
ESBRIET 267 MG CAPSULE DL,MD	4	PA,QL(270 per 30 days)
ESBRIET 267 MG TABLET DL,MD	4	PA,QL(270 per 30 days)
ESBRIET 801 MG TABLET DL,MD	4	PA,QL(90 per 30 days)
FASENRA 10 MG/0.5 ML SYRINGE DL,MD	4	PA,QL(0.5 per 28 days)
FASENRA 30 MG/ML SYRINGE DL,MD	4	PA,QL(1 per 28 days)
FASENRA PEN 30 MG/ML AUTO-INJECTOR DL,MD	4	PA,QL(1 per 28 days)
flunisolide 25 mcg (0.025 %) SPRAY, NON-AEROSOL MD,MO	1	QL(50 per 30 days)
fluticasone propion-salmeterol 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE MD,MO	1	QL(60 per 30 days)
fluticasone propion-salmeterol 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation AEROSOL POWDER BREATH ACTIV. MD,MO	2	QL(1 per 30 days)
fluticasone propionate 100 mcg/actuation, 250 mcg/actuation, 50 mcg/actuation BLISTER WITH DEVICE MD,MO	3	ST,QL(60 per 30 days)
fluticasone propionate 110 mcg/actuation, 220 mcg/actuation HFA AEROSOL INHALER MD,MO	3	ST,QL(24 per 30 days)
fluticasone propionate 44 mcg/actuation HFA AEROSOL INHALER MD,MO	3	ST,QL(10.6 per 30 days)
fluticasone propionate 50 mcg/actuation SPRAY, SUSPENSION MD,MO	1	QL(16 per 30 days)
formoterol fumarate 20 mcg/2 ml SOLUTION FOR NEBULIZATION MD,MO	1	BvsD,QL(120 per 30 days)
formoterol fumarate-nebulizer 20 mcg/2 ml SOLUTION FOR NEBULIZATION MD,MO	1	BvsD,QL(120 per 30 days)
GASTROCROM 100 MG/5 ML CONCENTRATE MO	3	
GRASTEK 2,800 BAU SUBLINGUAL TABLET MD,MO	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
hydroxyzine pamoate 100 mg, 25 mg, 50 mg CAPSULE MO	1	
INCRUSE ELLIPTA 62.5 MCG/ACTUATION BLISTER WITH DEVICE MD,MO	3	PA,QL(30 per 30 days)
ipratropium bromide 0.02 % SOLUTION MD,MO	1	BvsD
ipratropium bromide 21 mcg (0.03 %) SPRAY, NON-AEROSOL MD,MO	1	QL(30 per 30 days)
ipratropium bromide 42 mcg (0.06 %) SPRAY, NON-AEROSOL MO	1	QL(45 per 30 days)
ipratropium-albuterol 0.5 mg-3 mg(2.5 mg base)/3 ml SOLUTION FOR NEBULIZATION MD,MO	1	BvsD
KALYDECO 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG GRANULES IN PACKET DL,MD	4	PA,QL(56 per 28 days)
KALYDECO 150 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
LETAIRIS 10 MG, 5 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
levalbuterol hcl 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml SOLUTION FOR NEBULIZATION MD,MO	1	BvsD
levalbuterol tartrate 45 mcg/actuation HFA AEROSOL INHALER MD,MO	1	ST,QL(30 per 30 days)
levocetirizine 2.5 mg/5 ml SOLUTION MD,MO	1	QL(300 per 30 days)
levocetirizine 5 mg TABLET MD,MO	1	QL(30 per 30 days)
LIQREV 10 MG/ML SUSPENSION DL,MD	4	PA,QL(180 per 30 days)
LONHALA MAGNAIR REFILL 25 MCG/ML SOLUTION FOR NEBULIZATION DL,MD	4	PA,QL(60 per 30 days)
LONHALA MAGNAIR STARTER 25 MCG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(60 per 365 days)
mometasone 50 mcg/actuation SPRAY, NON-AEROSOL MD,MO	1	QL(34 per 30 days)
montelukast 10 mg TABLET MD,MO	1	QL(30 per 30 days)
montelukast 4 mg GRANULES IN PACKET MD,MO	1	QL(30 per 30 days)
montelukast 4 mg, 5 mg CHEWABLE TABLET MD,MO	1	QL(30 per 30 days)
NEFFY 2 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL DL	4	PA,QL(4 per 30 days)
NUCALA 100 MG RECON SOLUTION DL,MD	4	PA,QL(3 per 28 days)
NUCALA 100 MG/ML AUTO-INJECTOR DL,MD	4	PA,QL(3 per 28 days)
NUCALA 100 MG/ML SYRINGE DL,MD	4	PA,QL(3 per 28 days)
NUCALA 40 MG/0.4 ML SYRINGE DL,MD	4	PA,QL(0.4 per 28 days)
ODACTRA 12 SQ-HDM SUBLINGUAL TABLET MD,MO	3	PA,QL(30 per 30 days)
OFEV 100 MG, 150 MG CAPSULE DL,LA,MD	4	PA,QL(60 per 30 days)
OHTUVAYRE 3 MG/2.5 ML SUSPENSION FOR NEBULIZATION DL,MD	4	PA,QL(150 per 30 days)
olopatadine 0.6 % SPRAY, NON-AEROSOL MO	1	ST,QL(30.5 per 30 days)
OMNARIS 50 MCG SPRAY, NON-AEROSOL MD,MO	3	ST,QL(12.5 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OPSUMIT 10 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
OPSYNVI 10-20 MG, 10-40 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
ORENITRAM 0.125 MG TABLET ER DL,MD	4	PA,QL(1000 per 30 days)
ORENITRAM 0.25 MG TABLET ER DL,MD	4	PA,QL(500 per 30 days)
ORENITRAM 1 MG TABLET ER DL,MD	4	PA,QL(720 per 30 days)
ORENITRAM 2.5 MG TABLET ER DL,MD	4	PA,QL(300 per 30 days)
ORENITRAM 5 MG TABLET ER DL,MD	4	PA,QL(150 per 30 days)
ORENITRAM MONTH 1 TITRATION KT 0.125 MG (126)- 0.25 MG (42) TABLET, ER, DOSE PACK DL	4	PA,QL(168 per 28 days)
ORENITRAM MONTH 2 TITRATION KT 0.125 MG (126)- 0.25 MG (210) TABLET, ER, DOSE PACK DL	4	PA,QL(336 per 28 days)
ORENITRAM MONTH 3 TITRATION KT 0.125 MG (126)- 0.25 MG(42)-1MG TABLET, ER, DOSE PACK DL	4	PA,QL(252 per 28 days)
ORKAMBI 100-125 MG, 150-188 MG, 75-94 MG GRANULES IN PACKET DL,MD	4	PA,QL(56 per 28 days)
ORKAMBI 100-125 MG, 200-125 MG TABLET DL,MD	4	PA,QL(112 per 28 days)
PATANASE 0.6 % SPRAY, NON-AEROSOL MO	3	ST,QL(30.5 per 30 days)
PERFORMIST 20 MCG/2 ML SOLUTION FOR NEBULIZATION DL,MD	4	BvsD,QL(120 per 30 days)
<i>pirfenidone</i> 267 mg CAPSULE DL,MD	4	PA,QL(270 per 30 days)
<i>pirfenidone</i> 267 mg TABLET DL,MD	4	PA,QL(270 per 30 days)
<i>pirfenidone</i> 534 mg, 801 mg TABLET DL,MD	4	PA,QL(90 per 30 days)
PROAIR DIGIHALER 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MD,MO	3	ST,QL(2 per 30 days)
PROAIR HFA 90 MCG/ACTUATION HFA AEROSOL INHALER MD,MO	3	ST,QL(36 per 30 days)
PROAIR RESPICLICK 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MD,MO	3	ST,QL(2 per 30 days)
PROVENTIL HFA 90 MCG/ACTUATION HFA AEROSOL INHALER MD,MO	3	ST,QL(36 per 30 days)
PULMICORT 0.25 MG/2 ML, 0.5 MG/2 ML, 1 MG/2 ML SUSPENSION FOR NEBULIZATION MD,MO	3	BvsD
PULMICORT FLEXHALER 180 MCG/ACTUATION, 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MD,MO	3	ST,QL(2 per 30 days)
PULMOZYME 1 MG/ML SOLUTION DL,MD	4	BvsD
QNASL 40 MCG/ACTUATION HFA AEROSOL INHALER MD,MO	3	ST,QL(6.8 per 30 days)
QNASL 80 MCG/ACTUATION HFA AEROSOL INHALER MD,MO	3	ST,QL(10.6 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
QUZYTIR 10 MG/ML SOLUTION MO	3	
QVAR REDHALER 40 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED MD,MO	3	ST,QL(10.6 per 30 days)
QVAR REDHALER 80 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED MD,MO	3	ST,QL(21.2 per 30 days)
RAGWITEK 12 AMB A 1 UNIT SUBLINGUAL TABLET MD,MO	3	PA,QL(30 per 30 days)
REMODULIN 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML SOLUTION DL	4	PA
REVATIO 10 MG/ML SUSPENSION FOR RECONSTITUTION DL,MD	4	PA,QL(180 per 30 days)
REVATIO 20 MG TABLET DL,MD	4	PA,QL(90 per 30 days)
roflumilast 250 mcg TABLET MD,MO	1	QL(28 per 365 days)
roflumilast 500 mcg TABLET MD,MO	1	QL(30 per 30 days)
RYALTRIS 665-25 MCG/SPRAY SPRAY, NON-AEROSOL MO	3	ST,QL(29 per 30 days)
RYCLORA 2 MG/5 ML SOLUTION MO	1	
RYVENT 6 MG TABLET MO	1	QL(120 per 30 days)
SEREVENT DISKUS 50 MCG/DOSE BLISTER WITH DEVICE MD,MO	3	PA,QL(60 per 30 days)
sildenafil (pulm.hypertension) 10 mg/ml SUSPENSION FOR RECONSTITUTION DL,MD	4	PA,QL(180 per 30 days)
sildenafil (pulm.hypertension) 20 mg TABLET MD,MO	1	PA,QL(90 per 30 days)
SINGULAIR 10 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
SINGULAIR 4 MG GRANULES IN PACKET MD,MO	3	PA,QL(30 per 30 days)
SINGULAIR 4 MG, 5 MG CHEWABLE TABLET MD,MO	3	PA,QL(30 per 30 days)
SPIRIVA RESPIMAT 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION MIST MD,MO	2	QL(4 per 28 days)
SPIRIVA WITH HANDHALER 18 MCG CAPSULE, W/INHALATION DEVICE MD,MO	2	QL(30 per 30 days)
STIOLTO RESPIMAT 2.5-2.5 MCG/ACTUATION MIST MD,MO	2	QL(4 per 28 days)
STRIVERDI RESPIMAT 2.5 MCG/ACTUATION MIST MD,MO	2	QL(4 per 30 days)
SYMBICORT 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION HFA AEROSOL INHALER MD,MO	2	QL(10.2 per 30 days)
SYMDEKO 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N) TABLET, SEQUENTIAL DL,MD	4	PA,QL(56 per 28 days)
tadalafil (pulm. hypertension) 20 mg TABLET MD,MO	1	PA,QL(60 per 30 days)
TADLIQ 20 MG/5 ML (4 MG/ML) SUSPENSION DL,MD	4	PA,QL(300 per 30 days)
terbutaline 1 mg/ml SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
terbutaline 2.5 mg, 5 mg TABLET MD,MO	1	
THEO-24 100 MG, 200 MG, 300 MG, 400 MG CAPSULE, ER 24 HR. MD,MO	1	
theophylline 100 mg, 200 mg, 300 mg, 450 mg TABLET, ER 12 HR. MD,MO	1	
theophylline 400 mg, 600 mg TABLET, ER 24 HR. MD,MO	1	
theophylline 80 mg/15 ml ELIXIR MD,MO	1	
theophylline 80 mg/15 ml SOLUTION MD,MO	1	
theophylline in dextrose 5 % 200 mg/100 ml, 200 mg/50 ml, 400 mg/250 ml, 800 mg/250 ml PARENTERAL SOLUTION MO	1	
TOBI PODHALER 28 MG CAPSULE, W/INHALATION DEVICE DL,MD	4	PA,QL(224 per 28 days)
TRACLEER 125 MG, 62.5 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
TRACLEER 32 MG TABLET FOR SUSPENSION DL,MD	4	PA,QL(120 per 30 days)
TRELEGY ELLIPTA 100-62.5-25 MCG, 200-62.5-25 MCG BLISTER WITH DEVICE MD,MO	2	QL(60 per 30 days)
treprostinil sodium 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml SOLUTION DL	4	PA
TRIKAFTA 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) TABLET, SEQUENTIAL DL,MD	4	PA,QL(84 per 28 days)
TRIKAFTA 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N) GRANULES IN PACKET, SEQUENTIAL DL,MD	4	PA,QL(56 per 28 days)
TUDORZA PRESSAIR 400 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MD,MO	3	PA,QL(1 per 30 days)
TYVASO 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION DL,MD	4	PA
TYVASO DPI 16 MCG (112)- 32 MCG (84) CARTRIDGE WITH INHALER DL	4	PA,QL(196 per 28 days)
TYVASO DPI 16 MCG, 32 MCG, 48 MCG, 64 MCG CARTRIDGE WITH INHALER DL,MD	4	PA,QL(112 per 28 days)
TYVASO DPI 16(112)-32(112) -48(28) MCG CARTRIDGE WITH INHALER DL	4	PA,QL(252 per 28 days)
TYVASO DPI 32-48 MCG CARTRIDGE WITH INHALER DL,MD	4	PA,QL(224 per 28 days)
TYVASO INSTITUTIONAL START KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION DL	4	PA
TYVASO REFILL KIT 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION DL,MD	4	PA
TYVASO STARTER KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION DL	4	PA
UPTRAVI 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET DL,MD	4	PA,QL(60 per 30 days)
UPTRAVI 1,800 MCG RECON SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
UPTRAVI 200 MCG (140)- 800 MCG (60) TABLET, DOSE PACK DL	4	PA,QL(200 per 30 days)
VELETRI 0.5 MG, 1.5 MG RECON SOLUTION DL,MD	4	PA
VENTAVIS 10 MCG/ML SOLUTION FOR NEBULIZATION DL,MD	4	PA,QL(150 per 30 days)
VENTAVIS 20 MCG/ML SOLUTION FOR NEBULIZATION DL,MD	4	PA,QL(90 per 30 days)
VENTOLIN HFA 90 MCG/ACTUATION HFA AEROSOL INHALER MD,MO	2	QL(36 per 30 days)
VISTARIL 25 MG, 50 MG CAPSULE MO	3	
WINREVAIR 45 MG, 60 MG KIT DL,MD	4	PA
wixela inhub 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE MD,MO	1	QL(60 per 30 days)
XHANCE 93 MCG/ACTUATION AEROSOL BREATH ACTIVATED MD,MO	3	PA,QL(32 per 30 days)
XOPENEX HFA 45 MCG/ACTUATION HFA AEROSOL INHALER MD,MO	3	ST,QL(30 per 30 days)
YUPELRI 175 MCG/3 ML SOLUTION FOR NEBULIZATION DL,MD	4	PA,QL(90 per 30 days)
zafirlukast 10 mg, 20 mg TABLET MD,MO	1	QL(60 per 30 days)
ZETONNA 37 MCG/ACTUATION HFA AEROSOL INHALER MD,MO	3	ST,QL(6.1 per 28 days)
zileuton 600 mg TABLET, ER 12 HR., MULTIPHASE DL,MD	4	ST,QL(120 per 30 days)
ZYFLO 600 MG TABLET DL,MD	4	ST,QL(120 per 30 days)
SKELETAL MUSCLE RELAXANTS		
AMRIX 15 MG, 30 MG CAPSULE, ER 24 HR. DL	4	ST,QL(21 per 30 days)
carisoprodol 250 mg TABLET MO	1	ST,QL(120 per 30 days)
carisoprodol 350 mg TABLET MO	1	QL(120 per 30 days)
chlorzoxazone 250 mg TABLET DL	4	ST,QL(360 per 30 days)
chlorzoxazone 375 mg, 750 mg TABLET MO	1	ST,QL(120 per 30 days)
chlorzoxazone 500 mg TABLET MO	1	ST
cyclobenzaprine 10 mg, 5 mg TABLET MO	1	
cyclobenzaprine 15 mg, 30 mg CAPSULE, ER 24 HR. MO	1	ST,QL(21 per 30 days)
cyclobenzaprine 7.5 mg TABLET MO	1	QL(90 per 30 days)
FEXMID 7.5 MG TABLET MO	1	ST,QL(90 per 30 days)
LORZONE 375 MG TABLET MO	1	ST,QL(120 per 30 days)
LORZONE 750 MG TABLET DL	4	ST,QL(120 per 30 days)
metaxalone 400 mg, 800 mg TABLET MO	1	ST,QL(120 per 30 days)
methocarbamol 1,000 mg TABLET DL	4	PA
methocarbamol 100 mg/ml SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>methocarbamol 500 mg, 750 mg TABLET</i> MO	1	
<i>norgesic 25-385-30 mg TABLET</i> DL	4	PA,QL(240 per 30 days)
NORGESIC FORTE 50-770-60 MG TABLET DL	4	PA,QL(120 per 30 days)
<i>orphenadrine citrate 100 mg TABLET ER</i> MO	1	
<i>orphenadrine citrate 30 mg/ml SOLUTION</i> MO	1	ST
<i>orphenadrine-asa-caffeine 25-385-30 mg TABLET</i> DL	4	PA,QL(240 per 30 days)
<i>orphenadrine-asa-caffeine 50-770-60 mg TABLET</i> DL	4	PA,QL(120 per 30 days)
<i>orphengestic forte 50-770-60 mg TABLET</i> DL	4	PA,QL(120 per 30 days)
ROBAXIN 100 MG/ML SOLUTION DL	4	
SOMA 250 MG, 350 MG TABLET DL	4	ST,QL(120 per 30 days)
<i>tanlor 1,000 mg TABLET</i> DL	4	PA
SLEEP DISORDER AGENTS		
AMBIEN 10 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
AMBIEN CR 12.5 MG, 6.25 MG TABLET, ER MULTIPHASE MO	3	PA,QL(30 per 30 days)
<i>armodafinil 150 mg, 200 mg, 250 mg TABLET</i> MD,MO	1	PA,QL(30 per 30 days)
<i>armodafinil 50 mg TABLET</i> MD,MO	1	PA,QL(60 per 30 days)
BELSOMRA 10 MG TABLET MO	2	QL(60 per 30 days)
BELSOMRA 15 MG, 20 MG TABLET MO	2	QL(30 per 30 days)
BELSOMRA 5 MG TABLET MO	2	QL(120 per 30 days)
DAYVIGO 10 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
<i>doxepin 3 mg, 6 mg TABLET</i> MO	1	QL(30 per 30 days)
EDLUAR 10 MG SUBLINGUAL TABLET MO	3	
EDLUAR 5 MG SUBLINGUAL TABLET MO	3	QL(30 per 30 days)
<i>estazolam 1 mg, 2 mg TABLET</i> DL	1	QL(30 per 30 days)
<i>eszopiclone 1 mg, 2 mg, 3 mg TABLET</i> MO	1	QL(30 per 30 days)
<i>flurazepam 15 mg CAPSULE</i> DL	1	QL(60 per 30 days)
<i>flurazepam 30 mg CAPSULE</i> DL	1	QL(30 per 30 days)
HALCION 0.25 MG TABLET DL	3	PA,QL(30 per 30 days)
HETLIOZ 20 MG CAPSULE DL,MD	4	PA,QL(30 per 30 days)
HETLIOZ LQ 4 MG/ML SUSPENSION DL,MD	4	PA,QL(158 per 30 days)
LUMRYZ 4.5 GRAM, 6 GRAM, 7.5 GRAM, 9 GRAM ER GRANULES, PACKET DL,MD	4	PA,QL(30 per 30 days)
<i>modafinil 100 mg, 200 mg TABLET</i> MD,MO	1	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NUVIGIL 150 MG, 200 MG, 250 MG TABLET DL,MD	4	PA,QL(30 per 30 days)
NUVIGIL 50 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
PROVIGIL 100 MG, 200 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
QUVIVIQ 25 MG, 50 MG TABLET MO	3	ST,QL(30 per 30 days)
<i>ramelteon</i> 8 mg TABLET MO	1	ST,QL(30 per 30 days)
RESTORIL 15 MG, 22.5 MG, 30 MG, 7.5 MG CAPSULE DL	4	PA,QL(30 per 30 days)
ROZEREM 8 MG TABLET MO	3	ST,QL(30 per 30 days)
SILENOR 3 MG, 6 MG TABLET MO	3	QL(30 per 30 days)
<i>sodium oxybate</i> 500 mg/ml SOLUTION DL,MD	4	PA,QL(540 per 30 days)
SUNOSI 150 MG, 75 MG TABLET MD,MO	3	PA,QL(30 per 30 days)
<i>tasimelteon</i> 20 mg CAPSULE DL,MD	4	PA,QL(30 per 30 days)
<i>temazepam</i> 15 mg, 30 mg CAPSULE DL	1	QL(30 per 30 days)
<i>temazepam</i> 22.5 mg, 7.5 mg CAPSULE DL	1	QL(30 per 30 days)
<i>triazolam</i> 0.125 mg, 0.25 mg TABLET DL	1	QL(30 per 30 days)
WAKIX 17.8 MG, 4.45 MG TABLET DL,MD	4	PA,QL(60 per 30 days)
XYREM 500 MG/ML SOLUTION DL,MD	4	PA,QL(540 per 30 days)
XYWAV 0.5 GRAM/ML SOLUTION DL,MD	4	PA,QL(540 per 30 days)
<i>zaleplon</i> 10 mg, 5 mg CAPSULE MO	1	QL(30 per 30 days)
<i>zolpidem</i> 1.75 mg, 3.5 mg SUBLINGUAL TABLET MO	1	QL(30 per 30 days)
<i>zolpidem</i> 10 mg, 5 mg TABLET MO	1	QL(30 per 30 days)
<i>zolpidem</i> 12.5 mg, 6.25 mg TABLET, ER MULTIPHASE MO	1	QL(30 per 30 days)
ZOLPIDEM 7.5 MG CAPSULE MO	3	QL(30 per 30 days)
ZOLPIMIST 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL MO	3	QL(23.1 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD – Maintenance Drug • ST - Step Therapy

Humana Medicare Employer Plan Coverage of Additional Prescription Drugs

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Cough/Cold - Mail Order (MO) Available		
<i>benzonatate 100 mg, 150 mg, 200 mg CAPSULE</i>	1	
<i>bromfed dm 2-30-10 mg/5 ml SYRUP</i>	1	
<i>brompheniramine-pseudoeph-dm 2-30-10 mg/5 ml SYRUP</i>	1	
<i>HYCODAN 5-1.5 MG/5 ML (5 ML) SYRUP</i>	1	
<i>HYCODAN (WITH HOMATROPINE) 5-1.5 MG TABLET</i>	1	
<i>HYCODAN (WITH HOMATROPINE) 5-1.5 MG/5 ML SYRUP</i>	1	
<i>hydrocodone-chlorpheniramine 10-8 mg/5 ml SUSPENSION, ER 12 HR.</i>	1	
<i>hydrocodone-homatropine 5-1.5 mg TABLET</i>	1	
<i>hydrocodone-homatropine 5-1.5 mg/5 ml, 5-1.5 mg/5 ml (5 ml) SYRUP</i>	1	
<i>hydromet 5-1.5 mg/5 ml SYRUP</i>	1	
<i>OBREDON 2.5-200 MG/5 ML SOLUTION</i>	3	
<i>promethazine vc-codeine 6.25-5-10 mg/5 ml SYRUP</i>	1	
<i>promethazine-codeine 6.25-10 mg/5 ml SYRUP</i>	1	
<i>promethazine-dm 6.25-15 mg/5 ml SYRUP</i>	1	
<i>promethazine-phenyleph-codeine 6.25-5-10 mg/5 ml SYRUP</i>	1	
<i>RESPA-AR 8-90-0.24 MG TABLET, ER 12 HR.</i>	3	
<i>TUXARIN ER 8-54.3 MG TABLET, ER 12 HR.</i>	3	
<i>TUZISTRA XR 14.7-2.8 MG/5 ML SUSPENSION, ER 12 HR.</i>	3	
Custom Drugs		
<i>ASTAGRAF XL 0.5 MG, 1 MG, 5 MG CAPSULE, ER 24 HR.</i>	3	BvsD
<i>ATGAM 50 MG/ML SOLUTION</i>	4	PA
<i>AZASAN 100 MG, 75 MG TABLET</i>	1	BvsD
<i>azathioprine 100 mg, 50 mg, 75 mg TABLET</i>	1	BvsD
<i>azathioprine sodium 100 mg RECON SOLUTION</i>	1	BvsD

Your Humana Group Medicare Plan has additional coverage for some drugs that are not normally covered under Medicare Part D. Guidelines that apply to these drugs include: they are not subject to the Medicare appeals process and your member cost share does not apply to your annual maximum out-of-pocket (MOOP) spend.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD - Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Custom Drugs		
CELLCEPT 200 MG/ML SUSPENSION FOR RECONSTITUTION	4	BvsD
CELLCEPT 250 MG CAPSULE	4	BvsD
CELLCEPT 500 MG TABLET	4	BvsD
CELLCEPT INTRAVENOUS 500 MG RECON SOLUTION	3	BvsD
<i>cyclosporine 100 mg, 25 mg CAPSULE</i>	1	BvsD
<i>cyclosporine modified 100 mg, 25 mg, 50 mg CAPSULE</i>	1	BvsD
<i>cyclosporine modified 100 mg/ml SOLUTION</i>	1	BvsD
ENVARUSUS XR 0.75 MG, 1 MG, 4 MG TABLET, ER 24 HR.	3	PA
<i>everolimus (immunosuppressive) 0.25 mg TABLET</i>	1	BvsD,QL(60 per 30 days)
<i>everolimus (immunosuppressive) 0.5 mg TABLET</i>	4	BvsD,QL(120 per 30 days)
<i>everolimus (immunosuppressive) 0.75 mg, 1 mg TABLET</i>	4	BvsD,QL(60 per 30 days)
<i>gengraf 100 mg, 25 mg CAPSULE</i>	1	BvsD
<i>gengraf 100 mg/ml SOLUTION</i>	1	BvsD
IMURAN 50 MG TABLET	3	PA
LUPKYNIS 7.9 MG CAPSULE	4	PA,QL(180 per 30 days)
<i>mycophenolate mofetil 200 mg/ml SUSPENSION FOR RECONSTITUTION</i>	1	BvsD
<i>mycophenolate mofetil 250 mg CAPSULE</i>	1	BvsD
<i>mycophenolate mofetil 500 mg TABLET</i>	1	BvsD
<i>mycophenolate mofetil (hcl) 500 mg RECON SOLUTION</i>	1	BvsD
<i>mycophenolate sodium 180 mg, 360 mg TABLET, DR/EC</i>	1	BvsD
MYFORTIC 180 MG TABLET, DR/EC	3	BvsD
MYFORTIC 360 MG TABLET, DR/EC	4	BvsD
MYHIBBIN 200 MG/ML SUSPENSION	4	BvsD
NEORAL 100 MG, 25 MG CAPSULE	3	BvsD
NEORAL 100 MG/ML SOLUTION	3	BvsD

Your Humana Group Medicare Plan has additional coverage for some drugs that are not normally covered under Medicare Part D. Guidelines that apply to these drugs include: they are not subject to the Medicare appeals process and your member cost share does not apply to your annual maximum out-of-pocket (MOOP) spend.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD - Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Custom Drugs		
PROGRAF 0.2 MG, 1 MG GRANULES IN PACKET	3	BvsD
PROGRAF 0.5 MG, 1 MG, 5 MG CAPSULE	3	BvsD
RAPAMUNE 0.5 MG, 1 MG, 2 MG TABLET	4	BvsD
RAPAMUNE 1 MG/ML SOLUTION	4	BvsD
SANDIMMUNE 100 MG, 25 MG CAPSULE	3	BvsD
SANDIMMUNE 100 MG/ML SOLUTION	3	BvsD
<i>sirolimus 0.5 mg, 1 mg, 2 mg TABLET</i>	1	BvsD
<i>sirolimus 1 mg/ml SOLUTION</i>	1	BvsD
<i>tacrolimus 0.5 mg, 1 mg, 5 mg CAPSULE</i>	1	BvsD
<i>tacrolimus 0.5 mg, 1 mg, 5 mg CAPSULE, ER 24 HR.</i>	1	BvsD
THYMOGLOBULIN 25 MG RECON SOLUTION	3	PA
<i>ildenafil 10 mg TABLET, DISINTEGRATING</i>	1	QL(6 per 30 days)
<i>ildenafil 10 mg, 2.5 mg, 20 mg, 5 mg TABLET</i>	1	QL(6 per 30 days)
ZORTRESS 0.25 MG, 0.75 MG, 1 MG TABLET	4	BvsD,QL(60 per 30 days)
ZORTRESS 0.5 MG TABLET	4	BvsD,QL(120 per 30 days)
Erectile Dysfunction - Maint. Drugs/MO Available		
<i>sildenafil 100 mg, 25 mg, 50 mg TABLET</i>	1	QL(6 per 30 days)
VIAGRA 100 MG, 25 MG, 50 MG TABLET	3	QL(6 per 30 days)
Vitamins/Minerals - Maintenance Drugs/MO Available		
<i>cyanocobalamin (vitamin b-12) 1,000 mcg/ml SOLUTION</i>	1	
<i>cyanocobalamin (vitamin b-12) 500 mcg/spray SPRAY, NON-AEROSOL</i>	1	
<i>dodex 1,000 mcg/ml SOLUTION</i>	1	
DRISDOL 1,250 MCG (50,000 UNIT) CAPSULE	3	
<i>ergocalciferol (vitamin d2) 1,250 mcg (50,000 unit) CAPSULE</i>	1	
<i>folic acid 1 mg TABLET</i>	1	

Your Humana Group Medicare Plan has additional coverage for some drugs that are not normally covered under Medicare Part D. Guidelines that apply to these drugs include: they are not subject to the Medicare appeals process and your member cost share does not apply to your annual maximum out-of-pocket (MOOP) spend.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD - Maintenance Drug • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Vitamins/Minerals - Maintenance Drugs/MO Available		
NASCOBAL 500 MCG/SPRAY SPRAY, NON-AEROSOL	3	
vitamin d2 1,250 mcg (50,000 unit) CAPSULE	1	
Vitamins/Minerals - Non-Maint Drugs/MO Available		
ascorbic acid (vitamin c) 500 mg/ml SOLUTION	1	
b complex 100 100-2-100-2-2 mg/ml SOLUTION	1	
b-complex injection 100-2-100-2-2 mg/ml SOLUTION	1	
folic acid 5 mg/ml SOLUTION	1	
hydroxocobalamin 1,000 mcg/ml SOLUTION	1	
INFUVITE ADULT 3,300 UNIT- 150 MCG/10 ML SOLUTION	3	
INFUVITE PEDIATRIC 80 MG-400 UNIT- 200 MCG/5 ML SOLUTION	3	
MEPHYTON 5 MG TABLET	3	
phytonadione (vitamin k1) 1 mg/0.5 ml SYRINGE	1	
phytonadione (vitamin k1) 1 mg/0.5 ml, 10 mg/ml SOLUTION	1	
phytonadione (vitamin k1) 5 mg TABLET	1	
pyridoxine (vitamin b6) 100 mg/ml SOLUTION	1	
thiamine hcl (vitamin b1) 100 mg/ml SOLUTION	1	
vitamin k 1 mg/0.5 ml SOLUTION	1	
vitamin k1 10 mg/ml SOLUTION	1	

Your Humana Group Medicare Plan has additional coverage for some drugs that are not normally covered under Medicare Part D. Guidelines that apply to these drugs include: they are not subject to the Medicare appeals process and your member cost share does not apply to your annual maximum out-of-pocket (MOOP) spend.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • MD - Maintenance Drug • ST - Step Therapy

Index

A

- abacavir... 74
- abacavir-lamivudine... 74
- ABELCET... 45
- ABILIFY ASIMTUFI... 69
- ABILIFY MAINTENA... 69
- ABILIFY MYCITE MAINTENANCE KIT... 69
- ABILIFY MYCITE STARTER KIT... 69
- ABILIFY... 69
- abiraterone... 51
- ABRAXANE... 51
- ABRILADA(CF) PEN... 157
- ABRILADA(CF)... 157
- ABRYSSO (PF)... 157
- ABSORICA LD... 115
- ABSORICA... 115
- acamprosate... 21
- ACANYA... 115
- acarbose... 82
- ACCOLATE... 184
- ACCUPRIL... 93
- ACCURETIC... 93
- accutane... 115
- acebutolol... 93
- ACETADOTE... 172
- acetaminophen... 172
- acetaminophen-caff-dihydrocod... 11
- acetaminophen-codeine... 11
- acetazolamide sodium... 93
- acetazolamide... 93
- acetic acid... 22, 172
- acetylcysteine... 172, 184
- acitretin... 115
- ACTEMRA ACTPEN... 157
- ACTEMRA... 157
- ACTHAR SELFJECT... 141
- ACTHAR... 141
- ACTHIB (PF)... 157
- ACTICLATE... 22
- ACTIMMUNE... 157
- ACTIQ... 11
- ACTIVELLA... 144
- ACTONEL... 170
- ACTOPLUS MET... 82
- ACTOS... 82
- ACULAR LS... 179
- ACULAR... 179
- ACUVAIL (PF)... 179
- acyclovir sodium... 74
- acyclovir... 74
- ACZONE... 116
- ADACEL(TDAP ADOLESN/ADULT)(PF)... 157
- ADAKVEO... 172
- ADALIMUMAB-AACF... 158
- ADALIMUMAB-AACF(CF) PEN CROHNS... 158
- ADALIMUMAB-AACF(CF) PEN PS-UV... 158
- ADALIMUMAB-AATY... 158
- ADALIMUMAB-ADAZ... 158
- ADALIMUMAB-ADBM... 158
- ADALIMUMAB-ADBM(CF) PEN CROHNS... 158
- ADALIMUMAB-ADBM(CF) PEN PS-UV... 158
- ADALIMUMAB-FKJP... 158
- ADALIMUMAB-RYVK... 158
- adapalene... 116
- adapalene-benzoyl peroxide... 116
- ADBRY... 116
- ADCETRIS... 51
- ADCIRCA... 184
- ADDERALL XR... 108
- ADDERALL... 108
- adefovir... 74
- ADEMPAS... 184
- adenosine... 93
- ADLARITY... 38

ADLYXIN... 82	ak-poly-bac... 179	almotriptan malate... 49
ADMELOG SOLOSTAR U-100 INSULIN... 82	AKEEGA... 52	ALOCRI... 179
ADMELOG U-100 INSULIN LISPRO... 82	AKLIEF... 116	ALOMIDE... 179
ADRENALIN... 93, 184	AKYNZEO (FOSNETUPITANT)... 43	ALOPRIM... 48
ADRIAMYCIN... 51	AKYNZEO (NETUPITANT)... 43	alosetron... 132
adrucil... 51	ALA-CORT... 116	ALPHAGAN P... 179
ADSTILADRIN... 173	ALA-SCALP... 116	alprazolam intensol... 80
ADVAIR DISKUS... 184	albendazole... 66	alprazolam... 80
ADVAIR HFA... 184	albuterol sulfate... 185	ALREX... 179
ADZENYS XR-ODT... 108	ALCAINE... 179	ALTABAX... 116
ADZYNMA... 88	alclometasone... 116	ALTACE... 93
AEMCOLO... 131	ALCOHOL PADS... 173	altavera (28)... 144
AFINITOR DISPERZ... 52	ALCOHOL PREP PADS... 173	ALTOPREV... 93
AFINITOR... 51	ALCOHOL SWABS... 173	ALTRENO... 116
afirmelle... 144	ALCOHOL WIPES... 173	ALUNBRIG... 52
AFREZZA... 82	ALDACTAZIDE... 93	ALVAIZ... 88
AGAMREE... 141	ALDACTONE... 93	ALVESCO... 185
AGGRASTAT CONCENTRATE... 88	ALDURAZYME... 136	alyacen 1/35 (28)... 144
AGGRASTAT IN SODIUM CHLORIDE... 88	ALECENSA... 52	alyacen 7/7/7 (28)... 145
AGRYLIN... 88	alendronate... 170, 171	ALYGLO... 158
AIMOVIG AUTOINJECTOR... 49	alfuzosin... 139	ALYMSYS... 52
AIRDUO DIGIHALER... 184	ALIMTA... 52	alyq... 185
AIRDUO RESPICLICK... 184	ALIQOPA... 52	amabelz... 145
AIRSUPRA... 184	aliskiren... 93	amantadine hcl... 67
AJOVY AUTOINJECTOR... 49	ALKINDI SPRINKLE... 141	AMARYL... 82
AJOVY SYRINGE... 49	allopurinol sodium... 48	AMBIEN CR... 193
	allopurinol... 48	AMBIEN... 193
	ALLZITAL... 173	AMBISOME... 45

ambrisentan... 185	amlodipine-atorvastatin... 93	ANDRODERM... 145
amcinonide... 116	amlodipine-benazepril... 93	ANDROGEL... 145
amethia... 145	amlodipine-olmesartan... 93	ANGELIQ... 145
amethyst (28)... 145	amlodipine-valsartan... 93	ANKTIVA... 52
amikacin... 22	amlodipine-valsartan-hcthiazyd... 94	ANNOVERA... 145
amiloride... 93	ammonium lactate... 116	ANORO ELLIPTA... 185
amiloride-hydrochlorothiazide... 93	AMMONUL... 173	ANTIVERT... 43
aminocaproic acid... 88, 89	amnesteem... 116	anusol-hc... 116
aminophylline... 185	amoxapine... 39	ANZEMET... 43
AMINOSYN II 10 %... 125	amoxicil-clarithromy-lansopraz... 132	APADAZ... 11
AMINOSYN II 7 %... 125	amoxicillin... 22	apexicon e... 116
AMINOSYN II 8.5 %... 125	amoxicillin-pot clavulanate... 22, 23	APIDRA SOLOSTAR U-100 INSULIN... 82
AMINOSYN II 8.5 %-ELECTROLYTES... 125	amphetamine sulfate... 108	APIDRA U-100 INSULIN... 82
AMINOSYN M 3.5 %... 125	amphetamine... 108	APLENZIN... 40
AMINOSYN 10 %... 125	amphotericin b liposome... 45	APOKYN... 67
AMINOSYN 7 % WITH ELECTROLYTES... 125	amphotericin b... 45	apomorphine... 67
AMINOSYN 8.5 %... 125	ampicillin sodium... 23	APONVIE... 43
AMINOSYN 8.5 %-ELECTROLYTES... 125	ampicillin... 23	apraclonidine... 179
AMINOSYN-RF 5.2 %... 125	ampicillin-sulbactam... 23	aprepitant... 43
amiodarone... 93	AMPYRA... 108	apri... 145
AMITIZA... 132	AMRIX... 192	APRISO... 169
amitriptyline... 39	AMVUTTRA... 136	APTENSIO XR... 108
amitriptyline-chlordiazepoxide... 39	ANAFRANIL... 40	APTIOM... 32
AMJEVITA(CF) AUTOINJECTOR... 158	anagrelide... 89	APTIVUS... 74
AMJEVITA(CF)... 158	anastrozole... 52	ARALAST NP... 136
amlodipine... 93	ANCOBON... 45	aranelle (28)... 145
		ARANESP (IN POLYSORBATE)... 89

ARAVA... 158	ASMANEX TWISTHALER... 185	AUGMENTIN... 23
ARAZLO... 116	ASPARLAS... 52	AUGTYRO... 52
ARCALYST... 158	aspirin-dipyridamole... 89	aurovela fe 1.5/30 (28)... 145
AREXVY (PF)... 158	ASPRUZYO SPRINKLE... 94	aurovela fe 1-20 (28)... 145
arformoterol... 185	ASTAGRAF XL... 158, 195	aurovela 1.5/30 (21)... 145
ARICEPT... 38, 39	ATACAND HCT... 94	aurovela 1/20 (21)... 145
ARIKAYCE... 23	ATACAND... 94	aurovela 24 fe... 145
ARIMIDEX... 52	atazanavir... 74	AUSTEDO XR TITRATION KT(WK1-4)... 109
aripiprazole... 69	ATELVIA... 171	AUSTEDO XR... 108
ARISTADA INITIO... 69	atenolol... 94	AUSTEDO... 108
ARISTADA... 69	atenolol-chlorthalidone... 94	AUTOJECT 2 INJECTION DEVICE... 173
ARIXTRA... 89	ATGAM... 158, 195	AUTOPEN 1 TO 21 UNITS... 173
armodafinil... 193	ATIVAN... 80	AUTOPEN 2 TO 42 UNITS... 173
ARMONAIR DIGIHALER... 185	atomoxetine... 108	AUVELITY... 40
ARMOUR THYROID... 154	ATORVALIQ... 94	AUVI-Q... 185
ARNUITY ELLIPTA... 185	atorvastatin... 94	AVALIDE... 94
AROMASIN... 52	atovaquone... 66	AVAPRO... 94
ARRANON... 52	atovaquone-proguanil... 66	AVASTIN... 52
arsenic trioxide... 52	ATRALIN... 116	AVEED... 145
ARTHROTEC 50... 11	ATRIPLA... 74	AVELOX IN NACL (ISO-OSMOTIC)... 23
ARTHROTEC 75... 11	ATROPINE SULFATE (PF)... 179	aviane... 145
ASACOL HD... 169	atropine... 132, 179	avidoxy... 23
ASCENIV... 158	ATROVENT HFA... 185	AVITA... 116
ascomp with codeine... 11	AUBAGIO... 108	AVONEX... 109
ascorbic acid (vitamin c)... 198	aubra eq... 145	AVSOLA... 159
asenapine maleate... 69	aubra... 145	AVYCAZ... 23
ashlyna... 145	AUGMENTIN ES-600... 23	
ASMANEX HFA... 185	AUGMENTIN XR... 23	

AYGESTIN... 145	BACTRIM DS... 23	BD INSULIN SYRINGE ULTRA-FINE... 173
ayuna... 145	BACTRIM... 23	BD INSULIN SYRINGE... 173
AYVAKIT... 52	BAFIERTAM... 109	BD LO-DOSE MICRO-FINE IV... 173
azacitidine... 52	bal-care dha... 125	BD NANO 2ND GEN PEN NEEDLE... 173
AZACTAM... 23	balanced salt... 179	BD SAFETYGLIDE INSULIN SYRINGE... 173
AZASAN... 159, 195	BALCOLTRA... 145	BD SAFETYGLIDE SYRINGE... 173
AZASITE... 179	balsalazide... 169	BD SAFETYGLIDE SYRINGE... 173
azathioprine sodium... 159, 195	BALVERSA... 52	BD ULTRA-FINE MICRO PEN NEEDLE... 173
azathioprine... 159, 195	balziva (28)... 145	BD ULTRA-FINE MINI PEN NEEDLE... 173
azelaic acid... 116	BAND-AID GAUZE PADS... 173	BD ULTRA-FINE NANO PEN NEEDLE... 173
azelastine... 179, 185	BANZEL... 32	BD ULTRA-FINE ORIG PEN NEEDLE... 174
azelastine-fluticasone... 185	BAQSIMI... 82	BD ULTRA-FINE SHORT PEN NEEDLE... 174
AZELEX... 116	BARACLUDE... 74	BD VEO INSULIN SYR (HALF UNIT)... 174
AZILECT... 67	BASAGLAR KWIKPEN U-100 INSULIN... 82	BD VEO INSULIN SYRINGE UF... 174
azithromycin... 23	BASAGLAR TEMPO PEN(U-100)INSLN... 82	BECONASE AQ... 185
AZOPT... 179	BAVENCIO... 52	BELBUCA... 11
AZOR... 94	BAXDELA... 23	BELEODAQ... 52
AZSTARYS... 109	BCG VACCINE, LIVE (PF)... 159	BELSOMRA... 193
aztreonam... 23	BD ALCOHOL SWABS... 173	benazepril... 94
AZULFIDINE EN-TABS... 169	BD AUTOSHIELD DUO PEN NEEDLE... 173	benazepril-hydrochlorothiazide... 94
AZULFIDINE... 169	BD ECLIPSE LUER-LOK... 173	bendamustine... 52
azurette (28)... 145	BD INSULIN SYRINGE (HALF UNIT)... 173	BENDEKA... 52
B	BD INSULIN SYRINGE MICRO-FINE... 173	
b complex 100... 198	BD INSULIN SYRINGE U-500... 173	
b-complex injection... 198		
bacitracin... 23, 179		
bacitracin-polymyxin b... 179		
baclofen... 73		

BENICAR HCT... 94	BETHKIS... 23	blisovi fe 1/20 (28)... 146
BENICAR... 94	BETIMOL... 180	blisovi 24 fe... 146
BENLYSTA... 159	BETOPTIC S... 180	BONIVA... 171
BENTYL... 132	BEVESPI AEROSPHERE... 185	BONJESTA... 43
BENZAMYCIN... 116	bexarotene... 52	BOOSTRIX TDAP... 159
benzhydrocodone-acetaminophen... 11	BEXSERO... 159	BORDERED GAUZE... 174
benzonatate... 195	BEYAZ... 145	BORTEZOMIB... 53
benztropine... 67	BEYFORTUS... 174	bosentan... 185
bepotastine besilate... 179	bicalutamide... 52	BOSULIF... 53
BEPREVE... 179	BICILLIN C-R... 23	BRAFTOVI... 53
BERINERT... 159	BICILLIN L-A... 24	BREO ELLIPTA... 185
besser... 117	BICNU... 53	bretylium tosylate... 94
BESIVANCE... 179	BIDIL... 94	BREVIBLOC IN NACL (ISO-OSM)... 94
BESPONSA... 52	BIJUVA... 145	BREVIBLOC... 94
BESREMI... 159	BIKTARVY... 74	BREZTRI AEROSPHERE... 186
BETADINE OPHTHALMIC PREP... 180	BILTRICIDE... 66	briellyn... 146
betaine... 136	bimatoprost... 180	BRILINTA... 89
betamethasone acet,sod phos... 141	BIMZELX AUTOINJECTOR... 159	brimonidine... 117, 180
betamethasone dipropionate... 117	BIMZELX... 159	brinzolamide... 180
betamethasone valerate... 117	BINOSTO... 171	BRIUMVI... 109
betamethasone, augmented... 117	BIORPHEN... 94	BRIVIACT... 32
BETAPACE AF... 94	bismuth subcit k-metronidz-tcn... 132	bromfed dm... 195
BETAPACE... 94	bisoprolol fumarate... 94	bromfenac... 180
BETASERON... 109	bisoprolol-hydrochlorothiazide... 94	bromocriptine... 67
betaxolol... 94, 180	BIVIGAM... 159	brompheniramine-pseudoeph-dm... 195
bethanechol chloride... 139	bleomycin... 53	BROMSITE... 180
	blisovi fe 1.5/30 (28)... 146	BRONCHITOL... 186

BROVANA... 186	butalbital-acetaminophen... 174	CALDOLOR... 11
BRUKINSA... 53	butalbital-acetaminophen-caff... 174	CALQUENCE (ACALABRUTINIB MAL)... 53
BRYHALI... 117	butalbital-aspirin-caffeine... 174	CALQUENCE... 53
BSS PLUS... 180	butorphanol... 11	CAMBIA... 11
BSS... 180	BUTRANS... 11	camila... 146
budesonide... 169, 170, 186	BYDUREON BCISE... 82	CAMPTOSAR... 53
bumetanide... 95	BYETTA... 82	camrese lo... 146
bupap... 174	BYLVAY... 174	camrese... 146
BUPHENYL... 136	BYSTOLIC... 95	CAMZYOS... 95
bupivacaine (pf)... 19		CANASA... 170
bupivacaine hcl... 19	C	CANCIDAS... 45
bupivacaine liposome (pf)... 19	c-nate dha... 125	candesartan... 95
bupivacaine-dextrose-water(pf)... 19	CABENUVA... 74, 75	candesartan-hydrochlorothiazid... 95
bupivacaine-epinephrine (pf)... 19	cabergoline... 155	CAPEX... 117
bupivacaine-epinephrine... 19	CABLIVI... 89	CAPLYTA... 69
BUPRENEX... 11	CABOMETRYX... 53	CAPRELSA... 53
buprenorphine hcl... 11, 21	CABTREO... 117	captopril... 95
buprenorphine... 11	CADUET... 95	captopril-hydrochlorothiazide... 95
buprenorphine-naloxone... 21	CAFICIT... 174	CARAC... 117
bupropion hcl (smoking deter)... 21	caffeine citrate... 174	CARAFATE... 132
bupropion hcl... 40	CALAN SR... 95	CARBAGLU... 125
bupirone... 80	calcipotriene... 117	carbamazepine... 32
busulfan... 53	calcipotriene-betamethasone... 117	CARBATROL... 33
BUSULFEX... 53	calcitonin (salmon)... 171	carbidopa... 67
butalbital compound w/codeine... 11	calcitriol... 117, 171	carbidopa-levodopa... 67
butalbital-acetaminop-caf-cod... 174	calcium chloride... 125	carbidopa-levodopa-entacapone... 67
	calcium disodium versenate... 174	
	calcium gluconate... 125	

carbinoxamine maleate... 186	cefazolin in dextrose (iso-os)... 24	CEQR SIMPLICITY INSERTER... 174
CARBOCAINE WITH NEO-COBEFRIN... 19	cefazolin... 24	CEQR SIMPLICITY... 174
carboplatin... 53	cefdinir... 24	CERDELGA... 136
carboprost tromethamine... 144	cefepime in dextrose 5 %... 24	CEREBYX... 33
CARDIZEM CD... 95	cefepime in dextrose,iso-osm... 24	CEREZYME... 136
CARDIZEM LA... 95	cefepime... 24	CERVIDIL... 174
CARDIZEM... 95	cefixime... 24	cetirizine... 186
CARDURA XL... 95	cefotetan... 24	cevimeline... 115
CARDURA... 95	cefoxitin in dextrose, iso-osm... 24	CHANTIX CONTINUING MONTH BOX... 21
CARETOUCH ALCOHOL PREP PAD... 174	cefoxitin... 24	CHANTIX STARTING MONTH BOX... 21
carglumic acid... 125	cefpodoxime... 24	CHANTIX... 21
carisoprodol... 192	cefprozil... 24	charlotte 24 fe... 146
carmustine... 53	ceftazidime in d5w... 24	chateal eq (28)... 146
CARNITOR (SUGAR-FREE)... 125	ceftazidime... 24	CHEMET... 125
CARNITOR... 125	ceftriaxone in dextrose,iso-os... 24	CHENODAL... 132
CAROSPIR... 95	ceftriaxone... 24	chloramphenicol sod succinate... 25
carteolol... 180	cefuroxime axetil... 25	chlordiazepoxide hcl... 80
cartia xt... 95	cefuroxime sodium... 25	chlorhexidine gluconate... 115
carvedilol phosphate... 95	CELEBREX... 11	chloroprocaine (pf)... 19
carvedilol... 95	celecoxib... 12	chloroquine phosphate... 66
CASODEX... 53	CELESTONE SOLUSPAN... 141	chlorothiazide sodium... 95
caspofungin... 45	CELEXA... 40	chlorpromazine... 69, 70
cataflam... 11	CELLCEPT INTRAVENOUS... 159, 196	chlorthalidone... 95
CAYSTON... 186	CELLCEPT... 159, 196	chlorzoxazone... 192
cefaclor... 24	CELONTIN... 33	CHOLBAM... 136
cefadroxil... 24	CENTANY... 117	cholestyramine (with sugar)... 96
	cephalexin... 25	
	CEQUA... 180	

cholestyramine light... 96	ciprofloxacin-dexamethasone... 184	clindamycin palmitate hcl... 25
cholestyramine-aspartame... 96	cisplatin... 53	clindamycin pediatric... 25
CHORIONIC GONADOTROPIN, HUMAN... 143	citalopram... 40	clindamycin phosphate... 25, 117, 118
CIALIS... 139	CITRANATAL B-CALM (FE GLUC)... 125	clindamycin-benzoyl peroxide... 118
CIBINQO... 159	cladribine... 53	clindamycin-tretinoin... 118
ciclodan... 45	CLAFORAN... 25	CLINDESSE... 26
ciclopirox... 45	claravis... 117	CLINIMIX E 2.75%/D5W SULF FREE... 126
cidofovir... 75	CLARINEX... 186	CLINIMIX E 4.25%/D10W SUL FREE... 126
cilostazol... 89	CLARINEX-D 12 HOUR... 174	CLINIMIX E 4.25%/D5W SULF FREE... 126
CILOXAN... 180	clarithromycin... 25	CLINIMIX E 4.25%/D5W SULFIT FREE... 126
CIMDUO... 75	clemastine... 186	CLINIMIX E 5%/D15W SULFIT FREE... 126
cimetidine hcl... 132	CLENPIQ... 132	CLINIMIX E 5%/D20W SULFIT FREE... 126
cimetidine... 132	CLEOCIN HCL... 25	CLINIMIX E 8%-D10W SULFITEFREE... 126
CIMZIA POWDER FOR RECONST... 159	CLEOCIN PEDIATRIC... 25	CLINIMIX E 8%-D14W SULFITEFREE... 126
CIMZIA STARTER KIT... 159	CLEOCIN T... 117	CLINIMIX 4.25%/D10W SULF FREE... 126
CIMZIA... 159	CLEOCIN... 25	CLINIMIX 4.25%/D5W SULFIT FREE... 126
cinacalcet... 171	CLEVIPREX... 96	CLINIMIX 5%-D20W(SULFITE-FREE)... 126
CINQAIR... 186	CLIMARA PRO... 146	CLINIMIX 5%/D15W SULFITE FREE... 125
CINRYZE... 159	CLIMARA... 146	CLINIMIX 6%-D5W (SULFITE-FREE)... 126
CINVANTI... 43	clindacin etz... 117	
CIPRO HC... 184	clindacin p... 117	
CIPRO... 25	clindacin... 117	
CIPRODEX... 184	CLINDAGEL... 117	
ciprofloxacin hcl... 25, 180	clindamycin hcl... 25	
ciprofloxacin in 5 % dextrose... 25	clindamycin in 0.9 % sod chlor... 25	
ciprofloxacin... 25	clindamycin in 5 % dextrose... 25	

CLINIMIX 8%-D10W(SULFITE-FREE)... 126	COLAZAL... 170	CORDRAN... 118
CLINIMIX 8%-D14W(SULFITE-FREE)... 126	colchicine... 48	coremino... 26
CLINISOL SF 15 %... 126	COLCRYS... 48	CORGARD... 96
CLINOLIPID... 126	colesevelam... 96	CORLANOR... 96
clobazam... 33	COLESTID FLAVORED... 96	CORLOPAM... 96
clobetasol... 118	COLESTID... 96	CORTEF... 118
clobetasol-emollient... 118	colestipol... 96	CORTENEMA... 170
CLOBEX... 118	colistin (colistimethate na)... 26	CORTIFOAM... 170
clocortolone pivalate... 118	COLUMVI... 53	CORTISPORIN-TC... 184
clodan... 118	COLY-MYCIN M PARENTERAL... 26	CORTROPHIN GEL... 141
clofarabine... 53	COMBIGAN... 180	CORVERT... 96
CLOLAR... 53	COMBIPATCH... 146	COSENTYX (2 SYRINGES)... 159
clomipramine... 40	COMBIVENT RESPIMAT... 186	COSENTYX PEN (2 PENS)... 160
clonazepam... 80	COMBIVIR... 75	COSENTYX PEN... 160
clonidine hcl... 96, 109	COMBOGESIC IV... 174	COSENTYX UNOREADY PEN... 160
clonidine... 96	COMETRIQ... 53	COSENTYX... 159
clopidogrel... 89	COMPAZINE... 43	COSMEGEN... 53
clorazepate dipotassium... 80	COMPLERA... 75	COSOPT (PF)... 180
CLOROTEKAL (PF)... 19	complete natal dha... 126	COSOPT... 180
clotrimazole... 45	compro... 43	COTELLIC... 53
clotrimazole-betamethasone... 45	COMTAN... 67	COTEMPLA XR-ODT... 109
clozapine... 70	CONCERTA... 109	COZAAR... 96
CLOZARIL... 70	CONDYLOX... 118	CREON... 136
COARTEM... 66	constulose... 132	CRESEMBA... 46
codeine sulfate... 12	CONZIP... 12	CRESTOR... 96
codeine-butalbital-asa-caff... 12	COPAXONE... 109	CREXONT... 67
	COPIKTRA... 53	CRINONE... 146
	CORDRAN TAPE LARGE ROLL... 118	cromolyn... 180, 186

crotan... 119	cyred... 146	darifenacin... 139
cryselle (28)... 146	CYSTADANE... 136	DARTISLA... 132
CRYSVITA... 136	CYSTADROPS... 180	darunavir... 75
CUBICIN RF... 26	CYSTAGON... 136	DARZALEX FASPRO... 54
CUPRIMINE... 126	CYSTARAN... 180	DARZALEX... 54
CURITY ALCOHOL SWABS... 174	cytarabine (pf)... 54	dasatinib... 54
CURITY GAUZE... 174	cytarabine... 54	dasetta 1/35 (28)... 146
CUTAQUIG... 160	CYTOGAM... 160	dasetta 7/7/7 (28)... 146
CUVPOSA... 132	CYTOMEL... 154	daunorubicin... 54
CUVRIOR... 126	CYTOTEC... 132	DAURISMO... 54
cyanocobalamin (vitamin b-12)... 197	D	DAYBUE... 137
cyclobenzaprine... 192	dabigatran etexilate... 89	DAYPRO... 12
cyclophosphamide... 54	dacarbazine... 54	daysee... 146
cycloserine... 51	DACOGEN... 54	DAYTRANA... 109
CYCLOSET... 82	dactinomycin... 54	DAYVIGO... 193
cyclosporine modified... 160, 196	dalfampridine... 109	DDAVP... 143
cyclosporine... 160, 180, 196	DALIRESP... 186	deblitane... 146
CYKLOKAPRON... 89	DALVANCE... 26	decitabine... 54
CYLTEZO(CF) PEN CROHN'S-UC-HS... 160	danazol... 146	deferasirox... 126
CYLTEZO(CF) PEN PSORIASIS-UV... 160	DANTRIUM... 73, 74	deferiprone... 126
CYLTEZO(CF) PEN... 160	dantrolene... 74	deferoxamine... 126
CYLTEZO(CF)... 160	DANYELZA... 54	DEFITELIO... 174
CYMBALTA... 109	dapsone... 51, 119	deflazacort... 141
cyproheptadine... 186	DAPTACEL (DTAP PEDIATRIC) (PF)... 160	DELESTROGEN... 146
CYRAMZA... 54	daptomycin in 0.9 % sod chlor... 26	DELSTRIGO... 75
cyred eq... 146	daptomycin... 26	DELZICOL... 170
	DARAPRIM... 66	demeclocycline... 26
		DEMEROL (PF)... 12

DEMEROL... 12	DESOWEN... 119	dextrose 10 % in water (d10w)... 126
DEMSER... 96	desoximetasone... 119	dextrose 25 % in water (d25w)... 127
DENAVIR... 75	DESOXYN... 109	dextrose 5 % in water (d5w)... 127
DENGVAXIA (PF)... 160	desrx... 119	dextrose 5 %-lactated ringers... 127
DEPAKOTE ER... 33	desvenlafaxine succinate... 40	dextrose 5%-0.2 % sod chloride... 127
DEPAKOTE SPRINKLES... 33	desvenlafaxine... 40	dextrose 5%-0.3 % sod.chloride... 127
DEPAKOTE... 33	DETROL LA... 139	dextrose 50 % in water (d50w)... 127
DEPEN TITRATABS... 126	DETROL... 139	dextrose 70 % in water (d70w)... 127
DEPO-ESTRADIOL... 146	dexabliss... 141	DHIVY... 67
DEPO-MEDROL... 141	dexamethasone intensol... 141	DIACOMIT... 33
DEPO-PROVERA... 146	dexamethasone sodium phos (pf)... 141	DIASTAT ACUDIAL... 33
DEPO-SUBQ PROVERA 104... 146	dexamethasone sodium phosphate... 141, 180	DIASTAT... 33
DEPO-TESTOSTERONE... 146	dexamethasone... 141	diazepam intensol... 81
DERMA-SMOOTH/FS BODY OIL... 119	dexchlorpheniramine maleate... 186	diazepam... 33, 80, 81
DERMA-SMOOTH/FS SCALP OIL... 119	DEXEDRINE SPANSULE... 109	diazoxide... 82
DERMACEA... 175	DEXILANT... 132	DIBENZYLINE... 96
dermacinrx lidocan... 19	dexlansoprazole... 132	dichlorphenamide... 137
DERMOTIC OIL... 184	dexmethylphenidate... 109	DICLEGIS... 43
DESCOVY... 75	dexrazoxane hcl... 54	diclofenac epolamine... 12
DESFERAL... 126	DEXTENZA... 180	diclofenac potassium... 12
desipramine... 40	dextroamphetamine sulfate... 109, 110	diclofenac sodium... 12, 119, 180
desloratadine... 186	dextroamphetamine-amphetamine... 110	diclofenac-misoprostol... 12
desmopressin... 143	dextrose 10 % and 0.2 % nacl... 126	dicloxacillin... 26
desog-e.estradiol/e.estradiol... 146		
desogestrel-ethinyl estradiol... 146		
desonide... 119		

dicyclomine... 132	dipyridamole... 89	dotti... 147
didanosine... 75	disopyramide phosphate... 97	DOVATO... 75
DIFFERIN... 119	disulfiram... 21	DOVONEX... 119
DIFICID... 26	DITROPAN XL... 139	doxazosin... 97
diflorasone... 119	DIURIL... 97	doxepin... 81, 119, 193
DIFLUCAN... 46	divalproex... 33	doxercalciferol... 171
diflunisal... 12	DIVIGEL... 147	DOXIL... 54
difluprednate... 180	dobutamine in d5w... 97	doxorubicin... 54, 55
digitek... 96	dobutamine... 97	doxorubicin, peg-liposomal... 55
digox... 96	DOCEFREZ... 54	doxy-100... 26
digoxin... 97	docetaxel... 54	doxycycline hyclate... 26, 27
dihydroergotamine... 49	DOCIVYX... 54	doxycycline monohydrate... 27
DILANTIN EXTENDED... 33	dodex... 197	doxylamine-pyridoxine (vit b6)... 43
DILANTIN INFATABS... 33	dofetilide... 97	DRISDOL... 197
DILANTIN... 33	DOJOLVI... 137	DRIZALMA SPRINKLE... 110
DILANTIN-125... 33	dolishale... 147	dronabinol... 44
DILAUDID... 12	donepezil... 39	droperidol... 70
dilt-xr... 97	dopamine in 5 % dextrose... 97	DROPLET INSULIN SYR(HALF UNIT)... 175
diltiazem hcl... 97	dopamine... 97	DROPLET INSULIN SYRINGE... 175
dimenhydrinate... 43	DOPRAM... 186	DROPLET MICRON PEN NEEDLE... 175
dimethyl fumarate... 110	DOPTELET (10 TAB PACK)... 89	DROPLET PEN NEEDLE... 175
DIOVAN HCT... 97	DOPTELET (15 TAB PACK)... 89	DROPSAFE ALCOHOL PREP PADS... 175
DIOVAN... 97	DOPTELET (30 TAB PACK)... 89	DROPSAFE PEN NEEDLE... 175
DIPENTUM... 170	DORYX MPC... 26	drospirenone-e.estradiol-lm.fa... 147
DIPHEN... 186	DORYX... 26	drospirenone-ethinyl estradiol... 147
diphenhydramine hcl... 186	dorzolamide... 180	
diphenoxylate-atropine... 132	dorzolamide-timolol (pf)... 180	
DIPROLENE (AUGMENTED)... 119	dorzolamide-timolol... 180	

DROXIA... 175	d5 %-0.45 % sodium chloride... 126	electrolyte-148... 127
droxidopa... 97	E	electrolyte-48 in d5w... 127
DUAKLIR PRESSAIR... 186	E.E.S. GRANULES... 27	ELELYSO... 137
DUAVEE... 147	E.E.S. 400... 27	ELESTRIN... 147
DUET DHA WITH OMEGA-3... 127	EASY COMFORT ALCOHOL PAD... 175	eletriptan... 49
DUETACT... 82	EASY TOUCH ALCOHOL PREP PADS... 175	ELEVIDYS... 137
DUEXIS... 12	EBGLYSS PEN... 119	ELFABRIO... 137
DULERA... 187	ec-naproxen... 13	ELIDEL... 119
duloxetine... 110	econazole... 46	ELIGARD (3 MONTH)... 156
DUOBRII... 119	edaravone... 110	ELIGARD (4 MONTH)... 156
DUOPA... 67	EDARBI... 97	ELIGARD (6 MONTH)... 156
DUPIXENT PEN... 160	EDARBYCLOR... 98	ELIGARD... 155
DUPIXENT SYRINGE... 160	EDECRIN... 98	ELIMITE... 119
DURAMORPH (PF)... 12	edetate calcium disodium... 175	elinest... 147
DUREZOL... 181	EDLUAR... 193	ELIQUIS DVT-PE TREAT 30D START... 90
DURYSTA... 181	EDURANT... 75	ELIQUIS... 89, 90
dutasteride... 139	efavirenz... 75	ELITEK... 55
dutasteride-tamsulosin... 139	efavirenz-emtricitabin-tenofov... 75	ELIXOPHYLLIN... 187
DUVYZAT... 137	efavirenz-lamivu-tenofov disop... 75	ELLENCE... 55
DUZALLO... 48	EFFEXOR XR... 40	ELMIRON... 140
DYANAVAL XR... 110	EFFIENT... 89	ELREXFIO... 55
DYMISTA... 187	EFUDEX... 119	eluryng... 147
DYRENIUM... 97	EGATEN... 66	ELYXYB... 175
d10 %-0.45 % sodium chloride... 126	EGRIFTA SV... 143	ELZONRIS... 55
d2.5 %-0.45 % sodium chloride... 126	ELAPRASE... 137	EMCYT... 55
d5 % and 0.9 % sodium chloride... 126	electrolyte-a... 127	EMEND (FOSAPREPITANT)... 44
		EMEND... 44

EMFLAZA... 141	ENSPRYNG... 181	eplerenone... 98
EMGALITY PEN... 49	ENSTILAR... 119	EPOGEN... 90
EMGALITY SYRINGE... 49	entacapone... 67	epoprostenol... 187
EMPAVELI... 175	entecavir... 75	EPRONTIA... 33
EMPLICITI... 55	ENTRESTO SPRINKLE... 98	eprosartan... 98
EMSAM... 40	ENTRESTO... 98	EPSOLAY... 120
emtricitabine... 75	ENTYVIO PEN... 161	eptifibatide... 90
emtricitabine-tenofovir (tdf)... 75	ENTYVIO... 160	EPZICOM... 76
EMTRIVA... 75	enulose... 132	EQUETRO... 33
emverm... 66	ENVARUSUS XR... 161, 196	ERAXIS(WATER DILUENT)... 46
emzahh... 147	EOHILIA... 175	ERBITUX... 55
enalapril maleate... 98	EPANED... 98	ergocalciferol (vitamin d2)... 197
enalapril-hydrochlorothiazide... 98	EPCLUSA... 75	ergoloid... 39
enalaprilat... 98	EPIDIOLEX... 33	ERGOMAR... 49
ENBREL MINI... 160	EPIDUO FORTE... 120	ergotamine-caffeine... 49
ENBREL SURECLICK... 160	EPIDUO... 120	eribulin... 55
ENBREL... 160	EPIFOAM... 120	ERIVEDGE... 55
ENDARI... 132	epinastine... 181	ERLEADA... 55
endocet... 13	epinephrine... 187	erlotinib... 55
ENDOMETRIN... 147	EPIPEN JR 2-PAK... 187	ERMEZA... 155
ENGERIX-B (PF)... 160	EPIPEN JR... 187	errin... 147
ENGERIX-B PEDIATRIC (PF)... 160	EPIPEN 2-PAK... 187	ERTACZO... 46
ENHERTU... 55	EPIPEN... 187	ertapenem... 27
enilloring... 147	epirubicin... 55	ery pads... 120
ENJAYMO... 160	epitol... 33	ERY-TAB... 27
enoxaparin... 90	EPIVIR HBV... 75	ERYGEL... 120
enpresse... 147	EPIVIR... 75	ERYPED 200... 27
enskyce... 147	EPKINLY... 55	ERYPED 400... 27

ERYTHROCIN (AS STEARATE)... 27	etodolac... 13	EXKIVITY... 55
ERYTHROCIN... 27	etonogestrel-ethinyl estradiol... 148	EXPAREL (PF)... 19
erythromycin ethylsuccinate... 27	ETOPOPHOS... 55	EXSERVAN... 110
erythromycin lactobionate... 27	etoposide... 55	EXTAVIA... 110, 111
erythromycin with ethanol... 120	etravirine... 76	EXTINA... 46
erythromycin... 27, 181	EUCRISA... 120	EYSUVIS... 181
erythromycin-benzoyl peroxide... 120	EULEXIN... 55	EZALLOR SPRINKLE... 98
ESBRIET... 187	EURAX... 120	ezetimibe... 98
escitalopram oxalate... 40	EUTHYROX... 155	ezetimibe-atorvastatin... 98
ESGIC... 175	EVAMIST... 148	ezetimibe-rosuvastatin... 98
esmolol in nacl (iso-osm)... 98	EVEKEO ODT... 110	ezetimibe-simvastatin... 98
esmolol... 98	EVEKEO... 110	F
esomeprazole magnesium... 132	EVENTY... 171	FABHALTA... 161
esomeprazole sodium... 132	everolimus (antineoplastic)... 55	FABIOR... 120
estarylla... 147	everolimus (immunosuppressive)... 161, 196	FABRAZYME... 137
estazolam... 193	EVISTA... 148	falmina (28)... 148
ESTRACE... 147	EVKEEZA... 98	famciclovir... 76
estradiol valerate... 147	EVOCLIN... 120	famotidine (pf)... 133
estradiol... 147	EVOMELA... 55	famotidine (pf)-nacl (iso-os)... 133
estradiol-norethindrone acet... 147	EVOTAZ... 76	famotidine... 132, 133
ESTRING... 148	EVOXAC... 115	FANAPT... 70
eszopiclone... 193	EVRYSDI... 137	FARESTON... 55
ethacrynate sodium... 98	EXELON PATCH... 39	FARXIGA... 82
ethacrynic acid... 98	exemestane... 55	FASENRA PEN... 187
ethambutol... 51	EXFORGE HCT... 98	FASENRA... 187
ethosuximide... 33	EXFORGE... 98	FASLODEX... 55
ethynodiol diac-eth estradiol... 148	EXJADE... 127	febuxostat... 48
		felbamate... 33

FELBATOL... 33	FIASP U-100 INSULIN... 82	fluconazole... 46
FELDENE... 13	FIBRICOR... 99	flucytosine... 46
felodipine... 98	FILSPARI... 175	fludarabine... 55
FEMARA... 55	FILSUVEZ... 175	fludrocortisone... 141
FEMLYV... 148	FINACEA... 120	FLUMADINE... 76
FEMRING... 148	finasteride... 140	flumazenil... 175
femynor... 148	fingolimod... 111	flunisolide... 187
fenofibrate micronized... 99	FINTEPLA... 33	fluocinolone acetonide oil... 184
fenofibrate nanocrystallized... 99	finzala... 148	fluocinolone and shower cap... 120
fenofibrate... 98	FIORICET WITH CODEINE... 175	fluocinolone... 120
fenofibric acid (choline)... 99	fioricet... 175	fluocinonide... 120
fenofibric acid... 99	FIRAZYR... 161	fluocinonide-e... 120
FENOGLIDE... 99	FIRDAPSE... 111	fluocinonide-emollient... 120
fenopropfen... 13	FIRMAGON KIT W DILUENT SYRINGE... 156	fluorometholone... 181
FENSOLVI... 156	FIRMAGON... 156	FLUOROPLEX... 120
fentanyl citrate (pf)... 13	FIRVANQ... 27	fluorouracil... 56, 120, 121
fentanyl citrate... 13	flac otic oil... 184	fluoxetine... 40, 41
fentanyl... 13	FLAGYL... 27	fluphenazine decanoate... 70
FENTORA... 13	flavoxate... 140	fluphenazine hcl... 70
FERRIPROX (2 TIMES A DAY)... 127	FLEBOGAMMA DIF... 161	flurandrenolide... 121
FERRIPROX... 127	flecainide... 99	flurazepam... 193
fesoterodine... 140	FLECTOR... 13	flurbiprofen sodium... 181
FETROJA... 27	FLEQSUVY... 74	flurbiprofen... 13
FETZIMA... 40	FLOLIPID... 99	fluticasone propion-salmeterol... 187
FEXMID... 192	FLOMAX... 140	fluticasone propionate... 121, 187
FIASP FLEXTOUCH U-100 INSULIN... 82	floxuridine... 55	fluvastatin... 99
FIASP PENFILL U-100 INSULIN... 82	fluconazole in nacl (iso-osm)... 46	fluvoxamine... 41

FML FORTE... 181	FRUZAQLA... 56	ganciclovir sodium... 76
FML LIQUIFILM... 181	FULPHILA... 90	GARDASIL 9 (PF)... 161
FOCALIN XR... 111	fulvestrant... 56	GASTROCROM... 187
FOCALIN... 111	FURADANTIN... 27	gatifloxacin... 181
FOCINVEZ... 44	FUROSCIX... 99	GATTEX ONE-VIAL... 133
folic acid... 197, 198	furosemide... 99	GATTEX 30-VIAL... 133
FOLOTYN... 56	FUSILEV... 56	GAUZE BANDAGE... 175
fomepizole... 175	FUZEON... 76	GAUZE PAD... 175
fondaparinux... 90	FYARRO... 56	gavilyte-c... 133
FORFIVO XL... 41	fyavolv... 148	gavilyte-g... 133
formoterol fumarate... 187	FYCOMPA... 34	gavilyte-n... 133
formoterol fumarate-nebulizer... 187	FYLNETRA... 90	GAVRETO... 56
	G	GAZYVA... 56
FORTEO... 171	gabapentin... 34, 111	gefitinib... 56
FORTESTA... 148	GABITRIL... 34	GELNIQUE... 140
FOSAMAX PLUS D... 171	GALAFOLD... 137	gemcitabine... 56
FOSAMAX... 171	galantamine... 39	gemfibrozil... 99
fosamprenavir... 76	gallifrey... 148	gemmily... 148
fosaprepitant... 44	GAMASTAN... 161	GEMTESA... 140
foscarnet... 76	GAMIFANT... 161	GENERESS FE... 148
fosfomycin tromethamine... 27	GAMMAGARD LIQUID... 161	generlac... 133
fosinopril... 99	GAMMAGARD S-D (IGA < 1 MCG/ML)... 161	gengraf... 161, 196
fosinopril-hydrochlorothiazide... 99	GAMMAKED... 161	GENOTROPIN MINIQUICK... 143
fosphenytoin... 34	GAMMAPLEX (WITH SORBITOL)... 161	GENOTROPIN... 143
FOTIVDA... 56	GAMMAPLEX... 161	gentak... 181
FRAGMIN... 90	GAMUNEX-C... 161	gentamicin in nacl (iso-osm)... 27
FROVA... 49		gentamicin sulfate (ped) (pf)... 28
frovatriptan... 49		gentamicin sulfate (pf)... 28

gentamicin... 27, 181	GLYCOPHOS... 127	HADLIMA(CF)... 161
GENVOYA... 76	glycopyrrolate (pf) in water... 133	HAEGARDA... 161
GEODON... 70	glycopyrrolate (pf)... 133	hailey fe 1.5/30 (28)... 148
GILENYA... 111	glycopyrrolate... 133	hailey fe 1/20 (28)... 148
GILOTRIF... 56	glydo... 19	hailey 24 fe... 148
GIMOTI... 44	GLYNASE... 83	hailey... 148
GIVLAARI... 176	GLYXAMBI... 83	HALAVEN... 56
GLASSIA... 137	GOCOVRI... 68	halcinonide... 121
glatiramer... 111	GOLYTELY... 133	HALCION... 193
glatopa... 111	GONITRO... 99	HALDOL DECANOATE... 70
GLEEVEC... 56	GRALISE... 111	halobetasol propionate... 121
GLEOSTINE... 56	granisetron (pf)... 44	haloette... 148
glimepiride... 83	granisetron hcl... 44	HALOG... 121
glipizide... 83	GRANIX... 90	haloperidol decanoate... 70
glipizide-metformin... 83	GRASTEK... 187	haloperidol lactate... 70
GLOPERBA... 48	griseofulvin microsize... 46	haloperidol... 70
GLUCAGEN HYPOKIT... 83	griseofulvin ultramicrosize... 46	HARVONI... 76
GLUCAGON (HCL) EMERGENCY KIT... 83	guanfacine... 99, 111	HAVRIX (PF)... 161
glucagon emergency kit (human)... 83	GVOKE HYPOPEN 1-PACK... 83	heather... 148
GLUCOTROL XL... 83	GVOKE HYPOPEN 2-PACK... 83	HECTOROL... 171
GLUMETZA... 83	GVOKE PFS 1-PACK SYRINGE... 83	HEMABATE... 144
glutamine (sickle cell)... 133	GVOKE PFS 2-PACK SYRINGE... 83	HEMADY... 141
glyburide micronized... 83	GVOKE... 83	HEMANGEOL... 99
glyburide... 83	gynazole-1... 46	heparin (porcine)... 90
glyburide-metformin... 83		heparin, porcine (pf)... 90, 91
GLYCATE... 133	H	HEPLISAV-B (PF)... 162
	HADLIMA PUSHTOUCH... 161	HEPSERA... 76
	HADLIMA... 161	HERCEPTIN HYLECTA... 56
	HADLIMA(CF) PUSHTOUCH... 161	

HERCEPTIN... 56	HUMIRA(CF) PEDI CROHNS STARTER... 162	hydrocodone bitartrate... 13
HERZUMA... 56	HUMIRA(CF) PEN CROHNS-UC-HS... 162	hydrocodone-acetaminophen... 13
HETLIOZ LQ... 193	HUMIRA(CF) PEN PEDIATRIC UC... 162	hydrocodone-chlorpheniramine... 195
HETLIOZ... 193	HUMIRA(CF) PEN PSOR-UV-ADOL HS... 162	hydrocodone-homatropine... 195
HIBERIX (PF)... 162	HUMIRA(CF) PEN... 162	hydrocodone-ibuprofen... 13
HIPREX... 28	HUMIRA(CF)... 162	hydrocortisone butyr-emollient... 121
HIZENTRA... 162	HUMULIN N NPH INSULIN KWIKPEN... 84	hydrocortisone butyrate... 121
HORIZANT... 111	HUMULIN N NPH U-100 INSULIN... 84	hydrocortisone valerate... 121
HULIO(CF) PEN... 162	HUMULIN R REGULAR U-100 INSULN... 84	hydrocortisone... 121, 170
HULIO(CF)... 162	HUMULIN R U-500 (CONC) INSULIN... 84	hydrocortisone-acetic acid... 184
HUMALOG JUNIOR KWIKPEN U-100... 83	HUMULIN R U-500 (CONC) KWIKPEN... 84	hydromet... 195
HUMALOG KWIKPEN INSULIN... 83	HUMULIN 70/30 U-100 INSULIN... 84	hydromorphone (pf)... 14
HUMALOG MIX 50-50 INSULN U-100... 83	HUMULIN 70/30 U-100 KWIKPEN... 84	HYDROMORPHONE... 13, 14
HUMALOG MIX 50-50 KWIKPEN... 83		hydroxocobalamin... 198
HUMALOG MIX 75-25 KWIKPEN... 83		hydroxychloroquine... 66
HUMALOG MIX 75-25(U-100)INSULN... 83		hydroxyurea... 56
HUMALOG TEMPO PEN(U-100)INSULN... 84		hydroxyzine hcl... 81
HUMALOG U-100 INSULIN... 84		hydroxyzine pamoate... 188
HUMATIN... 28		HYFTOR... 121
HUMATROPE... 143		HYPERRAB (PF)... 162
HUMIRA PEN CROHNS-UC-HS START... 162		HYPERTET (PF)... 162
HUMIRA PEN PSOR-UV-ADOL HS... 162		HYRIMOZ PEN CROHN'S-UC STARTER... 162
HUMIRA PEN... 162		HYRIMOZ PEN PSORIASIS STARTER... 162
HUMIRA... 162		HYRIMOZ PEN... 162
		HYRIMOZ... 162

HYRIMOZ(CF) PEDI CROHN STARTER... 163	ILEVRO... 181	indapamide... 100
HYRIMOZ(CF) PEN... 163	ILUMYA... 163	INDERAL LA... 100
HYRIMOZ(CF)... 162	imatinib... 57	INDOCIN... 14
HYSINGLA ER... 14	IMBRUVICA... 57	indomethacin sodium... 14
HYZAAR... 100	IMDELLTRA... 57	indomethacin... 14
I	IMFINZI... 57	INFANRIX (DTAP) (PF)... 163
ibandronate... 171	imipenem-cilastatin... 28	INFLECTRA... 163
IBRANCE... 56	imipramine hcl... 41	INFLIXIMAB... 163
IBSRELA... 133	imipramine pamoate... 41	INFUGEM... 57
ibu... 14	imiquimod... 121, 122	INFUMORPH P/F... 14
ibuprofen... 14	IMITREX STATDOSE PEN... 49	INFUVITE ADULT... 198
ibuprofen-famotidine... 14	IMITREX STATDOSE REFILL... 49	INFUVITE PEDIATRIC... 198
ibutilide fumarate... 100	IMITREX... 49	INGREZZA INITIATION PK(TARDIV)... 111
icatibant... 163	IMJUDO... 57	INGREZZA SPRINKLE... 111
iclevia... 148	IMLYGIC... 57	INGREZZA... 111
ICLUSIG... 56	IMMPHENTIV... 100	INLYTA... 57
IDACIO(CF) PEN CROHN-UC STARTR... 163	IMOGAM RABIES-HT (PF)... 163	INNOPRAN XL... 100
IDACIO(CF) PEN PSORIASIS START... 163	IMOVAX RABIES VACCINE (PF)... 163	INPEFA... 100
IDACIO(CF) PEN... 163	IMPAVIDO... 66	INQOVI... 57
IDACIO(CF)... 163	IMPEKLO... 122	INREBIC... 57
IDAMYCIN PFS... 56	IMURAN... 163, 196	INSPIRA... 100
idarubicin... 57	IMVEXXY MAINTENANCE PACK... 148	INSULIN ASP PRT-INSULIN ASPART... 84
IDHIFA... 57	IMVEXXY STARTER PACK... 148	INSULIN ASPART U-100... 84
IFEX... 57	INBRIJA... 68	INSULIN DEGLUDEC... 84
ifosfamide... 57	incassia... 148	INSULIN GLARGINE U-300 CONC... 84
IGALMI... 176	INCONTROL ALCOHOL PADS... 176	INSULIN GLARGINE... 84
	INCRELEX... 143	
	INCRUSE ELLIPTA... 188	

INSULIN GLARGINE-YFGN... 84	IQIRVO... 133	IWILFIN... 57
INSULIN LISPRO PROTAMIN-LISPRO... 85	irbesartan... 100	IXCHIQ (PF)... 163
INSULIN LISPRO... 84	irbesartan-hydrochlorothiazide... 100	IXEMPRA... 57
INSULIN SYRINGE MICROFINE... 176	IRESSA... 57	IXIARO (PF)... 163
INSULIN SYRINGE... 176	irinotecan... 57	IYUZEH (PF)... 181
INSULIN SYRINGE-NEEDLE U-100... 176	ISENTRESS HD... 76	J
INTELENCE... 76	ISENTRESS... 76	JADENU SPRINKLE... 127
INTRALIPID... 127	isibloom... 148	JADENU... 127
INTRAROSA... 148	ISOLYTE S PH 7.4... 127	jaimiess... 148
INTRON A... 163	ISOLYTE-P IN 5 % DEXTROSE... 127	JAKAFI... 57
INTUNIVER... 111	ISOLYTE-S... 127	JALYN... 140
INVANZ... 28	isoniazid... 51	jantoven... 91
INVEGA HAFYERA... 71	ISORDIL TITRADOSE... 100	JANUMET XR... 85
INVEGA SUSTENNA... 71	ISORDIL... 100	JANUMET... 85
INVEGA TRINZA... 71	isosorbide dinitrate... 100	JANUVIA... 85
INVEGA... 70, 71	isosorbide mononitrate... 100	JARDIANCE... 85
INVELTYS... 181	isosorbide-hydralazine... 100	jasmiel (28)... 148
INVOKAMET XR... 85	isotretinoin... 122	JATENZO... 148
INVOKAMET... 85	isradipine... 100	javygtor... 137
INVOKANA... 85	ISTALOL... 181	JAYPIRCA... 58
IONOSOL-B IN D5W... 127	ISTODAX... 57	JEMPERLI... 58
IONOSOL-MB IN D5W... 127	ISTURISA... 143	jencycla... 148
IOPIDINE... 181	ISUPREL... 100	JENTADUETO XR... 85
IPOL... 163	itraconazole... 46	JENTADUETO... 85
ipratropium bromide... 188	IV PREP WIPES... 176	JEVTANA... 58
ipratropium-albuterol... 188	ivabradine... 100	jinteli... 149
	ivermectin... 66, 122	JOENJA... 137
		jolessa... 149

JORNAY PM... 111	KEDRAB (PF)... 163	KITABIS PAK... 28
joyeaux... 149	kelnor 1/35 (28)... 149	KLARON... 28
JUBLIA... 46	kelnor 1/50 (28)... 149	klayesta... 46
juleber... 149	KENALOG... 141	KLISYRI... 122
JULUCA... 76	KENALOG-80... 141	KLONOPIN... 81
junel fe 1.5/30 (28)... 149	KENGREAL... 91	klor-con m10... 128
junel fe 1/20 (28)... 149	KEPIVANCE... 115	KLOR-CON M15... 128
junel fe 24... 149	KEPPRA XR... 34	klor-con m20... 128
junel 1.5/30 (21)... 149	KEPPRA... 34	KLOR-CON 10... 128
junel 1/20 (21)... 149	KERENDIA... 100	KLOR-CON 8... 128
JUXTAPID... 100	KERYDIN... 46	klor-con... 128
JYLAMVO... 163	KESIMPTA PEN... 111	KLOXXADO... 21
JYNARQUE... 127	ketoconazole... 46	KONVOMEP... 133
JYNNEOS (PF)... 163	ketodan... 46	KORLYM... 176
K	ketoprofen... 15	KOSELUGO... 58
KABIVEN... 127	ketorolac... 15, 181	KOSHER PRENATAL PLUS IRON... 128
KADCYLA... 58	KEVEYIS... 137	kourzeq... 115
kaitlib fe... 149	KEVZARA... 163	KRAZATI... 58
KALETRA... 76	KEYTRUDA... 58	KRINTAFEL... 66
kalliga... 149	KHAPZORY... 58	KRISTALOSE... 133
KALYDECO... 188	KIMMTRAK... 58	kurvelo (28)... 149
KANJINTI... 58	KIMYRSA... 28	KUVAN... 137
KANUMA... 137	KINERET... 163	KYPROLIS... 58
KAPSPARGO SPRINKLE... 100	KINRIX (PF)... 163	L
KAPVAY... 111	kionex (with sorbitol)... 127	l norgest/e.estradiol-e.estrad... 149
kariva (28)... 149	kiprofen... 15	LABETALOL IN
KATERZIA... 100	KISQALI FEMARA CO-PACK... 58	DEXTROSE,ISO-OSM... 100
KAZANO... 85	KISQALI... 58	

LABETALOL IN NACL (ISO-OSMOT)... 101
 labetalol... 100
 lacosamide... 34
 LACRISERT... 181
 lactated ringers... 128, 176
 lactulose... 133
 LAGEVRIO (EUA)... 76
 LAMICTAL ODT STARTER (BLUE)... 34
 LAMICTAL ODT STARTER (GREEN)... 34
 LAMICTAL ODT STARTER (ORANGE)... 34
 LAMICTAL ODT... 34
 LAMICTAL STARTER (BLUE) KIT... 34
 LAMICTAL STARTER (GREEN) KIT... 34
 LAMICTAL STARTER (ORANGE) KIT... 34
 LAMICTAL XR STARTER (BLUE)... 35
 LAMICTAL XR STARTER (GREEN)... 35
 LAMICTAL XR STARTER (ORANGE)... 35
 LAMICTAL XR... 35
 LAMICTAL... 34
 lamivudine... 76, 77
 lamivudine-zidovudine... 77
 lamotrigine... 35
 LAMPIT... 66
 LAMZEDE... 137
 LANOXIN PEDIATRIC... 101
 LANOXIN... 101
 lanreotide... 156
 lansoprazole... 133
 LANTUS SOLOSTAR U-100 INSULIN... 85
 LANTUS U-100 INSULIN... 85
 lapatinib... 58
 larin fe 1.5/30 (28)... 149
 larin fe 1/20 (28)... 149
 larin 1.5/30 (21)... 149
 larin 1/20 (21)... 149
 larin 24 fe... 149
 LASIX... 101
 latanoprost... 181
 LATUDA... 71
 LAYOLIS FE... 149
 LAZCLUZE... 58
 ledipasvir-sofosbuvir... 77
 leena 28... 149
 leflunomide... 163
 LEMTRADA... 111
 lenalidomide... 58
 LENVIMA... 58
 LEQVIO... 101
 LESCOL XL... 101
 lessina... 149
 LETAIRIS... 188
 letrozole... 58
 leucovorin calcium... 58, 59
 LEUKINE... 91
 leuprolide (3 month)... 156
 leuprolide... 156
 levalbuterol hcl... 188
 levalbuterol tartrate... 188
 LEVEMIR FLEXPEN... 85
 LEVEMIR FLEXTOUCH U100 INSULIN... 85
 LEVEMIR U-100 INSULIN... 85
 levetiracetam in nacl (iso-os)... 35
 levetiracetam... 35
 LEVO-T... 155
 levobunolol... 181
 levocarnitine (with sugar)... 128
 levocarnitine... 128
 levocetirizine... 188
 levofloxacin in d5w... 28
 levofloxacin... 28, 181
 levoleucovorin calcium... 59
 levonest (28)... 149
 levonorg-eth estrad triphasic... 149
 levonorgest-eth.estradiol-iron... 149
 levonorgestrel-ethinyl estrad... 149
 LEVOPHED (BITARTRATE)... 101
 levora-28... 150
 levorphanol tartrate... 15

levothyroxine... 155	linezolid-0.9% sodium chloride... 28	LOESTRIN 1.5/30 (21)... 150
LEVOXYL... 155	LINZESS... 133	LOESTRIN 1/20 (21)... 150
LEVULAN... 59	liothyronine... 155	lofena... 15
LEXAPRO... 41	LIPITOR... 101	lofexidine... 21
LEXETTE... 122	LIPOFEN... 101	lojaimiess... 150
LEXIVA... 77	LIQREV... 188	LOKELMA... 128
LIALDA... 170	liraglutide... 85	LOMOTIL... 133
LIBERVANT... 35	lisdexamfetamine... 111	LONHALA MAGNAIR REFILL... 188
LIBTAYO... 59	lisinopril... 101	LONHALA MAGNAIR STARTER... 188
LICART... 15	lisinopril-hydrochlorothiazide... 101	LONSURF... 59
lidocaine (pf)... 20, 101	LITFULO... 163	loperamide... 134
lidocaine hcl... 20	lithium carbonate... 81	LOPID... 101
lidocaine in 5 % dextrose (pf)... 101	lithium citrate... 82	lopinavir-ritonavir... 77
lidocaine viscous... 20	LITHOBID... 82	LOPRESSOR... 101
lidocaine... 19, 20	LITHOSTAT... 176	LOPROX (AS OLAMINE)... 46
lidocaine-epinephrine bit... 20	LIVALO... 101	LOPROX... 46
lidocaine-epinephrine... 20	LIVDELZI... 133	LOQTORZI... 59
lidocaine-prilocaine... 20	LIVMARLI... 133	lorazepam intensol... 81
lidocan iii... 20	LIVTENCITY... 77	lorazepam... 81
lidocan iv... 20	LO LOESTRIN FE... 150	LORBRENA... 59
lidocan v... 20	lo-zumandimine (28)... 150	LOREEV XR... 81
LIDODERM... 20	LOCOID LIPOCREAM... 122	lortab elixir... 15
lignospan standard... 20	LOCOID... 122	loryna (28)... 150
LINCOCIN... 28	LODINE... 15	LORZONE... 192
lincomycin... 28	LODOCO... 101	losartan... 101
lindane... 122	LODOSYN... 68	losartan-hydrochlorothiazide... 101
linezolid in dextrose 5%... 28	LOESTRIN FE 1.5/30 (28-DAY)... 150	LOTEMAX SM... 181
linezolid... 28	LOESTRIN FE 1/20 (28-DAY)... 150	LOTEMAX... 181

LOTENSIN HCT... 101	LUXIQ... 122	MALARONE PEDIATRIC... 66
LOTENSIN... 101	LUZU... 47	MALARONE... 66
loteprednol etabonate... 181	LYBALVI... 71	malathion... 122
LOTREL... 101	lyleq... 150	mannitol 10 %... 101
LOTRONEX... 134	lyllana... 150	mannitol 20 %... 102
lovastatin... 101	LYNPARZA... 59	mannitol 25 %... 102
LOVAZA... 101	LYRICA CR... 112	mannitol 5 %... 102
LOVENOX... 91	LYRICA... 111, 112	maraviroc... 77
low-ogestrel (28)... 150	LYSODREN... 59	MARCAINE (PF)... 20
loxapine succinate... 71	LYSTEDA... 91	MARCAINE SPINAL (PF)... 20
lubiprostone... 134	LYTGOBI... 59	MARCAINE... 20
LUCEMYRA... 21	LYUMJEV KWIKPEN U-100 INSULIN... 85	MARCAINE-EPINEPHRINE (PF)... 20
luliconazole... 46	LYUMJEV KWIKPEN U-200 INSULIN... 85	MARCAINE-EPINEPHRINE... 20
LUMAKRAS... 59	LYUMJEV TEMPO PEN(U-100)INSULN... 85	MARGENZA... 59
LUMIGAN... 181	LYUMJEV U-100 INSULIN... 85	MARINOL... 44
LUMIZYME... 137	LYVISPAH... 74	marlissa (28)... 150
LUMRYZ... 193	lyza... 150	MARPLAN... 41
LUNSUMIO... 59		MATULANE... 59
LUPKYNIS... 163, 196		matzim la... 102
LUPRON DEPOT (3 MONTH)... 156	M	MAVENCLAD (10 TABLET PACK)... 112
LUPRON DEPOT (4 MONTH)... 156	M-M-R II (PF)... 163	MAVENCLAD (4 TABLET PACK)... 112
LUPRON DEPOT (6 MONTH)... 156	m-natal plus... 128	MAVENCLAD (5 TABLET PACK)... 112
LUPRON DEPOT... 156	MACROBID... 28	MAVENCLAD (6 TABLET PACK)... 112
LUPRON DEPOT-PED (3 MONTH)... 156	MACRODANTIN... 28	MAVENCLAD (7 TABLET PACK)... 112
LUPRON DEPOT-PED... 156	mafenide acetate... 122	MAVENCLAD (8 TABLET PACK)... 112
lurasidone... 71	magnesium sulfate in d5w... 128	MAVENCLAD (9 TABLET PACK)... 112
lutera (28)... 150	magnesium sulfate in water... 128	MAVYRET... 77
	magnesium sulfate... 128	

MAXALT... 49	MENOSTAR... 150	methamphetamine... 112
MAXALT-MLT... 49	MENQUADFI (PF)... 164	methazolamide... 182
MAXIDEX... 181	MENTAX... 47	methenamine hippurate... 28
MAXITROL... 181, 182	MENVEO A-C-Y-W-135-DIP (PF)... 164	methimazole... 157
MAXZIDE... 102	meperidine (pf)... 15	METHITEST... 150
MAXZIDE-25MG... 102	meperidine... 15	methocarbamol... 192, 193
MAYZENT STARTER(FOR 1MG MAINT)... 112	MEPHYTON... 198	methotrexate sodium (pf)... 164
MAYZENT STARTER(FOR 2MG MAINT)... 112	meprobamate... 81	methotrexate sodium... 164
MAYZENT... 112	MEPRON... 66	methoxsalen... 122
meclizine... 44	MEPSEVII... 137	methscopolamine... 134
meclofenamate... 15	mercaptapurine... 59	methsuximide... 35
MEDROL (PAK)... 142	meropenem... 28	methyl dopa... 102
MEDROL... 141	meropenem-0.9% sodium chloride... 28	methyl dopa-hydrochlorothiazide... 102
medroxyprogesterone... 150	merzee... 150	methyl dopate... 102
mefenamic acid... 15	mesalamine... 170	methyl ergonovine... 176
mefloquine... 66	mesna... 59	METHYLIN... 112
megestrol... 150	MESNEX... 59	methylphenidate hcl... 112, 113
MEKINIST... 59	MESTINON TIMESPAN... 51	methylphenidate... 112
MEKTOVI... 59	MESTINON... 50	methylprednisolone acetate... 142
meloxicam submicronized... 15	METADATE CD... 112	methylprednisolone sodium succ... 142
meloxicam... 15	metadate er... 112	methylprednisolone... 142
melphalan hcl... 59	metaxalone... 192	methyltestosterone... 150
melphalan... 59	metformin... 85, 86	metoclopramide hcl... 44
memantine... 39	methadone intensol... 15	metolazone... 102
MENACTRA (PF)... 164	methadone... 15	metoprolol succinate... 102
MENEST... 150	METHADOSE... 15	metoprolol ta-hydrochlorothiaz... 102

metoprolol tartrate... 102	miglustat... 137	mondoxyne nl... 29
METRO I.V.... 28	MIGRANAL... 49	MONJUVI... 164
METROCREAM... 28	mili... 151	mono-lynyah... 151
METROGEL... 28	millipred dp... 142	MONODOX... 29
METROLOTION... 28	millipred... 142	montelukast... 188
metronidazole in nacl (iso-os)... 29	milrinone in 5 % dextrose... 102	MONUROL... 29
metronidazole... 28, 29	milrinone... 102	morgidox... 29
metyrosine... 102	mimvey... 151	morphine (pf)... 16
mexiletine... 102	MINASTRIN 24 FE... 151	morphine concentrate... 16
MIACALCIN... 171	MINIPRESS... 102	morphine... 16
mibelas 24 fe... 150	MINIVELLE... 151	MOTTEGRITY... 134
MICAFUNGIN IN 0.9 % SODIUM CHL... 47	MINOCIN... 29	MOTOFEN... 134
micafungin... 47	minocycline... 29	MOTPOLY XR... 35
MICARDIS HCT... 102	minoxidil... 102	MOUNJARO... 86
MICARDIS... 102	MIOSTAT... 182	MOVANTIK... 134
miconazole nitrate-zinc ox-pet... 47	MIRAPEX ER... 68	MOVIPREP... 134
miconazole-3... 47	MIRENA... 176	moxifloxacin... 29, 182
microgestin fe 1.5/30 (28)... 150	mirtazapine... 41	moxifloxacin-sod.ace,sul-water... 29
microgestin fe 1/20 (28)... 150	MIRVASO... 122	moxifloxacin-sod.chloride(iso)... 29
microgestin 1.5/30 (21)... 150	misoprostol... 134	MOZOBIL... 91
microgestin 1/20 (21)... 150	MITIGARE... 48	MRESVIA (PF)... 164
microgestin 24 fe... 150	mitigo (pf)... 16	MS CONTIN... 16
midodrine... 102	mitomycin... 59	MULPLETA... 91
MIEBO (PF)... 182	mitoxantrone... 59	MULTAQ... 102
mifepristone... 176	modafinil... 193	mupirocin calcium... 122
migergot... 49	moexipril... 102	mupirocin... 122
miglitol... 86	molindone... 71	MUTAMYCIN... 59
	mometasone... 122, 188	

MVASI... 60	NALFON... 17	necon 0.5/35 (28)... 151
MYALEPT... 134	nalmefene... 21	nefazodone... 41
MYAMBUTOL... 51	nalocet... 17	NEFFY... 188
MYCAMINE... 47	naloxone... 21, 22	nelarabine... 60
MYCAPSSA... 156	naltrexone... 22	NEMBUTAL SODIUM... 35
MYCOBUTIN... 51	NAMENDA TITRATION PAK... 39	NEMLUVIO... 164
mycophenolate mofetil (hcl)... 164, 196	NAMENDA XR... 39	neo-polycin hc... 182
mycophenolate mofetil... 164, 196	NAMENDA... 39	neo-polycin... 182
mycophenolate sodium... 164, 196	NAMZARIC... 39	NEO-SYNALAR... 122
MYDAYIS... 113	NAPRELAN CR... 17	neomycin... 29
MYFEMBREE... 156	NAPROSYN... 17	neomycin-bacitracin-poly-hc... 182
MYFORTIC... 164, 196	naproxen sodium... 17	neomycin-bacitracin-polymyxin... 182
MYHIBBIN... 164, 196	naproxen... 17	neomycin-polymyxin b gu... 176
MYLOTARG... 60	naproxen-esomeprazole... 17	neomycin-polymyxin b-dexameth... 182
myorisan... 122	naratriptan... 49	neomycin-polymyxin-gramicidin... 182
MYRBETRIQ... 140	NARCAN... 22	neomycin-polymyxin-hc... 182, 184
MYSOLINE... 35	NARDIL... 41	NEONATAL COMPLETE... 128
MYTESI... 134	NAROPIN (PF)... 20	NEONATAL PLUS VITAMIN... 128
N	NASCOBAL... 198	NEONATAL-DHA... 128
nabumetone... 16	NATACHEW (FE BIS-GLYCINATE)... 128	NEORAL... 164, 196
nadolol... 102	NATAZIA... 151	NERLYNX... 60
nafcillin in dextrose iso-osm... 29	nateglinide... 86	NESACAINE... 20
nafcillin... 29	NATPARA... 171	NESACAINE-MPF... 20
naftifine... 47	NATROBA... 122	NESINA... 86
NAFTIN... 47	NAYZILAM... 35	neuac... 122
NAGLAZYME... 137	nebivolol... 103	NEULASTA ONPRO... 91
nalbuphine... 16	NEBUPENT... 66	

NEULASTA... 91
 NEUPOGEN... 91
 NEUPRO... 68
 NEURONTIN... 35, 36
 NEVANAC... 182
 nevirapine... 77
 NEXAVAR... 60
 NEXICLON XR... 103
 NEXIUM IV... 134
 NEXIUM PACKET... 134
 NEXIUM... 134
 NEXLETOL... 103
 NEXLIZET... 103
 NEXPLANON... 151
 NEXTERONE... 103
 NEXTSTELLIS... 151
 NEXVIAZYME... 137
 NGENLA... 144
 niacin... 103
 niacor... 103
 nicardipine... 103
 NICOTROL NS... 22
 NICOTROL... 22
 nifedipine... 103
 nikki (28)... 151
 NILANDRON... 60
 nilutamide... 60
 nimodipine... 103
 NINLARO... 60
 NIPENT... 60
 nisoldipine... 103
 nitazoxanide... 66
 nitisinone... 137
 NITRO-BID... 103
 NITRO-DUR... 103
 nitrofurantoin macrocrystal... 29
 nitrofurantoin monohyd/m-cryst... 29
 nitrofurantoin... 29
 nitroglycerin in 5 % dextrose... 103
 nitroglycerin... 103, 176
 NITROLINGUAL... 103
 NITROSTAT... 103
 NITYR... 137
 NIVESTYM... 91
 nizatidine... 134
 NOCDURNA (MEN)... 144
 NOCDURNA (WOMEN)... 144
 NORA-BE... 151
 NORDITROPIN FLEXPEN... 144
 norelgestromin-ethin.estradiol... 151
 norepinephrine bitartrate... 104
 noreth-ethinyl estradiol-iron... 151
 norethindrone (contraceptive)... 151
 norethindrone ac-eth estradiol... 151
 norethindrone acetate... 151
 norethindrone-e.estradiol-iron... 151
 NORGESIC FORTE... 193
 norgesic... 193
 norgestimate-ethinyl estradiol... 151
 NORITATE... 29
 NORLIQVA... 104
 NORMOSOL-M IN 5 % DEXTROSE... 128
 NORPACE CR... 104
 NORPACE... 104
 NORPRAMIN... 41
 NORTHERA... 104
 nortrel 0.5/35 (28)... 151
 nortrel 1/35 (21)... 151
 nortrel 1/35 (28)... 151
 nortrel 7/7/7 (28)... 151
 nortriptyline... 41
 NORVASC... 104
 NORVIR... 77
 NOURIANZ... 68
 NOVAREL... 144
 NOVOLIN N FLEXPEN... 86
 NOVOLIN N NPH U-100 INSULIN... 86
 NOVOLIN R FLEXPEN... 86

NOVOLIN R REGULAR U100 INSULIN... 86	NUVIGIL... 194	OGSIVEO... 60
NOVOLIN 70-30 FLEXPEN U-100... 86	NUZYRA... 29	OHTUVAYRE... 188
NOVOLIN 70/30 U-100 INSULIN... 86	nyamyc... 47	OJEMDA... 60
NOVOLOG FLEXPEN U-100 INSULIN... 86	nylia 1/35 (28)... 151	OJJAARA... 60
NOVOLOG MIX 70-30 U-100 INSULN... 86	nylia 7/7/7 (28)... 152	olanzapine... 71
NOVOLOG MIX 70-30FLEXPEN U-100... 86	NYMALIZE... 104	olanzapine-fluoxetine... 41
NOVOLOG PENFILL U-100 INSULIN... 86	nymyo... 152	OLINVYK... 17
NOVOLOG U-100 INSULIN ASPART... 86	nystatin... 47	olmesartan... 104
NOVOPEN ECHO... 176	nystatin-triamcinolone... 47	olmesartan-amlodipin-hcthiazyd... 104
NOXAFIL... 47	nystop... 47	olmesartan-hydrochlorothiazide... 104
np thyroid... 155	NYVEPRIA... 91	olopatadine... 182, 188
NUBEQA... 60	O	OLPRUVA... 137
NUCALA... 188	OB COMPLETE ONE... 128	OLUMIANT... 164
NUCYNTA ER... 17	OB COMPLETE PETITE... 128	OLUX... 122
NUCYNTA... 17	OB COMPLETE PREMIER... 128	OLUX-E... 122
NUDEXTA... 113	OBREDON... 195	OMECLAMOX-PAK... 134
NULIBRY... 137	OICALIVA... 134	omega-3 acid ethyl esters... 104
NUPLAZID... 71	ocella... 152	OMEGAVEN... 128
NURTEC ODT... 49	OCREVUS... 113	omeprazole... 134
NUTRILIPID... 128	OCTAGAM... 164	omeprazole-sodium bicarbonate... 134
NUTROPIN AQ NUSPIN... 144	octreotide acetate... 156	OMNARIS... 188
NUVARING... 151	OCUFLOX... 182	OMNIPOD CLASSIC PODS (GEN 3)... 176
	ODACTRA... 188	OMNIPOD DASH INTRO KIT (GEN 4)... 176
	ODEFSEY... 77	
	ODOMZO... 60	
	OFEV... 188	
	ofloxacin... 29, 182, 184	
	OGIVRI... 60	

OMNIPOD GO PODS 10 UNITS/DAY... 176	ONEXTON... 122	ORENITRAM... 189
OMNIPOD GO PODS 15 UNITS/DAY... 176	ONFI... 36	ORFADIN... 138
OMNIPOD GO PODS 20 UNITS/DAY... 176	ONGENTYS... 68	ORGOVYX... 60
OMNIPOD GO PODS 25 UNITS/DAY... 176	ONIVYDE... 60	ORIAHNN... 156
OMNIPOD GO PODS 30 UNITS/DAY... 177	ONPATTRO... 137	ORLISSA... 156
OMNIPOD GO PODS 40 UNITS/DAY... 177	ONTRUZANT... 60	ORKAMBI... 189
OMNIPOD GO PODS... 176	ONUREG... 60	ORLADEYO... 164
OMNIPOD 5 (G6/LIBRE 2 PLUS)... 176	ONYDA XR... 113	orlistat... 177
OMNIPOD 5 G6 INTRO KIT (GEN 5)... 176	ONZETRA XSAIL... 49	ormalvi... 138
OMNIPOD 5 G6 PODS (GEN 5)... 176	OPDIVO... 60	orphenadrine citrate... 193
OMNIPOD 5 G6-G7 INTRO KT(GEN5)... 176	OPDUALAG... 60	orphenadrine-asa-caffeine... 193
OMNIPOD 5 G6-G7 PODS (GEN 5)... 176	OPFOLDA... 137	orphengesic forte... 193
OMNIPOD 5 INTRO(G6/LIBRE2PLUS)... 176	opium tincture... 134	ORSERDU... 60
OMNITROPE... 144	OPSUMIT... 189	ORTIKOS... 170
OMVOH PEN... 164	OPSYNVI... 189	oseltamivir... 77
OMVOH... 164	OPVEE... 22	OSENI... 86
ONCASPAR... 60	OPZELURA... 122	OSMITROL 10 %... 104
ondansetron hcl (pf)... 44	ORACEA... 29	OSMITROL 15 %... 104
ondansetron hcl... 44	oralone... 115	OSMITROL 20 %... 104
ondansetron... 44	ORAPRED ODT... 142	OSMITROL 5 %... 104
	ORBACTIV... 29	OSMOLEX ER... 68
	ORENCIA CLICKJECT... 164	OSMOPREP... 134
	ORENCIA... 164	OSPHENA... 152
	ORENITRAM MONTH 1 TITRATION KT... 189	OTEZLA STARTER... 122, 123
	ORENITRAM MONTH 2 TITRATION KT... 189	OTEZLA... 122
	ORENITRAM MONTH 3 TITRATION KT... 189	OTREXUP (PF)... 165
		OVIDE... 123
		oxacillin in dextrose(iso-osm)... 30

oxacillin... 29	PADCEV... 61	PARLODEL... 68
oxaliplatin... 60	PALFORZIA (LEVEL 1)... 177	PARNATE... 41
oxandrolone... 152	PALFORZIA (LEVEL 10)... 177	paromomycin... 30
oxaprozin... 17	PALFORZIA (LEVEL 11 UP-DOSE)... 177	paroxetine hcl... 41
OXAYDO... 17	PALFORZIA (LEVEL 2)... 177	paroxetine mesylate(menop.sym)... 41
oxazepam... 81	PALFORZIA (LEVEL 3)... 177	PATANASE... 189
OXBRYTA... 138	PALFORZIA (LEVEL 4)... 177	PAXIL CR... 42
oxcarbazepine... 36	PALFORZIA (LEVEL 5)... 177	PAXIL... 41, 42
OXERVATE... 182	PALFORZIA (LEVEL 6)... 177	PAXLOVID... 77
oxiconazole... 47	PALFORZIA (LEVEL 7)... 177	pazopanib... 61
OXISTAT... 47	PALFORZIA (LEVEL 8)... 177	PEDIAPRED... 142
OXLUMO... 177	PALFORZIA (LEVEL 9)... 177	PEDIARIX (PF)... 165
OXTELLAR XR... 36	PALFORZIA INITIAL DOSE... 177	PEDMARK... 61
oxybutynin chloride... 140	PALFORZIA LEVEL 11 MAINTENANCE... 177	PEDVAX HIB (PF)... 165
oxycodone... 17	paliperidone... 71	peg 3350-electrolytes... 134
oxycodone-acetaminophen... 17, 18	PALYNZIQ... 138	peg-electrolyte soln... 134
OXYCONTIN... 18	PAMELOR... 41	peg-prep... 134
oxymorphone... 18	pamidronate... 171	PEGASYS... 165
oxytocin... 177	PANCREAZE... 138	peg3350-sod sul-nacl-kcl-asb-c... 135
OXYTROL... 140	PANDEL... 123	PEMAZYRE... 61
OZEMPIC... 86	PANRETIN... 61	pemetrexed disodium... 61
OZOBAX DS... 74	pantoprazole in 0.9% sod chlor... 134	pemetrexed... 61
OZOBAX... 74	pantoprazole... 134	PEMRYDI RTU... 61
P	PANZYGA... 165	PEN NEEDLE, DIABETIC... 177
PACERONE... 104	paraplatin... 61	PENBRAYA (PF)... 165
paclitaxel protein-bound... 61	paricalcitol... 171	penciclovir... 77
paclitaxel... 61		

penicillamine... 128	PHEBURANE... 138	pioglitazone-metformin... 87
penicillin g pot in dextrose... 30	phenazopyridine... 177	piperacillin-tazobactam... 30
penicillin g potassium... 30	phenelzine... 42	PIQRAY... 61
penicillin g procaine... 30	PHENERGAN... 44	pirfenidone... 189
penicillin g sodium... 30	phenobarbital sodium... 36	piroxicam... 18
penicillin v potassium... 30	phenobarbital... 36	pitavastatin calcium... 104
PENNSAID... 18	phenoxybenzamine... 104	PITOCIN... 177
PENTACEL (PF)... 165	phenylephrine hcl... 104	PLAQUENIL... 66
PENTAM... 66	PHENYTEK... 36	PLASMA-LYTE A... 129
pentamidine... 66	phenytoin sodium extended... 36	PLASMA-LYTE 148... 129
PENTASA... 170	phenytoin sodium... 36	PLAVIX... 91
pentazocine-naloxone... 18	phenytoin... 36	PLEGRIDY... 113
pentobarbital sodium... 36	PHESGO... 61	PLENAMINE... 129
pentoxifylline... 104	PHEXXI... 177	PLENVU... 135
pepcid... 135	philith... 152	plerixafor... 91
PERCOCET... 18	PHOSPHOLINE IODIDE... 182	PLIAGLIS... 20
PERFOROMIST... 189	PHYSIOLYTE... 177	pnv-dha... 129
PERIKABIVEN... 129	PHYSIOSOL IRRIGATION... 177	pnv-omega... 129
perindopril erbumine... 104	phytonadione (vitamin k1)... 198	podofilox... 123
periogard... 115	PIASKY... 165	POLIVY... 61
PERJETA... 61	PIFELTRO... 77	polocaine... 20
permethrin... 123	pilocarpine hcl... 115, 182	polocaine-mpf... 20
perphenazine... 71	pimecrolimus... 123	polycin... 182
perphenazine-amitriptyline... 42	pimozide... 71	polymyxin b sulf-trimethoprim... 182
PERSERIS... 71	pimtrea (28)... 152	polymyxin b sulfate... 30
PERTZYE... 138	pindolol... 104	POMALYST... 61
PEXEVA... 42	pioglitazone... 87	POMBILITI... 138
pfizerpen-g... 30	pioglitazone-glimepiride... 87	

PONVORY 14-DAY STARTER PACK... 113	pralatrexate... 61	prenatal plus (calcium carb)... 130
PONVORY... 113	PRALUENT PEN... 104	prenatal plus dha... 130
portia 28... 152	pramipexole... 68	prenatal plus vitamin-mineral... 130
PORTRAZZA... 61	prasugrel... 91	prenatal vitamin plus low iron... 130
posaconazole... 47	pravastatin... 104	prenatal-u... 130
potassium acetate... 129	praziquantel... 67	PRENATE ELITE... 130
potassium chlorid-d5-0.45%nacl... 129	prazosin... 105	PRETOMANID... 51
potassium chloride in lr-d5... 129	PRECOSE... 87	PREVACID SOLUTAB... 135
potassium chloride in water... 129	PRED FORTE... 182	PREVACID... 135
potassium chloride in 0.9%nacl... 129	PRED MILD... 182	prevalite... 105
potassium chloride in 5 % dex... 129	PRED-G... 182	PREVDUO... 177
potassium chloride... 129	prednicarbate... 123	PREVYMIS... 77, 78
potassium chloride-d5-0.2%nacl... 129	prednisolone acetate... 182	PREZCOBIX... 78
potassium chloride-d5-0.3%nacl... 129	prednisolone sodium phosphate... 142, 182	PREZISTA... 78
potassium chloride-d5-0.9%nacl... 129	prednisolone... 142	PRIALT... 177
potassium chloride-0.45 % nacl... 129	prednisone intensol... 142	PRIFTIN... 51
potassium citrate... 129	prednisone... 142	PRILOSEC... 135
POTELIGEO... 61	PREFEST... 152	primaquine... 67
pr natal 400 ec... 129	pregabalin... 113	PRIMAXIN IV... 30
pr natal 400... 129	PREGNYL... 144	primidone... 36
pr natal 430 ec... 130	PREHEVBRIO (PF)... 165	primlev... 18
pr natal 430... 129	PREMARIN... 152	PRIMSOL... 30
PRADAXA... 91	PREMASOL 10 %... 130	PRIORIX (PF)... 165
	PREMPHASE... 152	PRISTIQ... 42
	PREMPRO... 152	PRIVIGEN... 165
	PRENATA... 130	PRO COMFORT ALCOHOL PADS... 177
	PRENATABS FA... 130	PROAIR DIGIHALER... 189
		PROAIR HFA... 189

PROAIR RESPICLICK... 189	promethazine-dm... 195	PURIXAN... 61
probenecid... 48	promethazine-phenyleph-codeine... 195	PYLERA... 135
probenecid-colchicine... 48	promethazine-phenylephrine... 178	pyrazinamide... 51
procainamide... 105	promethegan... 45	PYRIDIDIUM... 178
PROCARDIA XL... 105	PROMETRIUM... 152	pyridostigmine bromide... 51
procentra... 113	propafenone... 105	pyridoxine (vitamin b6)... 198
prochlorperazine edisylate... 44	proparacaine... 182	pyrimethamine... 67
prochlorperazine maleate... 44	propranolol... 105	PYRUKYND... 138
prochlorperazine... 44	propranolol-hydrochlorothiazid... 105	Q
PROCRIT... 91	propylthiouracil... 157	QALSODY... 113
procto-med hc... 123	PROQUAD (PF)... 165	QBRELIS... 105
PROCTOFOAM HC... 170	PROSCAR... 140	QDOLO... 18
proctosol hc... 123	PROSOL 20 %... 130	QELBREE... 113
proctozone-hc... 123	protamine... 178	QINLOCK... 61
PROCYSBI... 138	PROTONIX... 135	QNASL... 189
progesterone micronized... 152	PROTOPIC... 123	QTERN... 87
progesterone... 152	protriptyline... 42	QUADRACEL (PF)... 165
PROGLYCEM... 87	PROVENTIL HFA... 189	QUALAQUIN... 67
PROGRAF... 165, 197	PROVERA... 152	QUARTETTE... 152
PROLASTIN-C... 138	PROVIGIL... 194	QUDEXY XR... 36
prolate... 18	PROZAC... 42	QUESTRAN LIGHT... 105
PROLENSA... 182	PRUDOXIN... 123	QUESTRAN... 105
PROLIA... 171	PULMICORT FLEXHALER... 189	quetiapine... 71, 72
PROMACTA... 91, 92	PULMICORT... 189	QUILLICHEW ER... 113
promethazine vc... 177	PULMOZYME... 189	QUILLIVANT XR... 113
promethazine vc-codeine... 195	PURE COMFORT ALCOHOL PADS... 178	quinapril... 105
promethazine... 45		quinapril-hydrochlorothiazide... 105
promethazine-codeine... 195		quinidine gluconate... 105

quinidine sulfate... 105	REBIF (WITH ALBUMIN)... 114	RENFLEXIS... 166
quinine sulfate... 67	REBIF REBIDOSE... 114	repaglinide... 87
QULIPTA... 49	REBIF TITRATION PACK... 114	REPATHA PUSHTRONEX... 105
QUTENZA... 178	REBLOZYL... 92	REPATHA SURECLICK... 105
QUVIVIQ... 194	REBYOTA... 135	REPATHA SYRINGE... 105
QUZYTIR... 190	RECARBRIO... 30	RESPA-AR... 195
QVAR REDIHALER... 190	RECLAST... 172	RESTASIS MULTIDOSE... 183
R	reclipsen (28)... 152	RESTASIS... 182
RABAVERT (PF)... 165	RECOMBIVAX HB (PF)... 166	RESTORIL... 194
rabeprazole... 135	RECORLEV... 156	RETACRIT... 92
RADICAVA ORS STARTER KIT SUSP... 114	RECTIV... 178	RETEVMO... 61
RADICAVA ORS... 113	REDITREX (PF)... 166	RETIN-A MICRO PUMP... 123
RADICAVA... 113	REGLAN... 45	RETIN-A MICRO... 123
RAGWITEK... 190	REGONOL... 51	RETIN-A... 123
raloxifene... 152	REGRANEX... 123	RETROVIR... 78
ramelteon... 194	RELAFEN DS... 18	REVATIO... 190
ramipril... 105	RELAFEN... 18	REVCOVI... 138
RANEXA... 105	RELENZA DISKHALER... 78	revonto... 74
ranolazine... 105	RELEUKO... 92	REXULTI... 72
RAPAFLO... 140	RELEXXII... 114	REYATAZ... 78
RAPAMUNE... 165, 197	RELISTOR... 135	REYVOW... 50
rasagiline... 68	RELPAK... 50	REZDIFFRA... 178
RASUVO (PF)... 165	RELTONE... 135	REZLIDHIA... 62
RAVICTI... 138	REMERON SOLTAB... 42	REZUROCK... 166
RAYALDEE... 172	REMERON... 42	REZVOGLAR KWIKPEN... 87
RAYOS... 142	REMICADE... 166	REZZAYO... 48
RAZADYNE ER... 39	REMODULIN... 190	RHOPHYLAC... 166
	RENACIDIN... 178	RHOPRESSA... 183

RIABNI... 62	rizatriptan... 50	RYBELSUS... 87
RIASTAP... 92	ROBAXIN... 193	RYBREVANT... 62
ribavirin... 78, 178	ROBINUL FORTE... 135	RYCLOLA... 190
RIDAURA... 166	ROBINUL... 135	RYDAPT... 62
rifabutin... 51	ROCALTROL... 172	RYLAZE... 62
RIFADIN... 51	ROCKLATAN... 183	RYSTIGGO... 166
rifampin... 51	roflumilast... 190	RYTARY... 68
RILUTEK... 114	ROLVEDON... 92	RYTELO... 62
riluzole... 114	romidepsin... 62	RYTHMOL SR... 105
rimantadine... 78	ropinirole... 68	RYVENT... 190
RIMSO-50... 178	ropivacaine (pf)... 21	S
ringer's... 130, 178	rosadan... 30	SABRIL... 36
RINVOQ LQ... 166	rosuvastatin... 105	SAFYRAL... 152
RINVOQ... 166	ROTARIX... 166	SAIZEN SAIZENPREP... 144
RIOMET... 87	ROTATEQ VACCINE... 166	SAIZEN... 144
risedronate... 172	ROWASA... 170	sajazir... 166
RISPERDAL CONSTA... 72	roweepra xr... 36	SALAGEN (PILOCARPINE)... 115
RISPERDAL... 72	roweepra... 36	SAMSCA... 130
risperidone... 72	ROXICODONE... 18	SANCUSO... 45
RITALIN LA... 114	ROXYBOND... 18	SANDIMMUNE... 166, 197
RITALIN... 114	ROZEREM... 194	SANDOSTATIN LAR DEPOT... 157
ritonavir... 78	ROZLYTREK... 62	SANDOSTATIN... 156
RITUXAN HYCELA... 62	RUBRACA... 62	SANTYL... 123
RITUXAN... 62	RUCONEST... 166	SAPHNELO... 166
rivastigmine tartrate... 39	rufinamide... 36	SAPHRIS... 72
rivastigmine... 39	RUKOBIA... 78	sapropterin... 138
rivelsa... 152	RUXIENCE... 62	SARCLISA... 62
RIVFLOZA... 178	RYALTRIS... 190	SAVAYSA... 92

SAVELLA... 114	SEROQUEL... 72	SINEMET... 68
saxagliptin... 87	SEROSTIM... 144	SINGULAIR... 190
saxagliptin-metformin... 87	sertraline... 42	sirolimus... 167, 197
SCEMBLIX... 62	setlakin... 152	SIRTURO... 51
scopolamine base... 45	SEYSARA... 30	sitagliptin... 87
se-natal 19 chewable... 130	SEZABY... 37	sitagliptin-metformin... 87
SEASONIQUE... 152	SFROWASA... 170	SIVEXTRO... 30
SECUADO... 72	sharobel... 152	SKYCLARYS... 114
SEGLENTIS... 18	SHINGRIX (PF)... 166	SKYRIZI... 167
SEGLUROMET... 87	SIGNIFOR LAR... 157	SKYTROFA... 144
SELECT-OB (FOLIC ACID)... 130	SIGNIFOR... 157	SMOFLIPID... 130
SELECT-OB + DHA... 130	SIKLOS... 178	SOAANZ... 105
SELECT-OB... 130	sildenafil (pulm.hypertension)... 190	sodium benzoate-sod phenylacet... 178
selegiline hcl... 68	sildenafil... 197	sodium bicarbonate... 130
selenium sulfide... 123	SILENOR... 194	sodium chloride 0.45 %... 130
SELZENTRY... 78	SILIQ... 166	sodium chloride 0.9 %... 130
SEMGLEE(INSULIN GLARG-YFGN)PEN... 87	silodosin... 140	sodium chloride 3 % hypertonic... 130
SEMGLEE(INSULIN GLARGINE-YFGN)... 87	SILVADENE... 123	sodium chloride 5 % hypertonic... 130
SENSIPAR... 172	silver sulfadiazine... 123	sodium chloride... 130, 178
SENSORCAINE... 21	SIMBRINZA... 183	SODIUM EDECRIN... 105
sensorcaine-epinephrine... 21	SIMLANDI(CF) AUTOINJECTOR... 166	sodium oxybate... 194
sensorcaine-mpf spinal... 21	simliya (28)... 152	sodium phenylbutyrate... 138
SENSORCAINE-MPF... 21	simpesse... 152	sodium phosphate... 130
sensorcaine-mpf/epinephrine... 21	SIMPONIA ARIA... 167	sodium polystyrene sulfonate... 130
SEREVENT DISKUS... 190	SIMPONI... 166, 167	sodium,potassium,mag sulfates... 135
SEROQUEL XR... 72, 73	SIMULECT... 167	
	simvastatin... 105	

SOGROYA... 144	SPIRIVA RESPIMAT... 190	STRENSIQ... 138, 139
SOHONOS... 178	SPIRIVA WITH HANDIHALER... 190	streptomycin... 30
solifenacin... 140	spironolacton-hydrochlorothiaz... 106	STRIBILD... 78
SOLIQUA 100/33... 87	spironolactone... 106	STRIVERDI RESPIMAT... 190
SOLIRIS... 167	SPORANOX PULSEPAK... 48	STROMECTOL... 67
SOLODYN... 30	SPORANOX... 48	SUBOXONE... 22
SOLOSEC... 30	sprintec (28)... 152	subvenite starter (blue) kit... 37
SOLTAMOX... 62	SPRITAM... 37	subvenite starter (green) kit... 37
SOLU-CORTEF ACT-O-VIAL (PF)... 142	SPRIX... 18	subvenite starter (orange) kit... 37
SOLU-CORTEF... 142	SPRYCEL... 62	subvenite... 37
SOLU-MEDROL (PF)... 142	SPS (WITH SORBITOL)... 130	SUCRAID... 139
SOLU-MEDROL... 142	sronyx... 152	sucralfate... 135
SOMA... 193	SSD... 123	SUFLAVE... 135
SOMATULINE DEPOT... 157	STALEVO 100... 68	SULAR... 106
SOMAVERT... 157	STALEVO 125... 68	sulfacetamide sodium (acne)... 30
SOOLANTRA... 123	STALEVO 150... 68	sulfacetamide sodium... 30, 183
sorafenib... 62	STALEVO 200... 68	sulfacetamide-prednisolone... 183
SORILUX... 123	STALEVO 50... 68	sulfadiazine... 30
sorine... 106	STALEVO 75... 69	sulfamethoxazole-trimethoprim... 30
sotalol af... 106	stavudine... 78	SULFAMYLON... 123
sotalol... 106	STEGLATRO... 87	sulfasalazine... 170
SOTYKTU... 167	STEGLUJAN... 87	sulindac... 18
SOTYLIZE... 106	STELARA... 167	sumatriptan succinate... 50
SOVALDI... 78	STIMUFEND... 92	sumatriptan... 50
SOVUNA... 67	STIOLTO RESPIMAT... 190	sumatriptan-naproxen... 50
SPEVIGO... 167	STIVARGA... 62	sunitinib malate... 62
spinosad... 123	STRATTERA... 114	SUNLENCA... 78

SUNOSI... 194	SYPRINE... 130	TARGRETIN... 63
SUPREP BOWEL PREP KIT... 135		tarina fe 1-20 eq (28)... 153
SURE COMFORT ALCOHOL PREP PADS... 178	TABRECTA... 62	tarina fe 1/20 (28)... 153
SURE-PREP ALCOHOL PREP PADS... 178	TACLONEX... 124	tarina 24 fe... 153
SUSTIVA... 78, 79	tacrolimus... 124, 167, 197	TARPEYO... 170
SUTAB... 135	tadalafil (pulm. hypertension)... 190	TASCENSO ODT... 114
SUTENT... 62	tadalafil... 140	TASIGNA... 63
syeda... 153	TADLIQ... 190	tasimelteon... 194
SYLVANT... 167	TAFINLAR... 62, 63	TASMAR... 69
SYMBICORT... 190	tafluprost (pf)... 183	tavaborole... 48
SYMBYAX... 42	TAGRISSO... 63	TAVALISSE... 92
SYMDEKO... 190	TAKHZYRO... 167	TAVNEOS... 168
SYMFI LO... 79	TALICIA... 135	taysofy... 153
SYMFI... 79	TALTZ AUTOINJECTOR (2 PACK)... 167	TAYTULLA... 153
SYMLINPEN 120... 87	TALTZ AUTOINJECTOR (3 PACK)... 167	tazarotene... 124
SYMLINPEN 60... 87	TALTZ AUTOINJECTOR... 167	tazicef... 30
SYMPAZAN... 37	TALTZ SYRINGE... 167	TAZORAC... 124
SYMPROIC... 135	TALVEY... 63	taztia xt... 106
SYMTUZA... 79	TALZENNA... 63	TAZVERIK... 63
SYNAGIS... 178	TAMIFLU... 79	TDVAX... 168
SYNALAR... 123	tamoxifen... 63	TECENTRIQ HYBREZA... 63
SYNAREL... 157	tamsulosin... 140	TECENTRIQ... 63
SYNJARDY XR... 87, 88	tanlor... 193	TECFIDERA... 114
SYNJARDY... 87	taperdex... 142	TECVAYLI... 63
SYNRIBO... 62	TARCEVA... 63	TEFLARO... 31
SYNTHROID... 155	TARGADOX... 30	TEGLUTIK... 114
		TEGRETOL XR... 37
		TEGRETOL... 37

TEGSEDI... 139	testosterone... 153	tigecycline... 31
TEKTURNA HCT... 106	TETANUS,DIPHTHERIA TOX PED(PF)... 168	TIGLUTIK... 114
TEKTURNA... 106	tetrabenazine... 114	TIKOSYN... 106
telmisartan... 106	tetracycline... 31	tilia fe... 153
telmisartan-amlodipine... 106	TEVIMBRA... 63	timolol maleate (pf)... 183
telmisartan-hydrochlorothiazid... 106	TEXACORT... 124	timolol maleate... 106, 183
temazepam... 194	TEZSPIRE... 168	TIMOPTIC OCUDOSE (PF)... 183
TEMODAR... 63	THALITONE... 106	TIMOPTIC... 183
TEMOVATE... 124	THALOMID... 63	TIMOPTIC-XE... 183
temsirolimus... 63	THAM... 130	tinidazole... 31
tencon... 178	THEO-24... 191	tiopronin... 140
TENIVAC (PF)... 168	theophylline in dextrose 5 %... 191	tirofiban-0.9% sodium chloride... 92
tenofovir disoproxil fumarate... 79	theophylline... 191	TIROSINT... 155
TENORETIC 100... 106	thiamine hcl (vitamin b1)... 198	TIROSINT-SOL... 155
TENORETIC 50... 106	THIOLA EC... 140	TIVDAK... 63
TENORMIN... 106	THIOLA... 140	TIVICAY PD... 79
TEPADINA... 63	thioridazine... 73	TIVICAY... 79
TEPEZZA... 178	thiotepa... 63	tizanidine... 74
TEPMETKO... 63	thiothixene... 73	TLANDO... 153
terazosin... 106	THYMOGLOBULIN... 168, 197	TOBI PODHALER... 191
terbinafine hcl... 48	THYQUIDITY... 155	TOBI... 31
terbutaline... 190, 191	tiadylt er... 106	TOBRADEX... 183
terconazole... 48	tiagabine... 37	tobramycin in 0.225 % nacl... 31
teriflunomide... 114	TIAZAC... 106	tobramycin sulfate... 31
TESTIM... 153	TIBSOVO... 63	tobramycin... 31, 183
testosterone cypionate... 153	TICOVAC... 168	tobramycin-dexamethasone... 183
testosterone enanthate... 153	TIGAN... 45	TOBEX... 183
		tolcapone... 69

tolectin 600... 18	tranexamic acid... 92	tri-lo-estarylla... 153
tolmetin... 18	TRANSDERM-SCOP... 45	tri-lo-marzia... 153
TOLSURA... 48	TRANXENE T-TAB... 81	tri-lo-mili... 153
tolterodine... 140	tranylcyromine... 42	tri-lo-sprintec... 153
tolvaptan... 131	TRAVASOL 10 %... 131	tri-mili... 153
TOPAMAX... 37	TRAVATAN Z... 183	tri-nymyo... 153
TOPICORT... 124	travoprost... 183	tri-sprintec (28)... 153
topiramate... 37	TRAZIMERA... 64	tri-vylibra lo... 153
toposar... 63	trazodone... 42	tri-vylibra... 153
topotecan... 63	TREANDA... 64	triamcinolone acetonide... 115, 142, 143
TOPROL XL... 106	TRECATOR... 51	triamterene... 107
toremifene... 63	TRELEGY ELLIPTA... 191	triamterene-hydrochlorothiazid... 107
TORISEL... 63	TRELSTAR... 157	trianex... 143
torpenz... 64	TREMFYA PEN... 168	triazolam... 194
torseamide... 106, 107	TREMFYA... 168	TRIBENZOR... 107
TOSYMRA... 50	treprostinil sodium... 191	TRICARE... 131
TOUJEO MAX U-300 SOLOSTAR... 88	TRESIBA FLEXTOUCH U-100... 88	TRICOR... 107
TOUJEO SOLOSTAR U-300 INSULIN... 88	TRESIBA FLEXTOUCH U-200... 88	TRIDAC... 107
tovet emollient... 124	TRESIBA U-100 INSULIN... 88	tridacaine ii... 21
TOVIAZ... 140	tretinoin (antineoplastic)... 64	tridacaine iii... 21
TPN ELECTROLYTES... 131	tretinoin microspheres... 124	triderm... 143
TRACLEER... 191	tretinoin... 124	trientine... 131
TRADJENTA... 88	TREXALL... 168	trifluoperazine... 73
tramadol... 19	TREXIMET... 50	trifluridine... 183
tramadol-acetaminophen... 19	TREZIX... 19	trihexyphenidyl... 69
trandolapril... 107	tri-estarylla... 153	TRIJARDY XR... 88
trandolapril-verapamil... 107	tri-legest fe... 153	TRIKAFTA... 191
	tri-linyah... 153	

TRILEPTAL... 37	TRUMENBA... 168	TYVASO REFILL KIT... 191
TRILIPIX... 107	TRUQAP... 64	TYVASO STARTER KIT... 191
trimethobenzamide... 45	TRUSOPT... 183	TYVASO... 191
trimethoprim... 31	TRUVADA... 79	U
trimipramine... 42	TRUXIMA... 64	UBRELVY... 50
trinatal rx 1... 131	TRYVIO... 107	UCERIS... 170
TRINTELLIX... 42	TUDORZA PRESSAIR... 191	UDENYCA AUTOINJECTOR... 92
TRIOSTAT... 155	TUKYSA... 64	UDENYCA ONBODY... 92
TRIPTODUR... 157	tulana... 154	UDENYCA... 92
TRISENOX... 64	TURALIO... 64	ULORIC... 49
TRISTART DHA... 131	turqoz (28)... 154	ULTILET ALCOHOL SWAB... 178
tritocin... 143	TUXARIN ER... 195	ULTOMIRIS... 168
TRIUMEQ PD... 79	TUZISTRA XR... 195	ULTRACET... 19
TRIUMEQ... 79	TWINRIX (PF)... 168	ULTRAM... 19
trivora (28)... 154	TWYNEO... 124	ULTRAVATE... 124
TRIZIVIR... 79	TYBOST... 79	UNASYN... 31
TRODELVY... 64	tydemy... 154	UNITHROID... 155
TROGARZO... 79	TYENNE AUTOINJECTOR... 168	UNITUXIN... 64
TROKENDI XR... 37, 38	TYENNE... 168	UPLIZNA... 168
TROPHAMINE 10 %... 131	TYGACIL... 31	UPTRAVI... 191, 192
trospium... 140	TYKERB... 64	UROCIT-K 10... 131
TRUDHESA... 50	TYMLOS... 172	UROCIT-K 15... 131
TRUE COMFORT ALCOHOL PADS... 178	TYPHIM VI... 168	UROCIT-K 5... 131
TRUE COMFORT PRO ALCOHOL PADS... 178	TYRVAYA... 183	UROXATRAL... 140
TRULANCE... 135	TYSABRI... 114	URSO FORTE... 135
TRULICITY... 88	TYVASO DPI... 191	URSO 250... 135
	TYVASO INSTITUTIONAL START KIT... 191	ursodiol... 135, 136
		UZEDY... 73

V

V-GO 20... 178	VANFLYTA... 64	VENTAVIS... 192
V-GO 30... 178	VANOS... 124	VENTOLIN HFA... 192
V-GO 40... 178	VAPRISOL IN 5 % DEXTROSE... 131	VEOPOZ... 169
VABOMERE... 31	VAQTA (PF)... 168	VEOZAH... 114
VAGIFEM... 154	vardenafil... 197	verapamil... 107
valacyclovir... 79	varenicline... 22	VERDESO... 124
VALCHLOR... 64	VARIVAX (PF)... 168	VEREGEN... 124
VALCYTE... 79	VARIZIG... 168	VERELAN PM... 107
valganciclovir... 79	VARUBI... 45	VERIPRED 20... 143
VALIUM... 81	VASCEPA... 107	VERQUOVO... 107
valproate sodium... 38	VASERETIC... 107	VERSACLOZ... 73
valproic acid (as sodium salt)... 38	VASOTEC... 107	VERZENIO... 64
valproic acid... 38	VAXCHORA VACCINE... 168	VESICARE LS... 141
valrubicin... 64	vecamyl... 107	VESICARE... 141
valsartan... 107	VECTIBIX... 64	vestura (28)... 154
valsartan-hydrochlorothiazide... 107	VECTICAL... 124	VEVYE... 183
VALSTAR... 64	VEGZELMA... 64	VFEND IV... 48
VALTOCO... 38	VELCADE... 64	VFEND... 48
VALTRES... 79	VELETRI... 192	VIAGRA... 197
VANCOGIN... 31	velivet triphasic regimen (28)... 154	VIBATIV... 31
vancomycin in dextrose 5 %... 31	VELSIPITY... 168	VIBERZI... 136
vancomycin in 0.9 % sodium chl... 31	VELTASSA... 131	VIBRAMYCIN (CALCIUM)... 32
vancomycin... 31	VELTIN... 124	VIBRAMYCIN... 31
vancomycin-diluent combo no.1... 31	VEMLIDY... 79	VICTOZA 2-PAK... 88
VANDAZOLE... 31	VENCLEXTA STARTING PACK... 64	VICTOZA 3-PAK... 88
	VENCLEXTA... 64	VIDAZA... 64
	VENLAFAXINE BESYLATE... 42	vienva... 154
	venlafaxine... 42	vigabatrin... 38

vigadrone... 38	vitamin d2... 198	VUITY... 183
VIGAFYDE... 38	vitamin k... 198	VUMERITY... 114
VIGAMOX... 183	vitamin k1... 198	VUSION... 48
vigpoder... 38	VITRAKVI... 64, 65	VYEPTI... 50
VIIBRYD... 42, 43	vivacaine... 21	vyfemla (28)... 154
VIJOICE... 139	VIVELLE-DOT... 154	VYJUVEK... 178
vilazodone... 43	VIVITROL... 22	vylibra... 154
VIMOVO... 19	VIVJOA... 48	VYNDAMAX... 139
VIMPAT... 38	VIVLODEX... 19	VYNDAQEL... 139
vinblastine... 64	VIZIMPRO... 65	VYTORIN 10-10... 108
vincasar pfs... 64	VOCABRIA... 79	VYTORIN 10-20... 108
vincristine... 64	VOGELXO... 154	VYTORIN 10-40... 108
vinorelbine... 64	volnea (28)... 154	VYTORIN 10-80... 108
VIOKACE... 139	VONJO... 65	VYVANSE... 114
viorele (28)... 154	VOQUEZNA DUAL PAK... 136	VYVGART HYTRULO... 51
VIRACEPT... 79	VOQUEZNA TRIPLE PAK... 136	VYVGART... 51
VIRAZOLE... 178	VOQUEZNA... 136	VYXEOS... 65
VIREAD... 79	VORANIGO... 65	VYZULTA... 183
virt-nate dha... 131	voriconazole... 48	W
virt-pn dha... 131	VOSEVI... 79	WAINUA... 139
VISTARIL... 192	VOTRIENT... 65	WAKIX... 194
VITAFOL FE PLUS... 131	VOWST... 136	warfarin... 92
VITAFOL GUMMIES... 131	VOXZOGO... 139	water for irrigation, sterile... 178
VITAFOL ULTRA... 131	VOYDEYA... 169	WEBCOL... 179
VITAFOL-OB... 131	VPRIV... 139	WEGOVY... 179
VITAFOL-OB+DHA... 131	VRAYLAR... 73	WELCHOL... 108
VITAFOL-ONE... 131	VTAMA... 124	WELIREG... 139
VITAMEDMD ONE RX... 131	vtol lq... 178	WELLBUTRIN SR... 43

WELLBUTRIN XL... 43

wera (28)... 154

wescap-pn dha... 131

wesnata dha complete... 131

wesnate dha... 131

westab plus... 131

westgel dha... 131

WINLEVI... 124

WINREVAIR... 192

wixela inhub... 192

wymzya fe... 154

X

XACIATO... 32

XADAGO... 69

XALATAN... 183

XALKORI... 65

XANAX XR... 81

XANAX... 81

XARELTO DVT-PE TREAT 30D
START... 92

XARELTO... 92

XATMEP... 169

XCOPRI MAINTENANCE PACK... 38

XCOPRI TITRATION PACK... 38

XCOPRI... 38

XDEMZY... 179

XELJANZ XR... 169

XELJANZ... 169

XELPROS... 183

XELSTRYM... 115

XEMBIFY... 169

XENAZINE... 115

XENICAL... 179

XENPOZYME... 139

XERAVA... 32

XERESE... 80

XERMELO... 136

XGEVA... 172

XHANCE... 192

XIFAXAN... 136

XIGDUO XR... 88

XIIDRA... 183

XOFLUZA... 80

XOLAIR... 169

XOLEGEL... 48

XOLREMDI... 92

XOPENEX HFA... 192

XOSPATA... 65

XPOVIO... 65

XTAMPZA ER... 19

XTANDI... 65

xulane... 154

XULTOPHY 100/3.6... 88

XYOSTED... 154

XYREM... 194

XYWAV... 194

Y

yargesa... 139

YASMIN (28)... 154

YAZ (28)... 154

YCANTH... 179

YERVOY... 65

YF-VAX (PF)... 169

YONDELIS... 65

YONSA... 65

YORVIPATH... 172

YUFLYMA(CF) AI CROHN'S-UC-HS...
169

YUFLYMA(CF) AUTOINJECTOR... 169

YUFLYMA(CF)... 169

YUPELRI... 192

YUSIMRY(CF) PEN... 169

yuvafem... 154

Z

zafemy... 154

zafirlukast... 192

zaleplon... 194

ZALTRAP... 65

ZANAFLEX... 74

ZANOSAR... 65

zarah... 154

ZARONTIN... 38

ZARXIO... 92, 93

zatean-pn dha... 131

zatean-pn plus... 131	ZESTRIL... 108	zoledronic ac-mannitol-0.9nacl... 172
ZAVESCA... 139	ZETIA... 108	zoledronic acid... 172
ZAVZPRET... 50	ZETONNA... 192	zoledronic acid-mannitol-water... 172
ZCORT... 143	ZEVALIN (Y-90)... 179	ZOLINZA... 65
ZEBUTAL... 179	ZIAC... 108	zolmitriptan... 50
ZEGALOGUE AUTOINJECTOR... 88	ZIAGEN... 80	ZOLOFT... 43
ZEGALOGUE SYRINGE... 88	ZIANA... 125	zolpidem... 194
ZEGERID... 136	zidovudine... 80	ZOLPIMIST... 194
ZEJULA... 65	ZIEXTENZO... 93	ZOMACTON... 144
ZELAPAR... 69	ZILBRYSQ... 169	zomig... 50
ZELBORAF... 65	zileuton... 192	ZONALON... 125
ZEMAIRA... 139	ZILRETTA... 143	ZONEGRAN... 38
ZEMBRACE SYMTOUCH... 50	ZIMHI... 22	ZONISADE... 38
ZEMDRI... 32	zingiber... 179	zonisamide... 38
ZEMPLAR... 172	ZINPLAVA... 136	ZORTRESS... 169, 197
zenatane... 124	ZIOPTAN (PF)... 184	ZORVOLEX... 19
ZENPEP... 139	ziprasidone hcl... 73	ZORYVE... 125
zenzedi... 115	ziprasidone mesylate... 73	ZOSYN IN DEXTROSE (ISO-OSM)... 32
ZEPATIER... 80	ZIPSOR... 19	zovia 1-35 (28)... 154
ZEPOSIA STARTER KIT (28-DAY)... 115	ZIRABEV... 65	ZOVIRAX... 80
ZEPOSIA STARTER KIT (37-DAY)... 115	ZIRGAN... 80	ZTALMY... 38
ZEPOSIA STARTER PACK (7-DAY)... 115	ZITHROMAX TRI-PAK... 32	ZTLIDO... 21
ZEPOSIA... 115	ZITHROMAX Z-PAK... 32	ZUBSOLV... 22
ZEPZELCA... 65	ZITHROMAX... 32	ZULRESSO... 43
ZERBAXA... 32	ZITUVIO... 88	zumandimine (28)... 154
ZESTORETIC... 108	ZOCOR... 108	ZURZUVAE... 43
	ZOLADEX... 157	

ZYCLARA... 125
ZYDELIG... 66
ZYFLO... 192
ZYKADIA... 66
ZYLET... 184
ZYLOPRIM... 49
ZYMAXID... 184
ZYMFENTRA... 169
ZYNLONTA... 66
ZYNRELEF... 179
ZYNYZ... 66
ZYPITAMAG... 108
ZYPREXA RELPREV... 73
ZYPREXA ZYDIS... 73
ZYPREXA... 73
ZYTIGA... 66
ZYVOX... 32

Multi-Language Insert

Multi-language Interpreter Services

English: We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-877-320-1235 (TTY: 711). Someone who speaks English can help you. This is a free service.

Spanish: Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-877-320-1235 (TTY: 711). Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

Chinese Mandarin: 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-877-320-1235 (听障专线：711)。我们的中文工作人员很乐意帮助您。这是一项免费服务。

Chinese Cantonese: 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-877-320-1235 (聽障專線：711)。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

Tagalog: Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggagamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-877-320-1235 (TTY: 711). Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

French: Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-877-320-1235 (TTY: 711). Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

Vietnamese: Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-877-320-1235 (TTY: 711) sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

German: Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-877-320-1235 (TTY: 711). Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

Korean: 당사는 의료 보험 또는 약품 보험에 관한 질문에 대해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-877-320-1235 (TTY: 711) 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

Russian: Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-877-320-1235 (TTY: 711). Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

Arabic: إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بخططنا الصحية أو خطة الأدوية الموصوفة لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على 1-877-320-1235 (TTY: 711). سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

Hindi: हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं. एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-877-320-1235 (TTY: 711) पर फोन करें. कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है. यह एक मुफ्त सेवा है.

Italian: È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-877-320-1235 (TTY: 711). Un nostro incaricato che parla Italianovi fornirà l'assistenza necessaria. È un servizio gratuito.

Portuguese: Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-877-320-1235 (TTY: 711). Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

French Creole: Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-877-320-1235 (TTY: 711). Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

Polish: Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-877-320-1235 (TTY: 711). Ta usługa jest bezpłatna.

Japanese: 当社の健康保険と処方薬プランに関するご質問にお答えするために、無料の通訳サービスをご用意しています。通訳をご用命になるには、1-877-320-1235 (TTY:711) にお電話ください。日本語を話す者が支援いたします。これは無料のサービスです。



This formulary was updated on 09/28/2024. For more recent information or other questions, please contact the Humana Medicare Employer Plan with any questions at the number on the back of your membership card or, for TTY users, 711, Monday through Friday, from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day, 7 days a week, by visiting **Humana.com**.

Humana[®]

Humana.com